

## SELECT Query

```
SELECT col1, col2
FROM table
JOIN table2 ON table1.col = table2.col
WHERE condition
GROUP BY column_name
HAVING condition
ORDER BY col1 ASC|DESC;
```

## SELECT Keywords

**DISTINCT:** Removes duplicate results

```
SELECT DISTINCT product_name
FROM product;
```

**BETWEEN:** Matches a value between two other values (inclusive)

```
SELECT product_name
FROM product
WHERE price BETWEEN 50 AND 100;
```

**IN:** Matches to any of the values in a list

```
SELECT product_name
FROM product
WHERE category IN
('Electronics', 'Furniture');
```

**LIKE:** Performs wildcard matches using \_ or %

```
SELECT product_name
FROM product
WHERE product_name
LIKE '%Desk%';
```

## Joins

```
SELECT t1.*, t2.*
FROM t1
join_type t2 ON t1.col = t2.col;
```

Table 1	Table 2
A	A
B	B
C	D

**INNER JOIN:** show all matching records in both tables.

A	A
B	B

**LEFT JOIN:** show all records from left table, and any matching records from right table.

A	A
B	B
C	

**RIGHT JOIN:** show all records from right table, and any matching records from left table.

A	A
B	B
	D

**FULL JOIN:** show all records from both tables, whether there is a match or not.

A	A
B	B
C	
	D

## CASE Statement

**Simple Case**

```
CASE name
  WHEN 'John' THEN 'Name John'
  WHEN 'Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

**Searched Case**

```
CASE
  WHEN name='John' THEN 'Name John'
  WHEN name='Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

## Common Table Expression

```
WITH queryname AS (
  SELECT col1, col2
  FROM firsttable)
SELECT col1,col2..
FROM queryname...;
```

## Modifying Data

**Insert**

```
INSERT INTO tablename
(col1, col2...)
VALUES (val1, val2);
```

**Insert from a Table**

```
INSERT INTO tablename
(col1, col2...)
SELECT col1, col2...
```

**Insert Multiple Rows**

```
INSERT
INTO tablename (col1, col2)
VALUES (valA1, valB1)
INTO tablename (col1, col2)
VALUES (valA2, valB2)
SELECT * FROM dual;
```

**Update**

```
UPDATE tablename
SET col1 = val1
WHERE condition;
```

**Update with a Join**

```
UPDATE t
SET col1 = val1
FROM tablename t
INNER JOIN table x
ON t.id = x.tid
WHERE condition;
```

**Delete**

```
DELETE FROM tablename
WHERE condition;
```

## Indexes

**Create Index**

```
CREATE INDEX indexname
ON tablename (cols);
```

**Drop Index**

```
DROP INDEX indexname;
```

## Set Operators

**UNION:** Shows unique rows from two result sets.



**UNION ALL:** Shows all rows from two result sets.



**INTERSECT:** Shows rows that exist in both result sets.



**EXCEPT:** Shows rows that exist in the first result set but not the second.



## Aggregate Functions

- SUM:** Finds a total of the numbers provided
- COUNT:** Finds the number of records
- AVG:** Finds the average of the numbers provided
- MIN:** Finds the lowest of the numbers provided
- MAX:** Finds the highest of the numbers provided

## Common Functions

- LENGTH(string):** Returns the length of the provided string
- INSTR(string, substring, [start\_position], [occurrence]):** Returns the position of the substring within the specified string.
- TO\_CHAR(input\_value, [fmt\_mask], [nls\_param]):** Converts a date or a number to a string
- TO\_DATE(charvalue, [fmt\_mask], [nls\_date\_lang]):** Converts a string to a date value.
- TO\_NUMBER(input\_value, [fmt\_mask], [nls\_param]):** Converts a string value to a number.
- ADD\_MONTHS(input\_date, num\_months):** Adds a number of months to a specified date.
- SYSDATE:** Returns the current date, including time.
- CEIL(input\_val):** Returns the smallest integer greater than the provided number.
- FLOOR(input\_val):** Returns the largest integer less than the provided number.
- ROUND(input\_val, round\_to):** Rounds a number to a specified number of decimal places.
- TRUNC(input\_value, dec\_or\_fmt):** Truncates a number or date to a number of decimals or format.
- REPLACE(whole\_string, string\_to\_replace, [replacement\_string]):** Replaces one string inside the whole string with another string.
- SUBSTR(string, start\_position, [length]):** Returns part of a value, based on a position and length.

## Create Table

**Create Table**

```
CREATE TABLE tablename (
  column_name data_type
);
```

**Create Table with Constraints**

```
CREATE TABLE tablename (
  column_name data_type NOT NULL,
  CONSTRAINT pkname PRIMARY KEY (col),
  CONSTRAINT fkname FOREIGN KEY (col)
REFERENCES other_table(col_in_other_table),
  CONSTRAINT ucname UNIQUE (col),
  CONSTRAINT ckname CHECK (conditions)
);
```

**Create Temporary Table**

```
CREATE GLOBAL TEMPORARY TABLE
tablename (
  colname datatype
) ON COMMIT DELETE ROWS;
```

**Drop Table**

```
DROP TABLE tablename;
```

## Alter Table

**Add Column**

```
ALTER TABLE tablename
ADD columnname datatype;
```

**Drop Column**

```
ALTER TABLE tablename
DROP COLUMN columnname;
```

**Modify Column**

```
ALTER TABLE tablename MODIFY
columnname newdatatype;
```

**Rename Column**

```
ALTER TABLE tablename RENAME COLUMN
currentname TO newname;
```

**Add Constraint**

```
ALTER TABLE tablename ADD
CONSTRAINT constraintname
constrainttype (columns);
```

**Drop Constraint**

```
ALTER TABLE tablename DROP
constraint_type constraintname;
```

**Rename Table**

```
sp_rename
'old_table_name',
'new_table_name';
```

## Window/Analytic Functions

```
function_name ( arguments ) OVER (
  [query_partition_clause]
  [ORDER BY order_by_clause]
  [windowing_clause] )
```

Example using RANK, showing the student details and their rank according to the fees\_paid, grouped by gender:

```
SELECT
student_id, first_name, last_name, gender, fees_paid,
RANK() OVER (
  PARTITION BY gender ORDER BY fees_paid
) AS rank_val
FROM student;
```

## Subqueries

**Single Row**

```
SELECT id, last_name, salary
FROM employee
WHERE salary = (
  SELECT MAX(salary)
  FROM employee
);
```

**Multi Row**

```
SELECT id, last_name, salary
FROM employee
WHERE salary IN (
  SELECT salary
  FROM employee
  WHERE last_name LIKE 'C%'
);
```

## SELECT Query

```
SELECT col1, col2
FROM table
JOIN table2 ON table1.col = table2.col
WHERE condition
GROUP BY column_name
HAVING condition
ORDER BY col1 ASC|DESC;
```

## SELECT Keywords

**DISTINCT:** Removes duplicate results  
**BETWEEN:** Matches a value between two other values (inclusive)  
**IN:** Matches to any of the values in a list  
**LIKE:** Performs wildcard matches using \_ or %

```
SELECT DISTINCT product_name
FROM product;

SELECT product_name
FROM product
WHERE price BETWEEN 50 AND 100;

SELECT product_name
FROM product
WHERE category IN ('Electronics', 'Furniture');

SELECT product_name
FROM product
WHERE product_name LIKE '%Desk%';
```

## Joins

```
SELECT t1.*, t2.*
FROM t1
join_type t2 ON t1.col = t2.col;
```

Table 1	Table 2
A	A
B	B
C	D

**INNER JOIN:** show all matching records in both tables.

A	A
B	B

**LEFT JOIN:** show all records from left table, and any matching records from right table.

A	A
B	B
C	

**RIGHT JOIN:** show all records from right table, and any matching records from left table.

A	A
B	B
	D

**FULL JOIN:** show all records from both tables, whether there is a match or not.

A	A
B	B
C	
	D

## CASE Statement

**Simple Case**

```
CASE name
  WHEN 'John' THEN 'Name John'
  WHEN 'Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

**Searched Case**

```
CASE
  WHEN name='John' THEN 'Name John'
  WHEN name='Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

## Common Table Expression

```
WITH queryname (col1, col2...) AS (
  SELECT col1, col2
  FROM firsttable)
SELECT col1, col2..
FROM queryname...;
```

## Modifying Data

**Insert**

```
INSERT INTO tablename
(col1, col2...)
VALUES (val1, val2);
```

**Insert from a Table**

```
INSERT INTO tablename
(col1, col2...)
SELECT col1, col2...
```

**Insert Multiple Rows**

```
INSERT INTO tablename
(col1, col2...) VALUES
(valA1, valB1),
(valA2, valB2),
(valA3, valB3);
```

**Update**

```
UPDATE tablename
SET col1 = val1
WHERE condition;
```

**Update with a Join**

```
UPDATE t
SET col1 = val1
FROM tablename t
INNER JOIN table x
ON t.id = x.tid
WHERE condition;
```

**Delete**

```
DELETE FROM tablename
WHERE condition;
```

## Indexes

**Create Index**

```
CREATE INDEX indexname
ON tablename (cols);
```

**Drop Index**

```
DROP INDEX indexname;
```

## Set Operators

**UNION:** Shows unique rows from two result sets.



**UNION ALL:** Shows all rows from two result sets.



**INTERSECT:** Shows rows that exist in both result sets.



**MINUS:** Shows rows that exist in the first result set but not the second.



## Aggregate Functions

- SUM:** Finds a total of the numbers provided
- COUNT:** Finds the number of records
- AVG:** Finds the average of the numbers provided
- MIN:** Finds the lowest of the numbers provided
- MAX:** Finds the highest of the numbers provided

## Common Functions

- LEN(string):** Returns the length of the provided string
- CHARINDEX(string, substring, [start\_position], [occurrence]):** Returns the position of the substring within the specified string.
- CAST(expression AS type [(length)]):** Converts an expression to another data type.
- GETDATE:** Returns the current date, including time.
- CEILING(input\_val):** Returns the smallest integer greater than the provided number.
- FLOOR(input\_val):** Returns the largest integer less than the provided number.
- ROUND(input\_val, round\_to, operation):** Rounds a number to a specified number of decimal places.
- REPLACE(whole\_string, string\_to\_replace, replacement\_string):** Replaces one string inside the whole string with another string.
- SUBSTRING(string, start\_position, [length]):** Returns part of a value, based on a position and length.

## Create Table

**Create Table**

```
CREATE TABLE tablename (
  column_name data_type
);
```

**Create Table with Constraints**

```
CREATE TABLE tablename (
  column_name data_type NOT NULL,
  CONSTRAINT pkname PRIMARY KEY (col),
  CONSTRAINT fkname FOREIGN KEY (col)
  REFERENCES other_table(col_in_other_table),
  CONSTRAINT ucname UNIQUE (col),
  CONSTRAINT ckname CHECK (conditions)
);
```

**Create Temporary Table**

```
SELECT cols
INTO #tablename
FROM table;
```

**Drop Table**

```
DROP TABLE tablename;
```

## Alter Table

**Add Column**

```
ALTER TABLE tablename
ADD columnname datatype;
```

**Drop Column**

```
ALTER TABLE tablename
DROP COLUMN columnname;
```

**Modify Column**

```
ALTER TABLE tablename ALTER COLUMN
columnname newdatatype;
```

**Rename Column**

```
sp_rename
'table_name.old_column_name',
'new_column_name', 'COLUMN';
```

**Add Constraint**

```
ALTER TABLE tablename ADD
CONSTRAINT constraintname
constrainttype (columns);
```

**Drop Constraint**

```
ALTER TABLE tablename
DROP CONSTRAINT constraintname;
```

**Rename Table**

```
ALTER TABLE tablename
RENAME TO newtablename;
```

## Window/Analytic Functions

```
function_name ( arguments ) OVER (
  [query_partition_clause]
  [ORDER BY order_by_clause]
  [windowing_clause] )
```

Example using RANK, showing the student details and their rank according to the fees\_paid, grouped by gender:

```
SELECT
  student_id, first_name, last_name, gender, fees_paid,
  RANK() OVER (
    PARTITION BY gender ORDER BY fees_paid
  ) AS rank_val
FROM student;
```

## Subqueries

**Single Row**

```
SELECT id, last_name, salary
FROM employee
WHERE salary = (
  SELECT MAX(salary)
  FROM employee
);
```

**Multi Row**

```
SELECT id, last_name, salary
FROM employee
WHERE salary IN (
  SELECT salary
  FROM employee
  WHERE last_name LIKE 'C%'
);
```

## SELECT Query

```
SELECT col1, col2
FROM table
JOIN table2 ON table1.col = table2.col
WHERE condition
GROUP BY column_name
HAVING condition
ORDER BY col1 ASC|DESC;
```

## SELECT Keywords

**DISTINCT:** Removes duplicate results

```
SELECT DISTINCT product_name
FROM product;
```

**BETWEEN:** Matches a value between two other values (inclusive)

```
SELECT product_name
FROM product
WHERE price BETWEEN 50 AND 100;
```

**IN:** Matches to any of the values in a list

```
SELECT product_name
FROM product
WHERE category IN ('Electronics', 'Furniture');
```

**LIKE:** Performs wildcard matches using \_ or %

```
SELECT product_name
FROM product
WHERE product_name LIKE '%Desk%';
```

## Joins

```
SELECT t1.*, t2.*
FROM t1
join_type t2 ON t1.col = t2.col;
```

Table 1	Table 2
A	A
B	B
C	D

**INNER JOIN:** show all matching records in both tables.

A	A
B	B

**LEFT JOIN:** show all records from left table, and any matching records from right table.

A	A
B	B
C	

**RIGHT JOIN:** show all records from right table, and any matching records from left table.

A	A
B	B
	D

**FULL JOIN:** show all records from both tables, whether there is a match or not.

A	A
B	B
C	
	D

## CASE Statement

**Simple Case**

```
CASE name
  WHEN 'John' THEN 'Name John'
  WHEN 'Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

**Searched Case**

```
CASE
  WHEN name='John' THEN 'Name John'
  WHEN name='Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

## Common Table Expression

```
WITH queryname AS (
  SELECT col1, col2
  FROM firsttable)
SELECT col1,col2...
FROM queryname...;
```

## Modifying Data

**Insert**

```
INSERT INTO tablename
(col1, col2...)
VALUES (val1, val2);
```

**Insert from a Table**

```
INSERT INTO tablename
(col1, col2...)
SELECT col1, col2...
```

**Insert Multiple Rows**

```
INSERT INTO tablename (col1,
col2...)
VALUES
(valA1, valB1),
(valA2, valB2),
(valA3, valB3);
```

**Update**

```
UPDATE tablename
SET col1 = val1
WHERE condition;
```

**Update with a Join**

```
UPDATE t
SET col1 = val1
FROM tablename t
INNER JOIN table x
ON t.id = x.tid
WHERE condition;
```

**Delete**

```
DELETE FROM tablename
WHERE condition;
```

## Indexes

**Create Index**


```
CREATE INDEX indexname
ON tablename (cols);
```

**Drop Index**


```
DROP INDEX indexname;
```

## Set Operators

**UNION:** Shows unique rows from two result sets.




**UNION ALL:** Shows all rows from two result sets.



**INTERSECT:** Shows rows that exist in both result sets.



**MINUS:** Shows rows that exist in the first result set but not the second.



## Aggregate Functions

- SUM:** Finds a total of the numbers provided
- COUNT:** Finds the number of records
- AVG:** Finds the average of the numbers provided
- MIN:** Finds the lowest of the numbers provided
- MAX:** Finds the highest of the numbers provided

## Common Functions

- LENGTH(string):** Returns the length of the provided string
- INSTR(string, substring):** Returns the position of the substring within the specified string.
- CAST(expression AS datatype):** Converts an expression into the specified data type.
- ADDDATE(input\_date, days):** Adds a number of days to a specified date.
- NOW:** Returns the current date, including time.
- CEILING(input\_val):** Returns the smallest integer greater than the provided number.
- FLOOR(input\_val):** Returns the largest integer less than the provided number.
- ROUND(input\_val, [round\_to]):** Rounds a number to a specified number of decimal places.
- TRUNCATE(input\_value, num\_decimals):** Truncates a number to a number of decimals.
- REPLACE(whole\_string, string\_to\_replace, replacement\_string):** Replaces one string inside the whole string with another string.
- SUBSTRING(string, start\_position):** Returns part of a value, based on a position and length.

## Create Table

**Create Table**

```
CREATE TABLE tablename (
  column_name data_type
);
```

**Create Table with Constraints**

```
CREATE TABLE tablename (
  column_name data_type NOT NULL,
  CONSTRAINT pkname PRIMARY KEY (col),
  CONSTRAINT fkname FOREIGN KEY (col)
REFERENCES other_table(col_in_other_table),
  CONSTRAINT ucname UNIQUE (col),
  CONSTRAINT ckname CHECK (conditions)
);
```

**Create Temporary Table**

```
CREATE TEMPORARY TABLE
tablename (
  colname datatype
);
```

**Drop Table**

```
DROP TABLE tablename;
```

## Alter Table

**Add Column**

```
ALTER TABLE tablename
ADD columnname datatype;
```

**Drop Column**

```
ALTER TABLE tablename
DROP COLUMN columnname;
```

**Modify Column**

```
ALTER TABLE tablename CHANGE
columnname newcolumnname newdatatype;
```

**Rename Column**

```
ALTER TABLE tablename CHANGE
COLUMN currentname TO newname;
```

**Add Constraint**

```
ALTER TABLE tablename ADD
CONSTRAINT constraintname
constrainttype (columns);
```

**Drop Constraint**

```
ALTER TABLE tablename DROP
constraint_type constraintname;
```

**Rename Table**

```
ALTER TABLE tablename
RENAME TO newtablename;
```

## Window/Analytic Functions

```
function_name ( arguments ) OVER (
  [query_partition_clause]
  [ORDER BY order_by_clause]
  [windowing_clause] )
```

Example using RANK, showing the student details and their rank according to the fees\_paid, grouped by gender:

```
SELECT
student_id, first_name, last_name, gender, fees_paid,
RANK() OVER (
  PARTITION BY gender ORDER BY fees_paid
) AS rank_val
FROM student;
```

## Subqueries

**Single Row**

```
SELECT id, last_name, salary
FROM employee
WHERE salary = (
  SELECT MAX(salary)
  FROM employee
);
```

**Multi Row**

```
SELECT id, last_name, salary
FROM employee
WHERE salary IN (
  SELECT salary
  FROM employee
  WHERE last_name LIKE 'C%'
);
```

## SELECT Query

```
SELECT col1, col2
FROM table
JOIN table2 ON table1.col = table2.col
WHERE condition
GROUP BY column_name
HAVING condition
ORDER BY col1 ASC|DESC;
```

## SELECT Keywords

DISTINCT: Removes duplicate results	SELECT DISTINCT product_name FROM product;
BETWEEN: Matches a value between two other values (inclusive)	SELECT product_name FROM product WHERE price BETWEEN 50 AND 100;
IN: Matches to any of the values in a list	SELECT product_name FROM product WHERE category IN ('Electronics', 'Furniture');
LIKE: Performs wildcard matches using _ or %	SELECT product_name FROM product WHERE product_name LIKE '%Desk%';

## Joins

```
SELECT t1.*, t2.*
FROM t1
join_type t2 ON t1.col = t2.col;
```

Table 1	Table 2
A	A
B	B
C	D

INNER JOIN: show all matching records in both tables.

A	A
B	B

LEFT JOIN: show all records from left table, and any matching records from right table.

A	A
B	B
C	

RIGHT JOIN: show all records from right table, and any matching records from left table.

A	A
B	B
	D

FULL JOIN: show all records from both tables, whether there is a match or not.

A	A
B	B
C	
	D

## CASE Statement

Simple Case

```
CASE name
  WHEN 'John' THEN 'Name John'
  WHEN 'Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

Searched Case

```
CASE
  WHEN name='John' THEN 'Name John'
  WHEN name='Steve' THEN 'Name Steve'
  ELSE 'Unknown'
END
```

## Common Table Expression

```
WITH queryname AS (
  SELECT col1, col2
  FROM firsttable)
SELECT col1,col2...
FROM queryname...;
```

## Modifying Data

Insert

```
INSERT INTO tablename
(col1, col2...)
VALUES (val1, val2);
```

Insert from a Table

```
INSERT INTO tablename
(col1, col2...)
SELECT col1, col2...
```

Insert Multiple Rows

```
INSERT INTO tablename
(col1, col2...) VALUES
(valA1, valB1),
(valA2, valB2),
(valA3, valB3);
```

Update

```
UPDATE tablename
SET col1 = val1
WHERE condition;
```

Update with a Join

```
UPDATE t
SET col1 = val1
FROM tablename t
INNER JOIN table x
ON t.id = x.tid
WHERE condition;
```

Delete

```
DELETE FROM tablename
WHERE condition;
```

## Indexes

Create Index

```
CREATE INDEX indexname
ON tablename (cols);
```

Drop Index

```
DROP INDEX indexname;
```

## Set Operators

UNION: Shows unique rows from two result sets.



UNION ALL: Shows all rows from two result sets.



INTERSECT: Shows rows that exist in both result sets.



EXCEPT: Shows rows that exist in the first result set but not the second.



## Aggregate Functions

- SUM: Finds a total of the numbers provided
- COUNT: Finds the number of records
- AVG: Finds the average of the numbers provided
- MIN: Finds the lowest of the numbers provided
- MAX: Finds the highest of the numbers provided

## Common Functions

- LENGTH(string): Returns the length of the provided string
- POSITION(string IN substring): Returns the position of the substring within the specified string.
- CAST(expression AS datatype): Converts an expression into the specified data type.
- NOW: Returns the current date, including time.
- CEIL(input\_val): Returns the smallest integer greater than the provided number.
- FLOOR(input\_val): Returns the largest integer less than the provided number.
- ROUND(input\_val, [round\_to]): Rounds a number to a specified number of decimal places.
- TRUNC(input\_value, num\_decimals): Truncates a number to a number of decimals.
- REPLACE(whole\_string, string\_to\_replace, replacement\_string): Replaces one string inside the whole string with another string.
- SUBSTRING(string, [start\_pos], [length]): Returns part of a value, based on a position and length.

## Create Table

Create Table

```
CREATE TABLE tablename (
  column_name data_type
);
```

Create Table with Constraints

```
CREATE TABLE tablename (
  column_name data_type NOT NULL,
  CONSTRAINT pkname PRIMARY KEY (col),
  CONSTRAINT fkname FOREIGN KEY (col)
  REFERENCES other_table(col_in_other_table),
  CONSTRAINT ucname UNIQUE (col),
  CONSTRAINT ckname CHECK (conditions)
);
```

Create Temporary Table

```
CREATE TEMP TABLE tablename (
  colname datatype
);
```

Drop Table

```
DROP TABLE tablename;
```

## Alter Table

Add Column

```
ALTER TABLE tablename ADD COLUMN
columnname datatype;
```

Drop Column

```
ALTER TABLE tablename DROP COLUMN
columnname;
```

Modify Column

```
ALTER TABLE tablename ALTER COLUMN
columnname TYPE newdatatype;
```

Rename Column

```
ALTER TABLE tablename RENAME COLUMN
currentname TO newname;
```

Add Constraint

```
ALTER TABLE tablename ADD CONSTRAINT
constraintname constrainttype
(columns);
```

Drop Constraint

```
ALTER TABLE tablename DROP
constraint_type constraintname;
```

Rename Table

```
ALTER TABLE tablename
RENAME TO newtablename;
```

## Window/Analytic Functions

```
function_name ( arguments ) OVER (
  [query_partition_clause]
  [ORDER BY order_by_clause]
  [windowing_clause] ] )
```

Example using RANK, showing the student details and their rank according to the fees\_paid, grouped by gender:

```
SELECT
  student_id, first_name, last_name, gender, fees_paid,
  RANK() OVER (
    PARTITION BY gender ORDER BY fees_paid
  ) AS rank_val
FROM student;
```

## Subqueries

Single Row

```
SELECT id, last_name, salary
FROM employee
WHERE salary = (
  SELECT MAX(salary)
  FROM employee
);
```

Multi Row

```
SELECT id, last_name, salary
FROM employee
WHERE salary IN (
  SELECT salary
  FROM employee
  WHERE last_name LIKE 'C%'
);
```