

# Python Pandas from Basics to Advance



## Python Pandas

```
df = pd.DataFrame({  
    "Name": ["Braund, Mr. Owen Harris", "Allen, Mr. William Henry", "Bonnell, Miss. Elizabeth"],  
    "Age": [22, 35, 58],  
    "Sex": ["male", "male", "female"]  
})  
df
```

	Name	Age	Sex
0	Braund, Mr. Owen Harris	22	male
1	Allen, Mr. William Henry	35	male
2	Bonnell, Miss. Elizabeth	58	female

# Pandas toolkit Part 1

Syed Afroz Ali

```
In [1]: import pandas as pd
import matplotlib.pyplot as plt
```

```
In [2]: df = pd.DataFrame({
    "Name": ["Braund, Mr. Owen Harris", "Allen, Mr. William Henry", "Bonnell, Miss. Elizabeth"],
    "Age": [22, 35, 58],
    "Sex": ["male", "male", "female"]
})
df
```

```
Out[2]:
```

	Name	Age	Sex
0	Braund, Mr. Owen Harris	22	male
1	Allen, Mr. William Henry	35	male
2	Bonnell, Miss. Elizabeth	58	female

```
In [3]: df["Age"]
```

```
Out[3]: 0    22
1    35
2    58
Name: Age, dtype: int64
```

```
In [4]: ages = pd.Series([22, 35, 58], name="Age")
ages
```

```
Out[4]: 0    22
1    35
2    58
Name: Age, dtype: int64
```

```
In [5]: df["Age"].max()
```

```
Out[5]: 58
```

```
In [6]: ages.max()
```

```
Out[6]: 58
```

```
In [7]: df.describe()
```

```
Out[7]:
```

	Age
count	3.000000
mean	38.333333
std	18.230012
min	22.000000
25%	28.500000
50%	35.000000
75%	46.500000
max	58.000000

```
In [8]: titanic = pd.read_csv("train_titanic.csv")
titanic.head()
```

```
Out[8]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cal
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	N
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	N
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C1
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	N

```
In [9]: titanic.dtypes
```

```
Out[9]: PassengerId      int64  
Survived                int64  
Pclass                  int64  
Name                    object  
Sex                     object  
Age                     float64  
SibSp                   int64  
Parch                   int64  
Ticket                  object  
Fare                    float64  
Cabin                   object  
Embarked                object  
dtype: object
```

```
In [10]: titanic.to_excel("titanic.xlsx", sheet_name="passengers", index=False)
```

```
In [11]: titanic = pd.read_excel("titanic.xlsx", sheet_name="passengers")
```

```
In [12]: titanic.info()
```

```
<class 'pandas.core.frame.DataFrame'>  
RangeIndex: 891 entries, 0 to 890  
Data columns (total 12 columns):  
#   Column          Non-Null Count  Dtype  
---  -  
0   PassengerId     891 non-null   int64  
1   Survived        891 non-null   int64  
2   Pclass          891 non-null   int64  
3   Name            891 non-null   object  
4   Sex             891 non-null   object  
5   Age             714 non-null   float64  
6   SibSp           891 non-null   int64  
7   Parch           891 non-null   int64  
8   Ticket          891 non-null   object  
9   Fare            891 non-null   float64  
10  Cabin           204 non-null   object  
11  Embarked        889 non-null   object  
dtypes: float64(2), int64(5), object(5)  
memory usage: 83.7+ KB
```

```
In [13]: ages = titanic["Age"]  
ages.head()
```

```
Out[13]: 0    22.0  
1    38.0  
2    26.0  
3    35.0  
4    35.0  
Name: Age, dtype: float64
```



```
In [14]: type(titanic["Age"])
```

```
Out[14]: pandas.core.series.Series
```

```
In [15]: titanic["Age"].shape
```

```
Out[15]: (891,)
```

```
In [16]: titanic["Age"].shape
```

```
Out[16]: (891,)
```

```
In [17]: age_sex = titanic[["Age", "Sex"]]
age_sex.head()
```

```
Out[17]:
```

	Age	Sex
0	22.0	male
1	38.0	female
2	26.0	female
3	35.0	female
4	35.0	male

```
In [18]: titanic[["Age", "Sex"]].shape
```

```
Out[18]: (891, 2)
```

```
In [19]: above_35 = titanic[titanic["Age"] > 35]
above_35.head()
```


```
Out[19]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cab
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C
6	7	0	1	McCarthy, Mr. Timothy J	male	54.0	0	0	17463	51.8625	E
11	12	1	1	Bonnell, Miss. Elizabeth	female	58.0	0	0	113783	26.5500	C1
13	14	0	3	Andersson, Mr. Anders Johan	male	39.0	1	5	347082	31.2750	N
15	16	1	2	Hewlett, Mrs. (Mary D Kingcome)	female	55.0	0	0	248706	16.0000	N

```
In [20]: class_23 = titanic[titanic["Pclass"].isin([2, 3])]
class_23.head()
```

Out[20]:


	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cal
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	N
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	N
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	N
5	6	0	3	Moran, Mr. James	male	NaN	0	0	330877	8.4583	N
7	8	0	3	Palsson, Master. Gosta Leonard	male	2.0	3	1	349909	21.0750	N



```
In [21]: class_23 = titanic[(titanic["Pclass"] == 2) | (titanic["Pclass"] == 3)]
class_23.head()
```

Out[21]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cal
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	N
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	N
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	N
5	6	0	3	Moran, Mr. James	male	NaN	0	0	330877	8.4583	N
7	8	0	3	Palsson, Master. Gosta Leonard	male	2.0	3	1	349909	21.0750	N



```
In [22]: age_no_na = titanic[titanic["Age"].notna()]
age_no_na.head()
```

Out[22]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cal
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	N
1	2	1	1	Cummings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	N
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C1
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	N

```
In [23]: adult_names = titanic.loc[titanic["Age"] > 35]
adult_names.head()
```

Out[23]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cab
1	2	1	1	Cummings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.2833	C1
6	7	0	1	McCarthy, Mr. Timothy J	male	54.0	0	0	17463	51.8625	E-
11	12	1	1	Bonnell, Miss. Elizabeth	female	58.0	0	0	113783	26.5500	C10
13	14	0	3	Andersson, Mr. Anders Johan	male	39.0	1	5	347082	31.2750	Na
15	16	1	2	Hewlett, Mrs. (Mary D Kingcome)	female	55.0	0	0	248706	16.0000	Na

```
In [24]: adult_names = titanic.loc[titanic["Age"] > 35, "Name"]
adult_names.head()
```

```
Out[24]: 1      Cumings, Mrs. John Bradley (Florence Briggs Th...
6              McCarthy, Mr. Timothy J
11             Bonnell, Miss. Elizabeth
13             Andersson, Mr. Anders Johan
15             Hewlett, Mrs. (Mary D Kingcome)
Name: Name, dtype: object
```

```
In [25]: titanic.iloc[9:25, 2:5]
```

```
Out[25]:
```

	Pclass	Name	Sex
9	2	Nasser, Mrs. Nicholas (Adele Achem)	female
10	3	Sandstrom, Miss. Marguerite Rut	female
11	1	Bonnell, Miss. Elizabeth	female
12	3	Saunderscock, Mr. William Henry	male
13	3	Andersson, Mr. Anders Johan	male
14	3	Vestrom, Miss. Hulda Amanda Adolfina	female
15	2	Hewlett, Mrs. (Mary D Kingcome)	female
16	3	Rice, Master. Eugene	male
17	2	Williams, Mr. Charles Eugene	male
18	3	Vander Planke, Mrs. Julius (Emelia Maria Vande...)	female
19	3	Masselmani, Mrs. Fatima	female
20	2	Fynney, Mr. Joseph J	male
21	2	Beesley, Mr. Lawrence	male
22	3	McGowan, Miss. Anna "Annie"	female
23	1	Sloper, Mr. William Thompson	male
24	3	Palsson, Miss. Torborg Danira	female


```
In [26]: anon = titanic.iloc[0:3, 3] = "anonymous"
anon
```

```
Out[26]: 'anonymous'
```

```
In [27]: titanic.head()
```

```
Out[27]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cat
0	1	0	3	anonymous	male	22.0	1	0	A/5 21171	7.2500	I
1	2	1	1	anonymous	female	38.0	1	0	PC 17599	71.2833	
2	3	1	3	anonymous	female	26.0	0	0	STON/O2. 3101282	7.9250	I
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	I

◀  ▶

```
In [28]: titanic["Age"].mean()
```

```
Out[28]: 29.69911764705882
```

```
In [29]: titanic[["Age", "Fare"]].median()
```

```
Out[29]: Age      28.00000  
Fare      14.45420  
dtype: float64
```

```
In [30]: titanic[["Age", "Fare"]].describe()
```

```
Out[30]:
```

	Age	Fare
count	714.000000	891.000000
mean	29.699118	32.204208
std	14.526497	49.693429
min	0.420000	0.000000
25%	20.125000	7.910400
50%	28.000000	14.454200
75%	38.000000	31.000000
max	80.000000	512.329200

```
In [31]: titanic.agg({
    "Age": ["min", "max", "median", "skew"],
    "Fare": ["min", "max", "median", "mean"]
})
```

```
Out[31]:
```

	Age	Fare
min	0.420000	0.000000
max	80.000000	512.329200
median	28.000000	14.454200
skew	0.389108	NaN
mean	NaN	32.204208

```
In [32]: titanic[["Sex", "Age"]].groupby("Sex").mean()
```

```
Out[32]:
```

	Age
female	27.915709
male	30.726645

```
In [33]: titanic[["Sex", "Age"]].groupby("Sex").max()
```

```
Out[33]:
```

	Age
female	63.0
male	80.0

```
In [34]: titanic[["Sex", "Age"]].groupby("Sex").first()
```

```
Out[34]:
```

	Age
female	38.0
male	22.0

```
In [35]: titanic.head(2)
```

```
Out[35]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
0	1	0	3	anonymous	male	22.0	1	0	A/5 21171	7.2500	NaN
1	2	1	1	anonymous	female	38.0	1	0	PC 17599	71.2833	C85



```
In [37]: titanic.groupby("Sex")["Age"].mean()
```

```
Out[37]: Sex
female    27.915709
male      30.726645
Name: Age, dtype: float64
```

```
In [38]: titanic.groupby(["Sex", "Pclass"])["Fare"].mean()
```

```
Out[38]: Sex    Pclass
female  1         106.125798
        2         21.970121
        3         16.118810
male    1         67.226127
        2         19.741782
        3         12.661633
Name: Fare, dtype: float64
```

```
In [39]: titanic["Pclass"].value_counts()
```

```
Out[39]: 3    491
         1    216
         2    184
Name: Pclass, dtype: int64
```

```
In [40]: titanic.groupby("Pclass")["Pclass"].count()
```

```
Out[40]: Pclass
1         216
2         184
3         491
Name: Pclass, dtype: int64
```

```
In [41]: titanic.sort_values(by="Age", ascending=False).head()
```


```
Out[41]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Ca
630	631	1	1	Barkworth, Mr. Algernon Henry Wilson	male	80.0	0	0	27042	30.0000	A
851	852	0	3	Svensson, Mr. Johan	male	74.0	0	0	347060	7.7750	N
493	494	0	1	Artagaveytia, Mr. Ramon	male	71.0	0	0	PC 17609	49.5042	N
96	97	0	1	Goldschmidt, Mr. George B	male	71.0	0	0	PC 17754	34.6542	
116	117	0	3	Connors, Mr. Patrick	male	70.5	0	0	370369	7.7500	N

```
In [42]: titanic.sort_values(by=['Pclass', 'Age'], ascending=False).head()
```

```
Out[42]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
851	852	0	3	Svensson, Mr. Johan	male	74.0	0	0	347060	7.7750	NaN
116	117	0	3	Connors, Mr. Patrick	male	70.5	0	0	370369	7.7500	NaN
280	281	0	3	Duane, Mr. Frank	male	65.0	0	0	336439	7.7500	NaN
483	484	1	3	Turkula, Mrs. (Hedwig)	female	63.0	0	0	4134	9.5875	NaN
326	327	0	3	Nysveen, Mr. Johan Hansen	male	61.0	0	0	345364	6.2375	NaN

◀  ▶

```
In [43]: titanic.dtypes
```

```
Out[43]: PassengerId      int64
Survived      int64
Pclass        int64
Name          object
Sex           object
Age          float64
SibSp         int64
Parch         int64
Ticket        object
Fare          float64
Cabin         object
Embarked      object
dtype: object
```

```
In [44]: titanic["Name"].str.lower()
```

```
Out[44]: 0          anonymous
1          anonymous
2          anonymous
3  futrelle, mrs. jacques heath (lily may peel)
4          allen, mr. william henry
...
886          montvila, rev. juozas
887          graham, miss. margaret edith
888  johnston, miss. catherine helen "carrie"
889          behr, mr. karl howell
890          dooley, mr. patrick
Name: Name, Length: 891, dtype: object
```



```
In [45]: titanic["Name"].str.split(",")
```

```
Out[45]: 0          [anonymous]
1          [anonymous]
2          [anonymous]
3    [Futrelle, Mrs. Jacques Heath (Lily May Peel)]
4          [Allen, Mr. William Henry]
...
886          [Montvila, Rev. Juozas]
887          [Graham, Miss. Margaret Edith]
888    [Johnston, Miss. Catherine Helen "Carrie"]
889          [Behr, Mr. Karl Howell]
890          [Dooley, Mr. Patrick]
Name: Name, Length: 891, dtype: object
```

```
In [46]: titanic["Surname"] = titanic["Name"].str.split(",").str.get(0)
titanic["Surname"]
```

```
Out[46]: 0    anonymous
1    anonymous
2    anonymous
3    Futrelle
4    Allen
...
886    Montvila
887    Graham
888    Johnston
889    Behr
890    Dooley
Name: Surname, Length: 891, dtype: object
```

```
In [47]: titanic["Name_main"] = titanic["Name"].str.split(",").str.get(1)
titanic["Name_main"]
```

```
Out[47]: 0          NaN
1          NaN
2          NaN
3    Mrs. Jacques Heath (Lily May Peel)
4          Mr. William Henry
...
886          Rev. Juozas
887          Miss. Margaret Edith
888    Miss. Catherine Helen "Carrie"
889          Mr. Karl Howell
890          Mr. Patrick
Name: Name_main, Length: 891, dtype: object
```

```
In [48]: titanic["Name"].str.split(",")
```

```
Out[48]: 0 [anonymous]
1 [anonymous]
2 [anonymous]
3 [Futrelle, Mrs. Jacques Heath (Lily May Peel)]
4 [Allen, Mr. William Henry]
...
886 [Montvila, Rev. Juozas]
887 [Graham, Miss. Margaret Edith]
888 [Johnston, Miss. Catherine Helen "Carrie"]
889 [Behr, Mr. Karl Howell]
890 [Dooley, Mr. Patrick]
Name: Name, Length: 891, dtype: object
```

```
In [49]: titanic['Real_Name'] = titanic["Name"].str.split(",").str.get(0)
titanic.head()
```

```
Out[49]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cat
0	1	0	3	anonymous	male	22.0	1	0	A/5 21171	7.2500	I
1	2	1	1	anonymous	female	38.0	1	0	PC 17599	71.2833	
2	3	1	3	anonymous	female	26.0	0	0	STON/O2. 3101282	7.9250	I
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	I

```
In [50]: titanic['Surname'] = titanic["Name"].str.split(",").str.get(1)
titanic.head()
```

```
Out[50]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cat
0	1	0	3	anonymous	male	22.0	1	0	A/5 21171	7.2500	I
1	2	1	1	anonymous	female	38.0	1	0	PC 17599	71.2833	
2	3	1	3	anonymous	female	26.0	0	0	STON/O2. 3101282	7.9250	I
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	I

```
In [51]: titanic['Salutation'] = titanic['Surname'].str.split(".").str.get(0)
titanic.head()
```

```
Out[51]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
0	1	0	3	anonymous	male	22.0	1	0	A/5 21171	7.2500	I
1	2	1	1	anonymous	female	38.0	1	0	PC 17599	71.2833	
2	3	1	3	anonymous	female	26.0	0	0	STON/O2. 3101282	7.9250	I
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	I

```
In [52]: titanic["Name"].str.contains("Mr")
```

```
Out[52]:
```

0	False
1	False
2	False
3	True
4	True
...	
886	False
887	False
888	False
889	True
890	True

Name: Name, Length: 891, dtype: bool

```
In [53]: titanic[titanic["Name"].str.contains("Countess")]
```

```
Out[53]:
```

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin
759	760	1	1	Rothes, the Countess. of (Lucy Noel Martha Dye...	female	33.0	0	0	110152	86.5	B77

```
In [54]: titanic["Name"].str.len()
```

```
Out[54]: 0      9
         1      9
         2      9
         3     44
         4     24
         ..
        886    21
        887    28
        888    40
        889    21
        890    19
         Name: Name, Length: 891, dtype: int64
```

```
In [55]: titanic["Name"].str.len().idxmax()
```

```
Out[55]: 307
```

```
In [56]: titanic.loc[titanic["Name"].str.len().idxmax(), "Name"]
```

```
Out[56]: 'Penasco y Castellana, Mrs. Victor de Satode (Maria Josefa Perez de Soto y Vallejo)'
```

```
In [57]: titanic.loc[titanic["Name"].str.len().idxmin(), "Name"]
```

```
Out[57]: 'anonymous'
```

```
In [58]: titanic["Sex_short"] = titanic["Sex"].replace({"male": "M", "female": "F"})
         titanic["Sex_short"]
```

```
Out[58]: 0      M
         1      F
         2      F
         3      F
         4      M
         ..
        886    M
        887    F
        888    F
        889    M
        890    M
         Name: Sex_short, Length: 891, dtype: object
```

```
In [59]: titanic["Sex_short"] = titanic["Sex"].str.replace("female", "F")
         titanic["Sex_short"] = titanic["Sex_short"].str.replace("male", "M")
```

```
In [170]: import numpy as np
df = pd.DataFrame(np.random.randn(10, 3), columns=list("abc"))
df[["a", "c", "b"]]
```

```
Out[170]:
```

	a	c	b
0	0.971377	-0.762178	-0.305884
1	0.412251	0.588495	0.096369
2	1.801618	-0.597973	1.489147
3	-0.359858	-0.878680	-1.461579
4	-0.455795	0.681250	0.973445
5	0.852787	-0.544525	-0.295961
6	-1.098355	-1.421945	-0.417816
7	-0.133820	-0.183852	1.228257
8	-0.495825	-1.226723	-0.318924
9	-0.064218	-0.306832	-0.345931

```
In [171]: df.loc[:, ["a", "c"]]
```

```
Out[171]:
```

	a	c
0	0.971377	-0.762178
1	0.412251	0.588495
2	1.801618	-0.597973
3	-0.359858	-0.878680
4	-0.455795	0.681250
5	0.852787	-0.544525
6	-1.098355	-1.421945
7	-0.133820	-0.183852
8	-0.495825	-1.226723
9	-0.064218	-0.306832

## Good Code

```
In [ ]: named = list("abcdefg")
n = 30
columns = named + np.arange(len(named), n).tolist()
df = pd.DataFrame(np.random.randn(n, n), columns=columns)
df.iloc[:, np.r_[10, 24:30]]
```

```
In [ ]: df = pd.DataFrame({
    "v1": [1, 3, 5, 7, 8, 3, 5, np.nan, 4, 5, 7, 9],
    "v2": [11, 33, 55, 77, 88, 33, 55, np.nan, 44, 55, 77, 99],
    "by1": ["red", "blue", 1, 2, np.nan, "big", 1, 2, "red", 1, np.nan, 12],
    "by2": ["wet", "dry", 99, 95, np.nan, "damp", 95, 99, "red", 99, np.nan, np.nan, ]
})

df
```

```
In [ ]: g = df.groupby(["by1", "by2"])
g[["v1", "v2"]].mean()
```

```
In [63]: import numpy as np
s = pd.Series(np.arange(5), dtype=np.float32)
s
```

```
Out[63]: 0    0.0
         1    1.0
         2    2.0
         3    3.0
         4    4.0
dtype: float32
```

```
In [64]: s.isin([2, 4])
```

```
Out[64]: 0    False
         1    False
         2     True
         3    False
         4     True
dtype: bool
```

Data genetarion code

In [65]: *# Data genetarion code*

```
import random
import string

baseball = pd.DataFrame({
    "team": ["team %d" % (x + 1) for x in range(5)] * 5,
    "player": random.sample(list(string.ascii_lowercase), 25),
    "batting avg": np.random.uniform(0.200, 0.400, 25),
    })

baseball
```

Out[65]:

	team	player	batting avg
0	team 1	b	0.311944
1	team 2	w	0.300678
2	team 3	c	0.271453
3	team 4	p	0.301531
4	team 5	a	0.257927
5	team 1	q	0.384259
6	team 2	d	0.279827
7	team 3	s	0.200344
8	team 4	f	0.269042
9	team 5	k	0.363716
10	team 1	u	0.355087
11	team 2	v	0.276580
12	team 3	z	0.381452
13	team 4	g	0.264230
14	team 5	e	0.397186
15	team 1	n	0.249416
16	team 2	i	0.245684
17	team 3	y	0.316917
18	team 4	o	0.206810
19	team 5	m	0.272293
20	team 1	h	0.328023
21	team 2	r	0.352936
22	team 3	t	0.350134
23	team 4	x	0.368002
24	team 5	j	0.282423

```
In [66]: baseball.pivot_table(values="batting avg", columns="team", aggfunc=np.max)
```

```
Out[66]:
```

	team	team 1	team 2	team 3	team 4	team 5
batting avg	0.384259	0.352936	0.381452	0.368002	0.397186	

```
In [67]: df = pd.DataFrame({"a": np.random.randn(10), "b": np.random.randn(10)})  
df.head()
```

```
Out[67]:
```

	a	b
0	0.848214	1.528596
1	-1.363807	-1.321466
2	-0.525568	1.252385
3	-0.351879	-0.315065
4	-0.700257	0.328759

```
In [68]: df.query("a <= b")
```

```
Out[68]:
```

	a	b
0	0.848214	1.528596
1	-1.363807	-1.321466
2	-0.525568	1.252385
3	-0.351879	-0.315065
4	-0.700257	0.328759
5	-0.927895	-0.516451
6	-1.526683	-0.259954
7	-2.127308	0.531293
8	-0.206562	0.237485
9	0.413750	0.770686



```
In [69]: df[df["a"] <= df["b"]]
```

```
Out[69]:
```

	a	b
0	0.848214	1.528596
1	-1.363807	-1.321466
2	-0.525568	1.252385
3	-0.351879	-0.315065
4	-0.700257	0.328759
5	-0.927895	-0.516451
6	-1.526683	-0.259954
7	-2.127308	0.531293
8	-0.206562	0.237485
9	0.413750	0.770686

```
In [70]: df.loc[df["a"] <= df["b"]]
```

```
Out[70]:
```

	a	b
0	0.848214	1.528596
1	-1.363807	-1.321466
2	-0.525568	1.252385
3	-0.351879	-0.315065
4	-0.700257	0.328759
5	-0.927895	-0.516451
6	-1.526683	-0.259954
7	-2.127308	0.531293
8	-0.206562	0.237485
9	0.413750	0.770686

```
In [71]: df[df["a"] >= df["b"]]
```

```
Out[71]:
```

	a	b
--	---	---

```
In [72]: df = pd.DataFrame({"a": np.random.randn(10), "b": np.random.randn(10)})
df.head()
```

```
Out[72]:
```

	a	b
0	0.057788	-0.548498
1	-0.150495	-1.303927
2	0.391174	-0.383887
3	-0.486376	0.660384
4	-0.149571	0.048288

```
In [73]: df.eval("a + b")
```

```
Out[73]: 0    -0.490711
1    -1.454421
2     0.007287
3     0.174008
4    -0.101283
5    -0.636180
6     0.540169
7    -0.429076
8     0.185766
9    -1.048530
dtype: float64
```

```
In [74]: df["a"] + df["b"]
```

```
Out[74]: 0    -0.490711
1    -1.454421
2     0.007287
3     0.174008
4    -0.101283
5    -0.636180
6     0.540169
7    -0.429076
8     0.185766
9    -1.048530
dtype: float64
```

```
In [75]: df = pd.DataFrame({
    "x": np.random.uniform(1.0, 168.0, 120),
    "y": np.random.uniform(7.0, 334.0, 120),
    "z": np.random.uniform(1.7, 20.7, 120),
    "month": [5, 6, 7, 8] * 30,
    "week": np.random.randint(1, 4, 120)
})

df.head()
```

```
Out[75]:
```

	x	y	z	month	week
0	41.516759	33.530167	18.106587	5	1
1	35.505487	252.682232	14.136898	6	3
2	91.041404	170.303748	7.498431	7	2
3	26.488195	332.594130	5.038641	8	3
4	105.767124	107.686286	15.308504	5	2

```
In [76]: grouped = df.groupby(["month", "week"])
grouped["x"].agg([np.mean, np.std])
```

```
Out[76]:
```

		mean	std
	month		
	week		
	1	87.949769	52.340418
5	2	80.472147	51.547185
	3	83.919926	38.707154
	1	62.640842	45.863364
6	2	76.669235	49.722219
	3	74.546488	45.781976
	1	83.765432	35.884936
7	2	120.548997	36.888050
	3	90.085512	49.915038
	1	85.325932	60.874941
8	2	50.293565	37.083210
	3	59.143017	41.149256

```
In [77]: a = np.array(list(range(1, 24)) + [np.NaN]).reshape(2, 3, 4)
a
```

```
Out[77]: array([[ [ 1.,  2.,  3.,  4.],
                  [ 5.,  6.,  7.,  8.],
                  [ 9., 10., 11., 12.]],

                [[13., 14., 15., 16.],
                 [17., 18., 19., 20.],
                 [21., 22., 23., nan]]])
```

```
In [78]: pd.DataFrame([tuple(list(x) + [val]) for x, val in np.ndenumerate(a)])
```

```
Out[78]:
```

	0	1	2	3
0	0	0	0	1.0
1	0	0	1	2.0
2	0	0	2	3.0
3	0	0	3	4.0
4	0	1	0	5.0
5	0	1	1	6.0
6	0	1	2	7.0
7	0	1	3	8.0
8	0	2	0	9.0
9	0	2	1	10.0
10	0	2	2	11.0
11	0	2	3	12.0
12	1	0	0	13.0
13	1	0	1	14.0
14	1	0	2	15.0
15	1	0	3	16.0
16	1	1	0	17.0
17	1	1	1	18.0
18	1	1	2	19.0
19	1	1	3	20.0
20	1	2	0	21.0
21	1	2	1	22.0
22	1	2	2	23.0
23	1	2	3	NaN

```
In [79]: a = list(enumerate(list(range(1, 5)) + [np.NaN]))
a
```

```
Out[79]: [(0, 1), (1, 2), (2, 3), (3, 4), (4, nan)]
```

```
In [80]: pd.DataFrame(a)
```

```
Out[80]:
```

	0	1
0	0	1.0
1	1	2.0
2	2	3.0
3	3	4.0
4	4	NaN

```
In [81]: cheese = pd.DataFrame({
    "first": ["John", "Mary"],
    "last": ["Doe", "Bo"],
    "height": [5.5, 6.0],
    "weight": [130, 150]
})
cheese
```

```
Out[81]:
```

	first	last	height	weight
0	John	Doe	5.5	130
1	Mary	Bo	6.0	150

```
In [82]: pd.melt(cheese, id_vars=["first", "last"])
```

```
Out[82]:
```

	first	last	variable	value
0	John	Doe	height	5.5
1	Mary	Bo	height	6.0
2	John	Doe	weight	130.0
3	Mary	Bo	weight	150.0

```
In [83]: cheese.set_index(["first", "last"]).stack() # alternative
```

```
Out[83]:
```

first	last		
John	Doe	height	5.5
		weight	130.0
Mary	Bo	height	6.0
		weight	150.0

dtype: float64

```
In [84]: df = pd.DataFrame({
    "x": np.random.uniform(1.0, 168.0, 12),
    "y": np.random.uniform(7.0, 334.0, 12),
    "z": np.random.uniform(1.7, 20.7, 12),
    "month": [5, 6, 7] * 4,
    "week": [1, 2] * 6
})

mdf = pd.melt(df, id_vars=["month", "week"])

pd.pivot_table(mdf, values="value", index=["variable", "week"], columns=["month"],
```

```
Out[84]:
```

	month	5	6	7
x	week			
	1	69.688604	58.926280	50.639441
y	week			
	1	160.009684	21.384183	177.609046
z	week			
	1	10.060922	4.185807	8.656566

```
In [85]: df = pd.DataFrame({
    "Animal": ["Animal1", "Animal2", "Animal3", "Animal2", "Animal1", "Animal2", "Animal3"],
    "FeedType": ["A", "B", "A", "A", "B", "B", "A"],
    "Amount": [10, 7, 4, 2, 5, 6, 2]
})

df.pivot_table(values="Amount", index="Animal", columns="FeedType", aggfunc="sum")
```

```
Out[85]:
```

	FeedType	A	B
Animal			
Animal1	A	10.0	5.0
Animal2	A	2.0	13.0
Animal3	A	6.0	NaN

```
In [86]: df.groupby(["Animal", "FeedType"])["Amount"].sum()
```

```
Out[86]:
```

Animal	FeedType	Amount
Animal1	A	10
	B	5
Animal2	A	2
	B	13
Animal3	A	6

Name: Amount, dtype: int64

```
In [87]: pd.cut(pd.Series([1, 2, 3, 4, 5, 6]), 3)
```

```
Out[87]: 0    (0.995, 2.667]
         1    (0.995, 2.667]
         2    (2.667, 4.333]
         3    (2.667, 4.333]
         4    (4.333, 6.0]
         5    (4.333, 6.0]
         dtype: category
         Categories (3, interval[float64, right]): [(0.995, 2.667] < (2.667, 4.333] < (4.333, 6.0]]
```

```
In [88]: pd.Series([1, 2, 3, 2, 2, 3]).astype("category")
```

```
Out[88]: 0    1
         1    2
         2    3
         3    2
         4    2
         5    3
         dtype: category
         Categories (3, int64): [1, 2, 3]
```

```
In [89]: frame = pd.DataFrame({"col1": ["A", "B", np.NaN, "C", "D"], "col2": ["F", np.NaN, "G", "H", "I"]})
         frame
```

```
Out[89]:
```

	col1	col2
0	A	F
1	B	NaN
2	NaN	G
3	C	H
4	D	I

```
In [90]: frame[frame["col2"].isna()]
```

```
Out[90]:
```

	col1	col2
1	B	NaN

```
In [91]: frame[frame["col1"].notna()]
```

```
Out[91]:
```

	col1	col2
0	A	F
1	B	NaN
3	C	H
4	D	I

```
In [92]: df1 = pd.DataFrame({"key": ["A", "B", "C", "D"], "value": np.random.randn(4)})
df2 = pd.DataFrame({"key": ["B", "D", "D", "E"], "value": np.random.randn(4)})
```

```
In [93]: pd.merge(df1, df2, on="key")
```

```
Out[93]:
```

	key	value_x	value_y
0	B	-0.335446	1.794026
1	D	1.224740	1.418379
2	D	1.224740	0.425891

```
In [94]: indexed_df2 = df2.set_index("key")
pd.merge(df1, indexed_df2, left_on="key", right_index=True)
```

```
Out[94]:
```

	key	value_x	value_y
1	B	-0.335446	1.794026
3	D	1.224740	1.418379
3	D	1.224740	0.425891

```
In [95]: pd.merge(df1, df2, on="key", how="left")
```

```
Out[95]:
```

	key	value_x	value_y
0	A	0.429288	NaN
1	B	-0.335446	1.794026
2	C	-0.685751	NaN
3	D	1.224740	1.418379
4	D	1.224740	0.425891

```
In [96]: pd.merge(df1, df2, on="key", how="right")
```

```
Out[96]:
```

	key	value_x	value_y
0	B	-0.335446	1.794026
1	D	1.224740	1.418379
2	D	1.224740	0.425891
3	E	NaN	0.828731



```
In [97]: pd.merge(df1, df2, on="key", how="outer")
```

```
Out[97]:
```

	key	value_x	value_y
0	A	0.429288	NaN
1	B	-0.335446	1.794026
2	C	-0.685751	NaN
3	D	1.224740	1.418379
4	D	1.224740	0.425891
5	E	NaN	0.828731

```
In [98]: df1 = pd.DataFrame({"city": ["Chicago", "San Francisco", "New York City"], "rank": [1, 2, 3]})
df2 = pd.DataFrame({"city": ["Chicago", "Boston", "Los Angeles"], "rank": [1, 4, 5]})
pd.concat([df1, df2])
```

```
Out[98]:
```

	city	rank
0	Chicago	1
1	San Francisco	2
2	New York City	3
0	Chicago	1
1	Boston	4
2	Los Angeles	5

```
In [99]: pd.concat([df1, df2]).drop_duplicates()
```

```
Out[99]:
```

	city	rank
0	Chicago	1
1	San Francisco	2
2	New York City	3
1	Boston	4
2	Los Angeles	5

```
In [100]: df = pd.DataFrame({"x": [1, 3, 5], "y": [2, 4, 6]})
df
```

```
Out[100]:
```

	x	y
0	1	2
1	3	4
2	5	6

```
In [101]: firstlast = pd.DataFrame({"String": ["John Smith", "Jane Cook"]})
firstlast["First_Name"] = firstlast["String"].str.split(" ", expand=True)[0]
firstlast["Last_Name"] = firstlast["String"].str.rsplit(" ", expand=True)[1]
firstlast
```

```
Out[101]:
```

	String	First_Name	Last_Name
0	John Smith	John	Smith
1	Jane Cook	Jane	Cook

```
In [102]: firstlast = pd.DataFrame({"string": ["John Smith", "Jane Cook"]})
firstlast["upper"] = firstlast["string"].str.upper()
firstlast["lower"] = firstlast["string"].str.lower()
firstlast["title"] = firstlast["string"].str.title()
firstlast
```

```
Out[102]:
```

	string	upper	lower	title
0	John Smith	JOHN SMITH	john smith	John Smith
1	Jane Cook	JANE COOK	jane cook	Jane Cook

```
In [103]: df1 = pd.DataFrame({"key": ["A", "B", "C", "D"], "value": np.random.randn(4)})
df1
```

```
Out[103]:
```

	key	value
0	A	2.710180
1	B	-0.184712
2	C	-0.268376
3	D	1.136070

```
In [104]: df2 = pd.DataFrame({"key": ["B", "D", "D", "E"], "value": np.random.randn(4)})
df2
```

```
Out[104]:
```

	key	value
0	B	-1.961649
1	D	0.885771
2	D	0.695118
3	E	-0.265280

```
In [105]: inner_join = df1.merge(df2, on=["key"], how="inner")
inner_join
```

```
Out[105]:
```

	key	value_x	value_y
0	B	-0.184712	-1.961649
1	D	1.136070	0.885771
2	D	1.136070	0.695118

```
In [106]: left_join = df1.merge(df2, on=["key"], how="left")
left_join
```

```
Out[106]:
```

	key	value_x	value_y
0	A	2.710180	NaN
1	B	-0.184712	-1.961649
2	C	-0.268376	NaN
3	D	1.136070	0.885771
4	D	1.136070	0.695118

```
In [107]: right_join = df1.merge(df2, on=["key"], how="right")
right_join
```

```
Out[107]:
```

	key	value_x	value_y
0	B	-0.184712	-1.961649
1	D	1.136070	0.885771
2	D	1.136070	0.695118
3	E	NaN	-0.265280

```
In [108]: outer_join = df1.merge(df2, on=["key"], how="outer")
outer_join
```

```
Out[108]:
```

	key	value_x	value_y
0	A	2.710180	NaN
1	B	-0.184712	-1.961649
2	C	-0.268376	NaN
3	D	1.136070	0.885771
4	D	1.136070	0.695118
5	E	NaN	-0.265280

```
In [109]: df = pd.DataFrame({"AAA": [1] * 8, "BBB": list(range(0, 8))})
df
```

```
Out[109]:
```

	AAA	BBB
0	1	0
1	1	1
2	1	2
3	1	3
4	1	4
5	1	5
6	1	6
7	1	7

```
In [110]: series = list(range(1, 5))
series
```

```
Out[110]: [1, 2, 3, 4]
```

```
In [111]: df.loc[2:5, "AAA"] = series
df
```

```
Out[111]:
```

	AAA	BBB
0	1	0
1	1	1
2	1	2
3	2	3
4	3	4
5	4	5
6	1	6
7	1	7

```
In [112]: df = pd.DataFrame({
    "class": ["A", "A", "A", "B", "C", "D"],
    "student_count": [42, 35, 42, 50, 47, 45],
    "all_pass": ["Yes", "Yes", "Yes", "No", "No", "Yes"]
})

df.drop_duplicates()
```

```
Out[112]:
```

	class	student_count	all_pass
0	A	42	Yes
1	A	35	Yes
3	B	50	No
4	C	47	No
5	D	45	Yes

```
In [113]: df.drop_duplicates(["class", "student_count"])
```

```
Out[113]:
```

	class	student_count	all_pass
0	A	42	Yes
1	A	35	Yes
3	B	50	No
4	C	47	No
5	D	45	Yes

```
In [114]: new_row = pd.DataFrame([["E", 51, True]], columns=["class", "student_count", "all_pass"])
pd.concat([df, new_row])
```

```
Out[114]:
```

	class	student_count	all_pass
0	A	42	Yes
1	A	35	Yes
2	A	42	Yes
3	B	50	No
4	C	47	No
5	D	45	Yes
0	E	51	True

```
In [115]: df = pd.DataFrame({"x": [1, 3, 5], "y": [2, 4, 6]})
df
```

```
Out[115]:
```

	x	y
0	1	2
1	3	4
2	5	6

```
In [116]: df1 = pd.DataFrame({"key": ["A", "B", "C", "D"], "value": np.random.randn(4)})
df1
```

```
Out[116]:
```

	key	value
0	A	-1.402688
1	B	-0.545334
2	C	-1.455278
3	D	0.697387

```
In [117]: df2 = pd.DataFrame({"key": ["B", "D", "D", "E"], "value": np.random.randn(4)})
df2
```

```
Out[117]:
```

	key	value
0	B	-0.665418
1	D	0.008734
2	D	-0.719310
3	E	-0.507211

```
In [118]: inner_join = df1.merge(df2, on=["key"], how="inner")
inner_join
```

```
Out[118]:
```

	key	value_x	value_y
0	B	-0.545334	-0.665418
1	D	0.697387	0.008734
2	D	0.697387	-0.719310

```
In [119]: left_join = df1.merge(df2, on=["key"], how="left")
left_join
```

```
Out[119]:
```

	key	value_x	value_y
0	A	-1.402688	NaN
1	B	-0.545334	-0.665418
2	C	-1.455278	NaN
3	D	0.697387	0.008734
4	D	0.697387	-0.719310

```
In [120]: right_join = df1.merge(df2, on=["key"], how="right")
right_join
```

```
Out[120]:
```

	key	value_x	value_y
0	B	-0.545334	-0.665418
1	D	0.697387	0.008734
2	D	0.697387	-0.719310
3	E	NaN	-0.507211

```
In [121]: outer_join = df1.merge(df2, on=["key"], how="outer")
outer_join
```

```
Out[121]:
```

	key	value_x	value_y
0	A	-1.402688	NaN
1	B	-0.545334	-0.665418
2	C	-1.455278	NaN
3	D	0.697387	0.008734
4	D	0.697387	-0.719310
5	E	NaN	-0.507211

```
In [122]: outer_join["value_x"] + outer_join["value_y"]
```

```
Out[122]:
```

0	NaN
1	-1.210752
2	NaN
3	0.706121
4	-0.021924
5	NaN

dtype: float64

```
In [123]: outer_join["value_x"].sum()
```

```
Out[123]: -2.008526169978958
```

```
In [124]: outer_join[outer_join["value_x"].isna()]
```

```
Out[124]:
```

	key	value_x	value_y
5	E	NaN	-0.507211

```
In [125]: outer_join[outer_join["value_x"].notna()]
```

```
Out[125]:
```

	key	value_x	value_y
0	A	-1.402688	NaN
1	B	-0.545334	-0.665418
2	C	-1.455278	NaN
3	D	0.697387	0.008734
4	D	0.697387	-0.719310

```
In [126]: outer_join.dropna()
```

```
Out[126]:
```

	key	value_x	value_y
1	B	-0.545334	-0.665418
3	D	0.697387	0.008734
4	D	0.697387	-0.719310

```
In [127]: outer_join.fillna(method="ffill")
```

```
Out[127]:
```

	key	value_x	value_y
0	A	-1.402688	NaN
1	B	-0.545334	-0.665418
2	C	-1.455278	-0.665418
3	D	0.697387	0.008734
4	D	0.697387	-0.719310
5	E	0.697387	-0.507211

```
In [128]: outer_join["value_x"].fillna(outer_join["value_x"].mean())
```

```
Out[128]:
```

0	-1.402688
1	-0.545334
2	-1.455278
3	0.697387
4	0.697387
5	-0.401705

Name: value\_x, dtype: float64



```
In [129]: s = pd.Series([1, 3, 5, np.nan, 6, 8])
s
```

```
Out[129]: 0    1.0
          1    3.0
          2    5.0
          3    NaN
          4    6.0
          5    8.0
          dtype: float64
```

```
In [130]: dates = pd.date_range("20130101", periods=6)
dates
```

```
Out[130]: DatetimeIndex(['2013-01-01', '2013-01-02', '2013-01-03', '2013-01-04',
                          '2013-01-05', '2013-01-06'],
                          dtype='datetime64[ns]', freq='D')
```

```
In [131]: df = pd.DataFrame(np.random.randn(6, 4), index=dates, columns=list("ABCD"))
df
```

```
Out[131]:
```

	A	B	C	D
2013-01-01	-0.591099	-1.749225	1.031762	0.972904
2013-01-02	0.437900	-0.154981	0.621125	0.812640
2013-01-03	-0.277972	0.613546	-1.647452	0.395107
2013-01-04	-0.232215	1.631459	0.539724	-0.872221
2013-01-05	0.427207	-0.571715	1.176223	0.509280
2013-01-06	-0.876173	1.281415	0.015445	-2.132941

```
In [132]: df2 = pd.DataFrame({
    "A": 1.0,
    "B": pd.Timestamp("20130102"),
    "C": pd.Series(1, index=list(range(4)), dtype="float32"),
    "D": np.array([3] * 4, dtype="int32"),
    "E": pd.Categorical(["test", "train", "test", "train"]),
    "F": "foo"
})
df2
```

```
Out[132]:
```

	A	B	C	D	E	F
0	1.0	2013-01-02	1.0	3	test	foo
1	1.0	2013-01-02	1.0	3	train	foo
2	1.0	2013-01-02	1.0	3	test	foo
3	1.0	2013-01-02	1.0	3	train	foo

```
In [133]: df2.index
```

```
Out[133]: Int64Index([0, 1, 2, 3], dtype='int64')
```

```
In [134]: df.to_numpy()
```

```
Out[134]: array([[ -0.59109898, -1.749225 ,  1.03176168,  0.97290379],
 [  0.43790005, -0.15498061,  0.62112534,  0.81264041],
 [-0.27797154,  0.6135462 , -1.64745161,  0.39510719],
 [-0.23221497,  1.63145916,  0.53972385, -0.87222052],
 [  0.42720723, -0.57171521,  1.17622299,  0.50928032],
 [-0.87617273,  1.28141542,  0.01544495, -2.13294079]])
```

```
In [135]: df2.to_numpy()
```

```
Out[135]: array([[1.0, Timestamp('2013-01-02 00:00:00'), 1.0, 3, 'test', 'foo'],
 [1.0, Timestamp('2013-01-02 00:00:00'), 1.0, 3, 'train', 'foo'],
 [1.0, Timestamp('2013-01-02 00:00:00'), 1.0, 3, 'test', 'foo'],
 [1.0, Timestamp('2013-01-02 00:00:00'), 1.0, 3, 'train', 'foo']],
 dtype=object)
```

```
In [136]: df.sort_index(axis=1, ascending=False)
```

```
Out[136]:
```

	D	C	B	A
2013-01-01	0.972904	1.031762	-1.749225	-0.591099
2013-01-02	0.812640	0.621125	-0.154981	0.437900
2013-01-03	0.395107	-1.647452	0.613546	-0.277972
2013-01-04	-0.872221	0.539724	1.631459	-0.232215
2013-01-05	0.509280	1.176223	-0.571715	0.427207
2013-01-06	-2.132941	0.015445	1.281415	-0.876173

```
In [137]: df.sort_values(by="B")
```

```
Out[137]:
```

	A	B	C	D
2013-01-01	-0.591099	-1.749225	1.031762	0.972904
2013-01-05	0.427207	-0.571715	1.176223	0.509280
2013-01-02	0.437900	-0.154981	0.621125	0.812640
2013-01-03	-0.277972	0.613546	-1.647452	0.395107
2013-01-06	-0.876173	1.281415	0.015445	-2.132941
2013-01-04	-0.232215	1.631459	0.539724	-0.872221

```
In [138]: df[0:3]
```

```
Out[138]:
```

	A	B	C	D
2013-01-01	-0.591099	-1.749225	1.031762	0.972904
2013-01-02	0.437900	-0.154981	0.621125	0.812640
2013-01-03	-0.277972	0.613546	-1.647452	0.395107

```
In [139]: df["20130102":"20130104"]
```

```
Out[139]:
```

	A	B	C	D
2013-01-02	0.437900	-0.154981	0.621125	0.812640
2013-01-03	-0.277972	0.613546	-1.647452	0.395107
2013-01-04	-0.232215	1.631459	0.539724	-0.872221

```
In [140]: df.loc[dates[0]]
```

```
Out[140]:
```

A	-0.591099
B	-1.749225
C	1.031762
D	0.972904

Name: 2013-01-01 00:00:00, dtype: float64

```
In [141]: df.loc[:, ["A", "B"]]
```

```
Out[141]:
```

	A	B
2013-01-01	-0.591099	-1.749225
2013-01-02	0.437900	-0.154981
2013-01-03	-0.277972	0.613546
2013-01-04	-0.232215	1.631459
2013-01-05	0.427207	-0.571715
2013-01-06	-0.876173	1.281415

```
In [142]: df.loc["20130102":"20130104", ["A", "B"]]
```

```
Out[142]:
```

	A	B
2013-01-02	0.437900	-0.154981
2013-01-03	-0.277972	0.613546
2013-01-04	-0.232215	1.631459

```
In [143]: df.loc["20130102", ["A", "B"]]
```

```
Out[143]:
```

A	0.437900
B	-0.154981

Name: 2013-01-02 00:00:00, dtype: float64

```
In [144]: df.at[dates[0], "A"]
```

```
Out[144]: -0.5910989777117921
```

```
In [145]: df.iloc[3]
```

```
Out[145]: A    -0.232215  
         B     1.631459  
         C     0.539724  
         D    -0.872221  
         Name: 2013-01-04 00:00:00, dtype: float64
```

```
In [146]: df.iloc[3:5, 0:2]
```

```
Out[146]:
```

	A	B
2013-01-04	-0.232215	1.631459
2013-01-05	0.427207	-0.571715

```
In [147]: df.iloc[[1, 2, 4], [0, 2]]
```

```
Out[147]:
```

	A	C
2013-01-02	0.437900	0.621125
2013-01-03	-0.277972	-1.647452
2013-01-05	0.427207	1.176223

```
In [148]: df.iloc[1:3, :]
```

```
Out[148]:
```

	A	B	C	D
2013-01-02	0.437900	-0.154981	0.621125	0.812640
2013-01-03	-0.277972	0.613546	-1.647452	0.395107

```
In [149]: df.iloc[:, 1:3]
```

```
Out[149]:
```

	B	C
2013-01-01	-1.749225	1.031762
2013-01-02	-0.154981	0.621125
2013-01-03	0.613546	-1.647452
2013-01-04	1.631459	0.539724
2013-01-05	-0.571715	1.176223
2013-01-06	1.281415	0.015445

```
In [150]: df.iloc[1, 1]
```

```
Out[150]: -0.15498061171987595
```

```
In [151]: df[df["A"] > 0]
```

```
Out[151]:
```

	A	B	C	D
2013-01-02	0.437900	-0.154981	0.621125	0.81264
2013-01-05	0.427207	-0.571715	1.176223	0.50928

```
In [152]: df[df > 0]
```

```
Out[152]:
```

	A	B	C	D
2013-01-01	NaN	NaN	1.031762	0.972904
2013-01-02	0.437900	NaN	0.621125	0.812640
2013-01-03	NaN	0.613546	NaN	0.395107
2013-01-04	NaN	1.631459	0.539724	NaN
2013-01-05	0.427207	NaN	1.176223	0.509280
2013-01-06	NaN	1.281415	0.015445	NaN

```
In [153]: df2 = df.copy()  
df2["E"] = ["one", "one", "two", "three", "four", "three"]  
df2
```

```
Out[153]:
```

	A	B	C	D	E
2013-01-01	-0.591099	-1.749225	1.031762	0.972904	one
2013-01-02	0.437900	-0.154981	0.621125	0.812640	one
2013-01-03	-0.277972	0.613546	-1.647452	0.395107	two
2013-01-04	-0.232215	1.631459	0.539724	-0.872221	three
2013-01-05	0.427207	-0.571715	1.176223	0.509280	four
2013-01-06	-0.876173	1.281415	0.015445	-2.132941	three

```
In [154]: df2[df2["E"].isin(["two", "four"])]
```

```
Out[154]:
```

	A	B	C	D	E
2013-01-03	-0.277972	0.613546	-1.647452	0.395107	two
2013-01-05	0.427207	-0.571715	1.176223	0.509280	four

In [155]:

```
s1 = pd.Series([1, 2, 3, 4, 5, 6], index=pd.date_range("20130102", periods=6))
s1
```

Out[155]:

```
2013-01-02    1
2013-01-03    2
2013-01-04    3
2013-01-05    4
2013-01-06    5
2013-01-07    6
Freq: D, dtype: int64
```

In [156]:

```
df.at[dates[0], "A"] = 0
```

In [157]:

```
df.iat[0, 1] = 0
```

In [158]:

```
df.loc[:, "D"] = np.array([5] * len(df))
df
```

C:\Users\pytho\AppData\Local\Temp\ipykernel\_8580\568071402.py:1: DeprecationWarning: In a future version, `df.iloc[:, i] = newvals` will attempt to set the values inplace instead of always setting a new array. To retain the old behavior, use either `df[df.columns[i]] = newvals` or, if columns are non-unique, `df.isetitem(i, newvals)`

```
df.loc[:, "D"] = np.array([5] * len(df))
```

Out[158]:

	A	B	C	D
2013-01-01	0.000000	0.000000	1.031762	5
2013-01-02	0.437900	-0.154981	0.621125	5
2013-01-03	-0.277972	0.613546	-1.647452	5
2013-01-04	-0.232215	1.631459	0.539724	5
2013-01-05	0.427207	-0.571715	1.176223	5
2013-01-06	-0.876173	1.281415	0.015445	5

In [159]:

```
df2 = df.copy()
df2[df2 > 0] = -df2
df2
```

Out[159]:

	A	B	C	D
2013-01-01	0.000000	0.000000	-1.031762	-5
2013-01-02	-0.437900	-0.154981	-0.621125	-5
2013-01-03	-0.277972	-0.613546	-1.647452	-5
2013-01-04	-0.232215	-1.631459	-0.539724	-5
2013-01-05	-0.427207	-0.571715	-1.176223	-5
2013-01-06	-0.876173	-1.281415	-0.015445	-5

```
In [160]: df1 = df.reindex(index=dates[0:4], columns=list(df.columns) + ["E"])
df1.loc[dates[0] : dates[1], "E"] = 1
df1
```

```
Out[160]:
```

	A	B	C	D	E
2013-01-01	0.000000	0.000000	1.031762	5	1.0
2013-01-02	0.437900	-0.154981	0.621125	5	1.0
2013-01-03	-0.277972	0.613546	-1.647452	5	NaN
2013-01-04	-0.232215	1.631459	0.539724	5	NaN

```
In [161]: df1.dropna(how="any")
```

```
Out[161]:
```

	A	B	C	D	E
2013-01-01	0.0000	0.000000	1.031762	5	1.0
2013-01-02	0.4379	-0.154981	0.621125	5	1.0

```
In [162]: df1.fillna(value=5)
```

```
Out[162]:
```

	A	B	C	D	E
2013-01-01	0.000000	0.000000	1.031762	5	1.0
2013-01-02	0.437900	-0.154981	0.621125	5	1.0
2013-01-03	-0.277972	0.613546	-1.647452	5	5.0
2013-01-04	-0.232215	1.631459	0.539724	5	5.0

```
In [163]: pd.isna(df1)
```

```
Out[163]:
```

	A	B	C	D	E
2013-01-01	False	False	False	False	False
2013-01-02	False	False	False	False	False
2013-01-03	False	False	False	False	True
2013-01-04	False	False	False	False	True

```
In [164]: df.mean()
```

```
Out[164]: A    -0.086875
B     0.466621
C     0.289471
D     5.000000
dtype: float64
```

```
In [165]: df.mean(1)
```

```
Out[165]: 2013-01-01    1.507940
2013-01-02    1.476011
2013-01-03    0.922031
2013-01-04    1.734742
2013-01-05    1.507929
2013-01-06    1.355172
Freq: D, dtype: float64
```

```
In [166]: s = pd.Series([1, 3, 5, np.nan, 6, 8], index=dates).shift(2)
s
```

```
Out[166]: 2013-01-01    NaN
2013-01-02    NaN
2013-01-03    1.0
2013-01-04    3.0
2013-01-05    5.0
2013-01-06    NaN
Freq: D, dtype: float64
```

```
In [167]: df.sub(s, axis="index")
```

```
Out[167]:
```

	A	B	C	D
2013-01-01	NaN	NaN	NaN	NaN
2013-01-02	NaN	NaN	NaN	NaN
2013-01-03	-1.277972	-0.386454	-2.647452	4.0
2013-01-04	-3.232215	-1.368541	-2.460276	2.0
2013-01-05	-4.572793	-5.571715	-3.823777	0.0
2013-01-06	NaN	NaN	NaN	NaN

```
In [168]: df.apply(np.cumsum)
```

```
Out[168]:
```

	A	B	C	D
2013-01-01	0.000000	0.000000	1.031762	5
2013-01-02	0.437900	-0.154981	1.652887	10
2013-01-03	0.159929	0.458566	0.005435	15
2013-01-04	-0.072286	2.090025	0.545159	20
2013-01-05	0.354921	1.518310	1.721382	25
2013-01-06	-0.521252	2.799725	1.736827	30



```
In [169]: df.apply(lambda x: x.max() - x.min())
```

```
Out[169]: A    1.314073  
         B    2.203174  
         C    2.823675  
         D    0.000000  
         dtype: float64
```

**Syed Afroz Ali**

```
In [ ]:
```

# Pandas toolkit Part 2

Syed Afroz Ali

```
In [1]: import pandas as pd
import numpy as np
```

```
In [2]: s = pd.Series(np.random.randint(0, 7, size=10))
s
```

```
Out[2]: 0    0
1    6
2    5
3    6
4    5
5    5
6    2
7    2
8    4
9    2
dtype: int32
```

```
In [3]: s.value_counts()
```

```
Out[3]: 5    3
2    3
6    2
0    1
4    1
dtype: int64
```

```
In [4]: s = pd.Series(["A", "B", "C", "Aaba", "Baca", np.nan, "CABA", "dog", "cat"])
s.str.lower()
```

```
Out[4]: 0    a
1    b
2    c
3  aaba
4  baca
5   NaN
6  caba
7  dog
8  cat
dtype: object
```

```
In [5]: df = pd.DataFrame(np.random.randn(10, 4))
df
```

```
Out[5]:
```

	0	1	2	3
0	0.423742	0.285896	-1.319679	0.106474
1	-0.917753	-0.612802	0.510887	-0.192883
2	-0.398895	1.744283	0.392814	1.252180
3	1.275378	-2.030125	1.377954	0.047816
4	0.541705	0.955300	-0.510238	0.690620
5	-0.968414	-0.495862	1.229128	0.968220
6	-1.478773	0.418985	1.010736	-1.494321
7	0.743932	-0.563562	0.986714	0.625697
8	-0.407228	-1.016760	0.617824	-0.370512
9	-0.129449	0.430960	0.192333	0.270365

```
In [6]: pieces = [df[:3], df[3:7], df[7:]]
pd.concat(pieces)
```

```
Out[6]:
```

	0	1	2	3
0	0.423742	0.285896	-1.319679	0.106474
1	-0.917753	-0.612802	0.510887	-0.192883
2	-0.398895	1.744283	0.392814	1.252180
3	1.275378	-2.030125	1.377954	0.047816
4	0.541705	0.955300	-0.510238	0.690620
5	-0.968414	-0.495862	1.229128	0.968220
6	-1.478773	0.418985	1.010736	-1.494321
7	0.743932	-0.563562	0.986714	0.625697
8	-0.407228	-1.016760	0.617824	-0.370512
9	-0.129449	0.430960	0.192333	0.270365

```
In [9]: left = pd.DataFrame({"key": ["foo", "foo"], "lval": [1, 2]})
right = pd.DataFrame({"key": ["foo", "foo"], "rval": [4, 5]})
left
```

```
Out[9]:
```

	key	lval
0	foo	1
1	foo	2

```
In [10]: pd.merge(left, right, on="key")
```

```
Out[10]:
```

	key	lval	rval
0	foo	1	4
1	foo	1	5
2	foo	2	4
3	foo	2	5

```
In [11]: left = pd.DataFrame({"key": ["foo", "bar"], "lval": [1, 2]})  
right = pd.DataFrame({"key": ["foo", "bar"], "rval": [4, 5]})  
left
```

```
Out[11]:
```

	key	lval
0	foo	1
1	bar	2

```
In [12]: pd.merge(left, right, on="key")
```

```
Out[12]:
```

	key	lval	rval
0	foo	1	4
1	bar	2	5

```
In [13]: df = pd.DataFrame({  
    "A": ["foo", "bar", "foo", "bar", "foo", "bar", "foo", "foo"],  
    "B": ["one", "one", "two", "three", "two", "two", "one", "three"],  
    "C": np.random.randn(8),  
    "D": np.random.randn(8)  
    })  
df
```

```
Out[13]:
```

	A	B	C	D
0	foo	one	-0.663656	-0.382136
1	bar	one	-1.314220	-1.048106
2	foo	two	0.391064	-0.693546
3	bar	three	-0.778172	0.695501
4	foo	two	1.171063	-0.340544
5	bar	two	-0.688497	0.840714
6	foo	one	-0.762570	-0.991745
7	foo	three	-1.449696	0.397626

```
In [14]: df.groupby("A").sum()
```

```
Out[14]:
```

	C	D
A		
bar	-2.780889	0.488108
foo	-1.313795	-2.010344

```
In [15]: df.groupby(["A", "B"]).sum()
```

```
Out[15]:
```

		C	D
A	B		
	one	-1.314220	-1.048106
bar	three	-0.778172	0.695501
	two	-0.688497	0.840714
	one	-1.426226	-1.373881
foo	three	-1.449696	0.397626
	two	1.562128	-1.034089

```
In [16]: tuples = list(zip(*[
["bar", "bar", "baz", "baz", "foo", "foo", "qux", "qux"],
["one", "two", "one", "two", "one", "two", "one", "two"]
]))

index = pd.MultiIndex.from_tuples(tuples, names=["first", "second"])
df = pd.DataFrame(np.random.randn(8, 2), index=index, columns=["A", "B"])
df2 = df[:4]
df2
```

```
Out[16]:
```

		A	B
first	second		
	one	-2.314275	-0.404936
bar	two	0.370079	-0.128071
	one	1.472769	-1.160009
baz	two	-1.060644	-1.309345

```
In [17]: stacked = df2.stack()
stacked
```

```
Out[17]: first second
bar one A -2.314275
      one B -0.404936
      two A 0.370079
      two B -0.128071
baz one A 1.472769
      one B -1.160009
      two A -1.060644
      two B -1.309345
dtype: float64
```

```
In [18]: stacked.unstack()
```

```
Out[18]:
```

		A	B
first	second		
bar	one	-2.314275	-0.404936
	two	0.370079	-0.128071
baz	one	1.472769	-1.160009
	two	-1.060644	-1.309345

```
In [19]: stacked.unstack(1)
```

```
Out[19]:
```

	second	one	two
first			
bar	A	-2.314275	0.370079
	B	-0.404936	-0.128071
baz	A	1.472769	-1.060644
	B	-1.160009	-1.309345

```
In [20]: df = pd.DataFrame({
    "A": ["one", "one", "two", "three"] * 3,
    "B": ["A", "B", "C"] * 4,
    "C": ["foo", "foo", "foo", "bar", "bar", "bar"] * 2,
    "D": np.random.randn(12),
    "E": np.random.randn(12)
})
df
```

```
Out[20]:
```

	A	B	C	D	E
0	one	A	foo	-1.156964	1.545813
1	one	B	foo	-1.975856	-0.172538
2	two	C	foo	-1.677984	-1.310321
3	three	A	bar	-1.159864	-0.761936
4	one	B	bar	0.408105	1.079825
5	one	C	bar	-0.717914	-1.394031
6	two	A	foo	0.620242	-0.099728
7	three	B	foo	0.315321	-0.546775
8	one	C	foo	-0.243819	1.283591
9	one	A	bar	0.718317	-0.877277
10	two	B	bar	0.747791	-0.748307
11	three	C	bar	-0.147173	0.632441

```
In [21]: pd.pivot_table(df, values="D", index=["A", "B"], columns=["C"])
```

```
Out[21]:
```

	C	bar	foo
A	B		
one	A	0.718317	-1.156964
B	0.408105	-1.975856	
C	-0.717914	-0.243819	
two	A	-1.159864	NaN
B	NaN	0.315321	
C	-0.147173	NaN	
three	A	NaN	0.620242
B	0.747791	NaN	
C	NaN	-1.677984	

```
In [22]: rng = pd.date_range("1/1/2012", periods=100, freq="S")
         ts = pd.Series(np.random.randint(0, 500, len(rng)), index=rng)
         ts.resample("5Min").sum()
```

```
Out[22]: 2012-01-01    26075
         Freq: 5T, dtype: int32
```

```
In [23]: rng = pd.date_range("3/6/2012 00:00", periods=5, freq="D")
         ts = pd.Series(np.random.randn(len(rng)), rng)
         ts
```

```
Out[23]: 2012-03-06    0.023926
         2012-03-07   -0.602996
         2012-03-08    0.686197
         2012-03-09    0.535357
         2012-03-10   -1.408127
         Freq: D, dtype: float64
```

```
In [24]: ts_utc = ts.tz_localize("UTC")
         ts_utc
```

```
Out[24]: 2012-03-06 00:00:00+00:00    0.023926
         2012-03-07 00:00:00+00:00   -0.602996
         2012-03-08 00:00:00+00:00    0.686197
         2012-03-09 00:00:00+00:00    0.535357
         2012-03-10 00:00:00+00:00   -1.408127
         Freq: D, dtype: float64
```

```
In [25]: rng = pd.date_range("1/1/2012", periods=5, freq="M")
         ts = pd.Series(np.random.randn(len(rng)), index=rng)
         ts
```

```
Out[25]: 2012-01-31   -1.062234
         2012-02-29    0.942182
         2012-03-31   -0.908925
         2012-04-30    0.171292
         2012-05-31   -2.773022
         Freq: M, dtype: float64
```

```
In [26]: ps = ts.to_period()
         ps
```

```
Out[26]: 2012-01   -1.062234
         2012-02    0.942182
         2012-03   -0.908925
         2012-04    0.171292
         2012-05   -2.773022
         Freq: M, dtype: float64
```



```
In [27]: ps.to_timestamp()
```

```
Out[27]: 2012-01-01    -1.062234
2012-02-01     0.942182
2012-03-01    -0.908925
2012-04-01     0.171292
2012-05-01    -2.773022
Freq: MS, dtype: float64
```

```
In [28]: prng = pd.period_range("1990Q1", "2000Q4", freq="Q-NOV")
ts = pd.Series(np.random.randn(len(prng)), prng)
ts.index = (prng.asfreq("M", "e") + 1).asfreq("H", "s") + 9
ts.head()
```

```
Out[28]: 1990-03-01 09:00    -0.745830
1990-06-01 09:00    -0.117445
1990-09-01 09:00    -0.189264
1990-12-01 09:00     0.541704
1991-03-01 09:00    -0.280971
Freq: H, dtype: float64
```

```
In [29]: df = pd.DataFrame({"id": [1, 2, 3, 4, 5, 6], "raw_grade": ["a", "b", "b", "a",
df.head()
```

```
Out[29]:
```

	id	raw_grade
0	1	a
1	2	b
2	3	b
3	4	a
4	5	a

```
In [30]: df["grade"] = df["raw_grade"].astype("category")
In [125]: df["grade"]
```

```
Out[30]: 0    a
1    b
2    b
3    a
4    a
5    e
Name: grade, dtype: category
Categories (3, object): ['a', 'b', 'e']
```

```
In [31]: df["grade"].cat.categories = ["very good", "good", "very bad"]
```

```
In [32]: df["grade"] = df["grade"].cat.set_categories(["very bad", "bad", "medium", "good", "very good"])
df["grade"]
```

```
Out[32]: 0    very good
1         good
2         good
3    very good
4    very good
5    very bad
Name: grade, dtype: category
Categories (5, object): ['very bad', 'bad', 'medium', 'good', 'very good']
```

```
In [33]: df.sort_values(by="grade")
```

```
Out[33]:
```


	id	raw_grade	grade
5	6	e	very bad
1	2	b	good
2	3	b	good
0	1	a	very good
3	4	a	very good
4	5	a	very good

```
In [34]: df.groupby("grade").size()
```

```
Out[34]: grade
very bad    1
bad         0
medium      0
good        2
very good   3
dtype: int64
```


```
In [35]: import matplotlib.pyplot as plt
plt.close("all")
```

```
In [36]: ts = pd.Series(np.random.randn(1000), index=pd.date_range("1/1/2000", periods=1000))
ts = ts.cumsum()
ts.plot();
```



```
In [37]: df = pd.DataFrame(np.random.randn(1000, 4), index=ts.index, columns=["A", "B", "C", "D"])
df = df.cumsum()
plt.figure();
df.plot();
plt.legend(loc='best');
```

<Figure size 432x288 with 0 Axes>



```
In [40]: df.to_csv("foo.csv")
pd.read_csv("foo.csv")
```

```
Out[40]:
```

	Unnamed: 0	A	B	C	D
0	2000-01-01	0.070171	-0.384287	-0.333774	1.929496
1	2000-01-02	0.366578	-0.826180	0.025036	1.947304
2	2000-01-03	0.031841	-2.156061	-0.295405	3.846140
3	2000-01-04	-1.453527	-1.720770	0.681525	4.016645
4	2000-01-05	-0.506616	-1.748306	-0.953566	4.466979
...	...	...	...	...	...
995	2002-09-22	-8.952960	12.174642	-44.968475	21.234458
996	2002-09-23	-9.990733	13.157426	-43.955102	22.196782
997	2002-09-24	-10.370856	13.446153	-44.753827	23.111634
998	2002-09-25	-10.254712	13.043342	-44.844481	22.830099
999	2002-09-26	-9.240218	13.054899	-44.254345	22.267607

1000 rows × 5 columns

```
In [41]: df.to_hdf("foo.h5", "df")
pd.read_hdf("foo.h5", "df")
```

```
Out[41]:
```

	A	B	C	D
<b>2000-01-01</b>	0.070171	-0.384287	-0.333774	1.929496
<b>2000-01-02</b>	0.366578	-0.826180	0.025036	1.947304
<b>2000-01-03</b>	0.031841	-2.156061	-0.295405	3.846140
<b>2000-01-04</b>	-1.453527	-1.720770	0.681525	4.016645
<b>2000-01-05</b>	-0.506616	-1.748306	-0.953566	4.466979
...	...	...	...	...
<b>2002-09-22</b>	-8.952960	12.174642	-44.968475	21.234458
<b>2002-09-23</b>	-9.990733	13.157426	-43.955102	22.196782
<b>2002-09-24</b>	-10.370856	13.446153	-44.753827	23.111634
<b>2002-09-25</b>	-10.254712	13.043342	-44.844481	22.830099
<b>2002-09-26</b>	-9.240218	13.054899	-44.254345	22.267607

1000 rows × 4 columns

```
In [42]: df.to_excel("foo.xlsx", sheet_name="Sheet1")
pd.read_excel("foo.xlsx", "Sheet1", index_col=None, na_values=["NA"])
```

```
Out[42]:
```

	Unnamed: 0	A	B	C	D
0	2000-01-01	0.070171	-0.384287	-0.333774	1.929496
1	2000-01-02	0.366578	-0.826180	0.025036	1.947304
2	2000-01-03	0.031841	-2.156061	-0.295405	3.846140
3	2000-01-04	-1.453527	-1.720770	0.681525	4.016645
4	2000-01-05	-0.506616	-1.748306	-0.953566	4.466979
...	...	...	...	...	...
995	2002-09-22	-8.952960	12.174642	-44.968475	21.234458
996	2002-09-23	-9.990733	13.157426	-43.955102	22.196782
997	2002-09-24	-10.370856	13.446153	-44.753827	23.111634
998	2002-09-25	-10.254712	13.043342	-44.844481	22.830099
999	2002-09-26	-9.240218	13.054899	-44.254345	22.267607

1000 rows × 5 columns

```
In [43]: s = pd.Series(np.random.randn(5), index=["a", "b", "c", "d", "e"])
s
```

```
Out[43]: a    -0.168186
b    -2.300513
c    -1.303243
d     1.538910
e    -1.602989
dtype: float64
```

```
In [44]: d = {"b": 1, "a": 0, "c": 2}
pd.Series(d)
```

```
Out[44]: b    1
a    0
c    2
dtype: int64
```

```
In [45]: d = {"a": 0.0, "b": 1.0, "c": 2.0}
pd.Series(d)
```

```
Out[45]: a    0.0
b    1.0
c    2.0
dtype: float64
```

```
In [46]: pd.Series(d, index=["b", "c", "d", "a"])
```

```
Out[46]: b    1.0  
c    2.0  
d    NaN  
a    0.0  
dtype: float64
```

```
In [47]: pd.Series(5.0, index=["a", "b", "c", "d", "e"])
```

```
Out[47]: a    5.0  
b    5.0  
c    5.0  
d    5.0  
e    5.0  
dtype: float64
```

```
In [48]: s[0]
```

```
Out[48]: -0.1681860503643496
```

```
In [49]: s[:3]
```

```
Out[49]: a   -0.168186  
b   -2.300513  
c   -1.303243  
dtype: float64
```

```
In [50]: s[s > s.median()]
```

```
Out[50]: a   -0.168186  
d    1.538910  
dtype: float64
```

```
In [51]: s[[4, 3, 1]]
```

```
Out[51]: e   -1.602989  
d    1.538910  
b   -2.300513  
dtype: float64
```

```
In [52]: np.exp(s)
```

```
Out[52]: a    0.845197  
b    0.100207  
c    0.271649  
d    4.659509  
e    0.201294  
dtype: float64
```

```
In [53]: s.array
```

```
Out[53]: <PandasArray>  
[-0.1681860503643496, -2.3005130449484565, -1.3032428199311967,  
 1.5389100807195653, -1.6029891733694224]  
Length: 5, dtype: float64
```

```
In [54]: s.to_numpy()
```

```
Out[54]: array([-0.16818605, -2.30051304, -1.30324282,  1.53891008, -1.60298917])
```

```
In [55]: s["a"]
```

```
Out[55]: -0.1681860503643496
```

```
In [56]: s["e"] = 12.0  
s
```

```
Out[56]: a    -0.168186  
        b    -2.300513  
        c    -1.303243  
        d     1.538910  
        e    12.000000  
        dtype: float64
```

```
In [57]: np.exp(s)
```

```
Out[57]: a      0.845197  
        b      0.100207  
        c      0.271649  
        d      4.659509  
        e  162754.791419  
        dtype: float64
```

```
In [58]: s[1:] + s[:-1]
```

```
Out[58]: a      NaN  
        b  -4.601026  
        c  -2.606486  
        d   3.077820  
        e      NaN  
        dtype: float64
```

```
In [59]: s = pd.Series(np.random.randn(5), name="something")  
s
```

```
Out[59]: 0    -0.522842  
        1     0.741873  
        2    -1.460176  
        3    -0.526032  
        4    -0.180085  
        Name: something, dtype: float64
```

```
In [60]: s2 = s.rename("different")
s2.name
```

```
Out[60]: 'different'
```

```
In [61]: d = {
"one": pd.Series([1.0, 2.0, 3.0], index=["a", "b", "c"]),
"two": pd.Series([1.0, 2.0, 3.0, 4.0], index=["a", "b", "c", "d"]),
}

df = pd.DataFrame(d)
df
```

```
Out[61]:
```

	one	two
a	1.0	1.0
b	2.0	2.0
c	3.0	3.0
d	NaN	4.0

```
In [62]: pd.DataFrame(d, index=["d", "b", "a"])
```

```
Out[62]:
```

	one	two
d	NaN	4.0
b	2.0	2.0
a	1.0	1.0

```
In [63]: pd.DataFrame(d, index=["d", "b", "a"], columns=["two", "three"])
```

```
Out[63]:
```

	two	three
d	4.0	NaN
b	2.0	NaN
a	1.0	NaN

```
In [64]: df.index
```

```
Out[64]: Index(['a', 'b', 'c', 'd'], dtype='object')
```

```
In [65]: df.columns
```

```
Out[65]: Index(['one', 'two'], dtype='object')
```



```
In [66]: d = {"one": [1.0, 2.0, 3.0, 4.0], "two": [4.0, 3.0, 2.0, 1.0]}
pd.DataFrame(d)
```

```
Out[66]:
```

	one	two
0	1.0	4.0
1	2.0	3.0
2	3.0	2.0
3	4.0	1.0

```
In [67]: pd.DataFrame(d, index=["a", "b", "c", "d"])
```

```
Out[67]:
```

	one	two
a	1.0	4.0
b	2.0	3.0
c	3.0	2.0
d	4.0	1.0

```
In [68]: data = np.zeros((2,), dtype=[("A", "i4"), ("B", "f4"), ("C", "a10")])
data[:] = [(1, 2.0, "Hello"), (2, 3.0, "World")]
pd.DataFrame(data)
```

```
Out[68]:
```

	A	B	C
0	1	2.0	b'Hello'
1	2	3.0	b'World'

```
In [69]: pd.DataFrame(data, index=["first", "second"])
```

```
Out[69]:
```

	A	B	C
first	1	2.0	b'Hello'
second	2	3.0	b'World'

```
In [70]: pd.DataFrame(data, columns=["C", "A", "B"])
```

```
Out[70]:
```

	C	A	B
0	b'Hello'	1	2.0
1	b'World'	2	3.0

```
In [71]: data2 = [{"a": 1, "b": 2}, {"a": 5, "b": 10, "c": 20}]
pd.DataFrame(data2)
```

```
Out[71]:
```

	a	b	c
0	1	2	NaN
1	5	10	20.0

```
In [72]: pd.DataFrame(data2, index=["first", "second"])
```

```
Out[72]:
```

	a	b	c
first	1	2	NaN
second	5	10	20.0

```
In [73]: pd.DataFrame(data2, columns=["a", "b"])
```

```
Out[73]:
```

	a	b
0	1	2
1	5	10

```
In [74]: pd.DataFrame({
    ("a", "b"): {"A", "B": 1, ("A", "C"): 2},
    ("a", "a"): {"A", "C": 3, ("A", "B"): 4},
    ("a", "c"): {"A", "B": 5, ("A", "C"): 6},
    ("b", "a"): {"A", "C": 7, ("A", "B"): 8},
    ("b", "b"): {"A", "D": 9, ("A", "B"): 10}
})
```

```
Out[74]:
```

		a	b			
	b	a	c	a	b	
B	1.0	4.0	5.0	8.0	10.0	
A	C	2.0	3.0	6.0	7.0	NaN
D	NaN	NaN	NaN	NaN	9.0	

```
In [75]: from collections import namedtuple
Point = namedtuple("Point", "x y")
pd.DataFrame([Point(0, 0), Point(0, 3), (2, 3)])
```

```
Out[75]:
```

	x	y
0	0	0
1	0	3
2	2	3

```
In [76]: Point3D = namedtuple("Point3D", "x y z")
```

```
In [77]: pd.DataFrame([Point3D(0, 0, 0), Point3D(0, 3, 5), Point(2, 3)])
```

```
Out[77]:
```

	x	y	z
0	0	0	0.0
1	0	3	5.0
2	2	3	NaN

```
In [78]: from dataclasses import make_dataclass
Point = make_dataclass("Point", [("x", int), ("y", int)])
pd.DataFrame([Point(0, 0), Point(0, 3), Point(2, 3)])
```

```
Out[78]:
```

	x	y
0	0	0
1	0	3
2	2	3

```
In [79]: pd.DataFrame.from_dict(dict([("A", [1, 2, 3]), ("B", [4, 5, 6])]))
```

```
Out[79]:
```

	A	B
0	1	4
1	2	5
2	3	6

```
In [80]: pd.DataFrame.from_dict(
dict([("A", [1, 2, 3]), ("B", [4, 5, 6])]),
orient="index",
columns=["one", "two", "three"],
)
```

```
Out[80]:
```

	one	two	three
A	1	2	3
B	4	5	6

```
In [81]: pd.DataFrame.from_records(data, index="C")
```

```
Out[81]:
```

	A	B
C		
b'Hello'	1	2.0
b'World'	2	3.0

```
In [82]: df["three"] = df["one"] * df["two"]
df["flag"] = df["one"] > 2
df
```

```
Out[82]:
```

	one	two	three	flag
a	1.0	1.0	1.0	False
b	2.0	2.0	4.0	False
c	3.0	3.0	9.0	True
d	NaN	4.0	NaN	False

```
In [83]: del df["two"]
three = df.pop("three")
df
```

```
Out[83]:
```

	one	flag
a	1.0	False
b	2.0	False
c	3.0	True
d	NaN	False

```
In [84]: df["foo"] = "bar"
df
```

```
Out[84]:
```

	one	flag	foo
a	1.0	False	bar
b	2.0	False	bar
c	3.0	True	bar
d	NaN	False	bar

```
In [85]: df["one_trunc"] = df["one"][[:2]]
df
```

```
Out[85]:
```

	one	flag	foo	one_trunc
a	1.0	False	bar	1.0
b	2.0	False	bar	2.0
c	3.0	True	bar	NaN
d	NaN	False	bar	NaN

```
In [86]: df.insert(1, "bar", df["one"])
df
```

```
Out[86]:
```

	one	bar	flag	foo	one_trunc
a	1.0	1.0	False	bar	1.0
b	2.0	2.0	False	bar	2.0
c	3.0	3.0	True	bar	NaN
d	NaN	NaN	False	bar	NaN

```
In [87]: iris = pd.read_csv("Iris.csv")
iris.head()
```

```
Out[87]:
```

	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species
0	1	5.1	3.5	1.4	0.2	Iris-setosa
1	2	4.9	3.0	1.4	0.2	Iris-setosa
2	3	4.7	3.2	1.3	0.2	Iris-setosa
3	4	4.6	3.1	1.5	0.2	Iris-setosa
4	5	5.0	3.6	1.4	0.2	Iris-setosa

```
In [88]: iris.assign(sepal_ratio=iris["SepalWidthCm"] / iris["SepalLengthCm"]).head()
```

```
Out[88]:
```


	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species	sepal_ratio
0	1	5.1	3.5	1.4	0.2	Iris-setosa	0.686275
1	2	4.9	3.0	1.4	0.2	Iris-setosa	0.612245
2	3	4.7	3.2	1.3	0.2	Iris-setosa	0.680851
3	4	4.6	3.1	1.5	0.2	Iris-setosa	0.673913
4	5	5.0	3.6	1.4	0.2	Iris-setosa	0.720000

```
In [89]: iris.assign(sepal_ratio=lambda x: (x["SepalWidthCm"] / x["SepalLengthCm"])).head()
```

```
Out[89]:
```

	Id	SepalLengthCm	SepalWidthCm	PetalLengthCm	PetalWidthCm	Species	sepal_ratio
0	1	5.1	3.5	1.4	0.2	Iris-setosa	0.686275
1	2	4.9	3.0	1.4	0.2	Iris-setosa	0.612245
2	3	4.7	3.2	1.3	0.2	Iris-setosa	0.680851
3	4	4.6	3.1	1.5	0.2	Iris-setosa	0.673913
4	5	5.0	3.6	1.4	0.2	Iris-setosa	0.720000

```
In [90]: (iris.query("SepalLengthCm > 5").assign(
SepalRatio=lambda x: x.SepalWidthCm / x.SepalLengthCm,
PetalRatio=lambda x: x.PetalWidthCm / x.PetalLengthCm,
).plot(kind="scatter", x="SepalRatio", y="PetalRatio"));
```



```
In [91]: dfa = pd.DataFrame({"A": [1, 2, 3], "B": [4, 5, 6]})
dfa.assign(C=lambda x: x["A"] + x["B"], D=lambda x: x["A"] + x["C"])
```

```
Out[91]:
```

	A	B	C	D
0	1	4	5	6
1	2	5	7	9
2	3	6	9	12

```
In [92]: df = pd.DataFrame(np.random.randn(10, 4), columns=["A", "B", "C", "D"])
df2 = pd.DataFrame(np.random.randn(7, 3), columns=["A", "B", "C"])
df + df2
```

```
Out[92]:
```

	A	B	C	D
0	2.420866	1.658919	-0.004957	NaN
1	0.230904	-1.496995	0.531114	NaN
2	0.387801	-2.293522	-0.940368	NaN
3	0.198035	-1.598423	0.608666	NaN
4	-0.750591	1.431920	-1.540342	NaN
5	0.144717	-2.595985	0.175171	NaN
6	0.396199	0.681542	3.810757	NaN
7	NaN	NaN	NaN	NaN
8	NaN	NaN	NaN	NaN
9	NaN	NaN	NaN	NaN

```
In [93]: df1 = pd.DataFrame({"a": [1, 0, 1], "b": [0, 1, 1]}, dtype=bool)
df2 = pd.DataFrame({"a": [0, 1, 1], "b": [1, 1, 0]}, dtype=bool)
df1 & df2
```

```
Out[93]:
```

	a	b
0	False	False
1	False	True
2	True	False

```
In [94]: df1 | df2
```

```
Out[94]:
```

	a	b
0	True	True
1	True	True
2	True	True

```
In [95]: df1 ^ df2
```

```
Out[95]:
```

	a	b
0	True	True
1	True	False
2	False	True

```
In [96]: ~df1
```

```
Out[96]:
```

	a	b
0	False	True
1	True	False
2	False	False

```
In [97]: np.exp(df)
```

```
Out[97]:
```

	A	B	C	D
0	4.850797	7.643395	1.172958	1.574652
1	4.009842	0.933421	7.619213	0.661011
2	1.349996	0.193248	0.811424	1.976038
3	0.941819	0.520655	0.461768	2.772299
4	0.894556	1.922714	0.224244	3.327236
5	1.056101	0.233735	0.556385	0.303122
6	2.077379	0.660008	7.266333	3.149107
7	0.800964	1.414727	0.712628	0.400347
8	1.998324	2.184248	3.783204	0.802994
9	0.723489	8.619131	0.100072	2.146063

```
In [98]: ser = pd.Series([1, 2, 3, 4])  
np.exp(ser)
```

```
Out[98]: 0    2.718282  
1    7.389056  
2   20.085537  
3   54.598150  
dtype: float64
```

```
In [99]: ser1 = pd.Series([1, 2, 3], index=["a", "b", "c"])  
ser2 = pd.Series([1, 3, 5], index=["b", "a", "c"])  
ser1
```

```
Out[99]: a    1  
b    2  
c    3  
dtype: int64
```

```
In [100]: np.remainder(ser1, ser2)
```

```
Out[100]: a    1  
b    0  
c    3  
dtype: int64
```

```
In [101]: ser3 = pd.Series([2, 4, 6], index=["b", "c", "d"])  
np.remainder(ser1, ser3)
```

```
Out[101]: a    NaN  
b    0.0  
c    3.0  
d    NaN  
dtype: float64
```



```
In [102]: ser = pd.Series([1, 2, 3])
idx = pd.Index([4, 5, 6])
np.maximum(ser, idx)
```

```
Out[102]: 0    4
          1    5
          2    6
          dtype: int64
```

```
In [104]: pd.DataFrame(np.random.randn(3, 12))
```

```
Out[104]:
```

	0	1	2	3	4	5	6	7	8	9	10	11
0	-0.501245	0.571128	-0.508366	-0.326784	0.636010	1.006448	-0.910515	-0.502634	1.306846	-0.111111	0.123456	0.789012
1	-0.555579	0.528680	0.244514	-0.921669	-0.942707	-1.253826	-1.811112	-0.900820	0.616784	0.345678	-0.234567	0.901234
2	-0.576731	-0.872153	2.207928	-0.505467	-0.130966	1.685892	-1.459214	-0.262680	-0.229437	0.567890	-0.456789	0.123456

```
In [105]: pd.set_option("display.width", 40) # default is 80
pd.DataFrame(np.random.randn(3, 12))
```

```
Out[105]:
```

	0	1	2	3	4	5	6	7	8	9	10	11
0	0.022773	-1.401868	-0.970989	2.171251	0.414099	0.151816	-1.110283	-0.449167	1.714537	0.234567	-0.123456	0.901234
1	-0.789318	-0.265809	-0.678194	-2.483981	0.364979	-0.704912	-0.847870	-1.562679	1.817926	0.567890	-0.456789	0.123456
2	-0.841586	-1.769016	1.341991	-0.463400	1.139975	0.237341	-0.223064	-0.146064	0.253593	0.901234	-0.890123	0.456789

```
In [106]: datafile = {
"filename": ["filename_01", "filename_02"],
"path": [
"media/user_name/storage/folder_01/filename_01",
"media/user_name/storage/folder_02/filename_02",]
}

pd.set_option("display.max_colwidth", 30)
pd.DataFrame(datafile)
```

```
Out[106]:
```

	filename	path
0	filename_01	media/user_name/storage/fo...
1	filename_02	media/user_name/storage/fo...

```
In [107]: pd.set_option("display.max_colwidth", 100)
pd.DataFrame(datafile)
```

```
Out[107]:
```

	filename	path
0	filename_01	media/user_name/storage/folder_01/filename_01
1	filename_02	media/user_name/storage/folder_02/filename_02

```
In [ ]: df = pd.DataFrame({"foo1": np.random.randn(5), "foo2": np.random.randn(5)})
df
```

```
In [108]: index = pd.date_range("1/1/2000", periods=8)
s = pd.Series(np.random.randn(5), index=["a", "b", "c", "d", "e"])
df = pd.DataFrame(np.random.randn(8, 3), index=index, columns=["A", "B", "C"])
```

```
In [109]: long_series = pd.Series(np.random.randn(1000))
long_series.head()
```

```
Out[109]: 0    -0.026014
1    -1.002232
2     0.435552
3    -0.516468
4     0.919732
dtype: float64
```

```
In [110]: df[:2]
```

```
Out[110]:
```

	A	B	C
2000-01-01	-0.896867	0.519293	0.574513
2000-01-02	1.499996	0.210594	0.004202

```
In [111]: df.columns = [x.lower() for x in df.columns]
df
```

```
Out[111]:
```

	a	b	c
2000-01-01	-0.896867	0.519293	0.574513
2000-01-02	1.499996	0.210594	0.004202
2000-01-03	0.670616	0.012021	-1.118078
2000-01-04	-0.708142	-0.351169	-0.596160
2000-01-05	0.571710	-1.264462	-0.999771
2000-01-06	-0.355902	-0.458909	1.478698
2000-01-07	0.242235	0.194339	-0.864089
2000-01-08	0.073826	0.314112	1.816110

```
In [112]: s.array
```

```
Out[112]: <PandasArray>
[-0.9915161162074533,
 0.816408648335188,
 1.1267915421666856,
 0.48624698933925486,
 0.26060288152211175]
Length: 5, dtype: float64
```

```
In [113]: s.index.array
```

```
Out[113]: <PandasArray>  
['a', 'b', 'c', 'd', 'e']  
Length: 5, dtype: object
```

```
In [114]: s.to_numpy()
```

```
Out[114]: array([-0.99151612,  0.81640865,  1.12679154,  0.48624699,  0.26060288])
```

```
In [115]: np.asarray(s)
```

```
Out[115]: array([-0.99151612,  0.81640865,  1.12679154,  0.48624699,  0.26060288])
```

```
In [116]: ser = pd.Series(pd.date_range("2000", periods=2, tz="CET"))  
ser.to_numpy(dtype=object)
```

```
Out[116]: array([Timestamp('2000-01-01 00:00:00+0100', tz='CET'),  
                Timestamp('2000-01-02 00:00:00+0100', tz='CET')], dtype=object)
```

```
In [117]: pd.set_option("compute.use_bottleneck", False)  
pd.set_option("compute.use_numexpr", False)
```

```
In [118]: df = pd.DataFrame({  
    "one": pd.Series(np.random.randn(3), index=["a", "b", "c"]),  
    "two": pd.Series(np.random.randn(4), index=["a", "b", "c", "d"]),  
    "three": pd.Series(np.random.randn(3), index=["b", "c", "d"]),  
})  
  
df
```

```
Out[118]:
```

	one	two	three
a	-1.171896	-1.181811	NaN
b	0.758395	-0.897135	-1.107687
c	-0.844188	0.018352	2.354688
d	NaN	1.613328	-0.269916

```
In [119]: row = df.iloc[1]  
column = df["two"]  
df.sub(row, axis="columns")
```

```
Out[119]:
```

	one	two	three
a	-1.930291	-0.284676	NaN
b	0.000000	0.000000	0.000000
c	-1.602583	0.915488	3.462375
d	NaN	2.510464	0.837772

```
In [120]: df.sub(row, axis=1)
```

```
Out[120]:
```

	one	two	three
a	-1.930291	-0.284676	NaN
b	0.000000	0.000000	0.000000
c	-1.602583	0.915488	3.462375
d	NaN	2.510464	0.837772

```
In [121]: df.sub(column, axis="index")
```

```
Out[121]:
```

	one	two	three
a	0.009915	0.0	NaN
b	1.655531	0.0	-0.210552
c	-0.862540	0.0	2.336335
d	NaN	0.0	-1.883244

```
In [122]: df.sub(column, axis=0)
```

```
Out[122]:
```

	one	two	three
a	0.009915	0.0	NaN
b	1.655531	0.0	-0.210552
c	-0.862540	0.0	2.336335
d	NaN	0.0	-1.883244

```
In [123]: dfmi = df.copy()
In [27]: dfmi.index = pd.MultiIndex.from_tuples(
[(1, "a"), (1, "b"), (1, "c"), (2, "a")], names=["first", "second"]
)

dfmi.sub(column, axis=0, level="second")
```

```
Out[123]:
```

		one	two	three
	first second			
	a	0.009915	0.000000	NaN
1	b	1.655531	0.000000	-0.210552
	c	-0.862540	0.000000	2.336335
2	a	NaN	2.795139	0.911896

```
In [124]: pd.Series(np.arange(10))
```

```
Out[124]: 0    0
          1    1
          2    2
          3    3
          4    4
          5    5
          6    6
          7    7
          8    8
          9    9
dtype: int32
```

```
In [125]: div, rem = divmod(df,3)
div
```

```
Out[125]:
```

	one	two	three
a	-1.0	-1.0	NaN
b	0.0	-1.0	-1.0
c	-1.0	0.0	0.0
d	NaN	0.0	-1.0

```
In [126]: idx = pd.Index(np.arange(10))
idx
```

```
Out[126]: Int64Index([0, 1, 2, 3, 4, 5, 6, 7, 8,
                    9],
                    dtype='int64')
```

```
In [127]: div, rem = divmod(idx, 3)
div
```

```
Out[127]: Int64Index([0, 0, 0, 1, 1, 1, 2, 2, 2,
                    3],
                    dtype='int64')
```

```
In [128]: df.gt(df)
```

```
Out[128]:
```

	one	two	three
a	False	False	False
b	False	False	False
c	False	False	False
d	False	False	False

```
In [129]: (df > 0).all()
```

```
Out[129]: one      False
          two      False
          three    False
          dtype: bool
```

```
In [130]: (df > 0).any()
```

```
Out[130]: one      True
          two      True
          three    True
          dtype: bool
```

```
In [131]: (df > 0).any().any()
```

```
Out[131]: True
```

```
In [132]: pd.DataFrame(columns=list("ABC")).empty
```

```
Out[132]: True
```

```
In [133]: (df + df == df * 2).all()
```

```
Out[133]: one      False
          two      True
          three    False
          dtype: bool
```

```
In [134]: (df + df).equals(df * 2)
```

```
Out[134]: True
```

```
In [135]: df1 = pd.DataFrame({"col": ["foo", 0, np.nan]})
          df2 = pd.DataFrame({"col": [np.nan, 0, "foo"]}, index=[2, 1, 0])
          df1.equals(df2)
```

```
Out[135]: False
```

```
In [136]: pd.Series(["foo", "bar", "baz"]) == "foo"
```

```
Out[136]: 0      True
          1     False
          2     False
          dtype: bool
```

```
In [137]: pd.Index(["foo", "bar", "baz"]) == "foo"
```

```
Out[137]: array([ True, False, False])
```

```
In [138]: pd.Series(["foo", "bar", "baz"]) == pd.Index(["foo", "bar", "qux"])
```

```
Out[138]: 0    True
          1    True
          2   False
          dtype: bool
```

```
In [139]: pd.Series(["foo", "bar", "baz"]) == np.array(["foo", "bar", "qux"])
```

```
Out[139]: 0    True
          1    True
          2   False
          dtype: bool
```

```
In [140]: np.array([1, 2, 3]) == np.array([2])
```

```
Out[140]: array([False,  True,  False])
```

```
In [141]: df1 = pd.DataFrame(
           { "A": [1.0, np.nan, 3.0, 5.0, np.nan], "B": [np.nan, 2.0, 3.0, np.nan, 6.0] }
           )

           df2 = pd.DataFrame({
           "A": [5.0, 2.0, 4.0, np.nan, 3.0, 7.0],
           "B": [np.nan, np.nan, 3.0, 4.0, 6.0, 8.0],
           })

           df1
```

```
Out[141]:
```

	A	B
0	1.0	NaN
1	NaN	2.0
2	3.0	3.0
3	5.0	NaN
4	NaN	6.0

```
In [142]: df1.combine_first(df2)
```

```
Out[142]:
```

	A	B
0	1.0	NaN
1	2.0	2.0
2	3.0	3.0
3	5.0	4.0
4	3.0	6.0
5	7.0	8.0

```
In [143]: def combiner(x, y):  
          return np.where(pd.isna(x), y, x)  
          df1.combine(df2, combiner)
```

```
Out[143]:
```

	A	B
0	1.0	NaN
1	2.0	2.0
2	3.0	3.0
3	5.0	4.0
4	3.0	6.0
5	7.0	8.0

```
In [144]: df.sum(0, skipna=False)
```

```
Out[144]: one          NaN  
two      -0.447266  
three    NaN  
dtype: float64
```

```
In [145]: df.sum(axis=1, skipna=True)
```

```
Out[145]: a    -2.353707  
b    -1.246427  
c     1.528852  
d     1.343413  
dtype: float64
```

```
In [146]: ts_stand = (df - df.mean()) / df.std()  
ts_stand.std()
```

```
Out[146]: one      1.0  
two      1.0  
three    1.0  
dtype: float64
```

```
In [147]: xs_stand = df.sub(df.mean(1), axis=0).div(df.std(1), axis=0)  
xs_stand.std(1)
```

```
Out[147]: a    1.0  
b    1.0  
c    1.0  
d    1.0  
dtype: float64
```

```
In [148]: np.mean(df["one"])
```

```
Out[148]: -0.41922927314676367
```



```
In [149]: np.mean(df["one"].to_numpy())
```

```
Out[149]: nan
```

```
In [150]: series = pd.Series(np.random.randn(500))
series[20:500] = np.nan
series[10:20] = 5
series.nunique()
```

```
Out[150]: 11
```

```
In [151]: series = pd.Series(np.random.randn(1000))
series[:,2] = np.nan
series.describe()
```

```
Out[151]: count    500.000000
mean      -0.007995
std       0.963051
min      -4.036894
25%      -0.617967
50%       0.044174
75%       0.671260
max       2.694971
dtype: float64
```

```
In [152]: frame = pd.DataFrame(np.random.randn(1000, 5), columns=["a", "b", "c", "d", "e"])
frame.iloc[:,2] = np.nan
frame.describe()
```

```
Out[152]:
```

	a	b	c	d	e
count	500.000000	500.000000	500.000000	500.000000	500.000000
mean	-0.033536	-0.000459	0.063157	0.059826	0.043546
std	0.973013	0.936975	1.046047	1.024661	0.978513
min	-3.491812	-2.591516	-2.787851	-2.796227	-3.234868
25%	-0.637533	-0.607886	-0.712782	-0.616478	-0.564365
50%	-0.022158	0.024663	0.037883	0.044762	-0.024644
75%	0.666086	0.639350	0.758282	0.721884	0.685598
max	2.566799	3.027822	2.766063	3.472135	3.077083

```
In [153]: series.describe(percentiles=[0.05, 0.25, 0.75, 0.95])
```

```
Out[153]: count      500.000000  
mean       -0.007995  
std        0.963051  
min       -4.036894  
5%        -1.707012  
25%       -0.617967  
50%        0.044174  
75%        0.671260  
95%        1.444216  
max        2.694971  
dtype: float64
```

```
In [154]: s = pd.Series(["a", "a", "b", "b", "a", "a", np.nan, "c", "d", "a"])  
s.describe()
```

```
Out[154]: count      9  
unique     4  
top        a  
freq       5  
dtype: object
```

**Syed Afroz Ali**

# Pandas toolkit Part 3

Syed Afroz Ali

```
In [1]: import pandas as pd
import numpy as np
```

```
In [2]: frame = pd.DataFrame({"a": ["Yes", "Yes", "No", "No"], "b": range(4)})
frame.describe()
```

```
Out[2]:
```

	b
<b>count</b>	4.000000
<b>mean</b>	1.500000
<b>std</b>	1.290994
<b>min</b>	0.000000
<b>25%</b>	0.750000
<b>50%</b>	1.500000
<b>75%</b>	2.250000
<b>max</b>	3.000000

```
In [3]: frame.describe(include=["object"])
```

```
Out[3]:
```

	a
<b>count</b>	4
<b>unique</b>	2
<b>top</b>	Yes
<b>freq</b>	2

```
In [6]: frame.describe(include=["number"])
```

```
Out[6]:
```

	<b>b</b>
<b>count</b>	4.000000
<b>mean</b>	1.500000
<b>std</b>	1.290994
<b>min</b>	0.000000
<b>25%</b>	0.750000
<b>50%</b>	1.500000
<b>75%</b>	2.250000
<b>max</b>	3.000000

```
In [7]: s1 = pd.Series(np.random.randn(5))  
s1
```

```
Out[7]: 0    -0.121086  
1     0.060713  
2     1.259896  
3    -0.161383  
4    -2.168469  
dtype: float64
```

```
In [8]: s1.idxmin(), s1.idxmax()
```

```
Out[8]: (4, 2)
```

```
In [9]: df1 = pd.DataFrame(np.random.randn(5, 3), columns=["A", "B", "C"])  
df1
```

```
Out[9]:
```

	<b>A</b>	<b>B</b>	<b>C</b>
<b>0</b>	-1.029309	1.362440	-0.959433
<b>1</b>	0.862846	-0.221771	-1.559672
<b>2</b>	0.735617	0.847179	-0.020883
<b>3</b>	-1.213478	0.416975	1.226910
<b>4</b>	0.020545	-0.211762	-1.391545

```
In [10]: df1.idxmin(axis=0)
```

```
Out[10]: A    3  
B     1  
C     1  
dtype: int64
```

```
In [11]: df1.idxmax(axis=1)
```

```
Out[11]: 0    B
          1    A
          2    B
          3    C
          4    A
          dtype: object
```

```
In [12]: df3 = pd.DataFrame([2, 1, 1, 3, np.nan], columns=["A"], index=list("edcba"))
          df3
```

```
Out[12]:
```

	A
e	2.0
d	1.0
c	1.0
b	3.0
a	NaN

```
In [13]: data = np.random.randint(0, 7, size=50)
          data
```

```
Out[13]: array([6, 5, 6, 2, 6, 2, 3, 5, 1, 3, 1, 3, 1, 5, 2, 6, 6, 4, 4, 6, 0, 5,
                0, 3, 5, 4, 1, 2, 2, 6, 1, 6, 1, 0, 4, 4, 0, 4, 3, 5, 6, 0, 6, 4,
                5, 5, 1, 1, 2, 5])
```

```
In [14]: s = pd.Series(data)
          s.value_counts()
```

```
Out[14]: 6    10
          5     9
          1     8
          4     7
          2     6
          3     5
          0     5
          dtype: int64
```

```
In [15]: data = {"a": [1, 2, 3, 4], "b": ["x", "x", "y", "y"]}
          frame = pd.DataFrame(data)
          frame.value_counts()
```

```
Out[15]: a  b
          1  x    1
          2  x    1
          3  y    1
          4  y    1
          dtype: int64
```

```
In [16]: s5 = pd.Series([1, 1, 3, 3, 3, 5, 5, 7, 7, 7])
s5.mode()
```

```
Out[16]: 0    3
         1    7
         dtype: int64
```

```
In [17]: df5 = pd.DataFrame({
"A": np.random.randint(0, 7, size=50),
"B": np.random.randint(-10, 15, size=50),
})
df5.mode()
```

```
Out[17]:
```

	A	B
0	0.0	-9
1	NaN	-3

```
In [18]: arr = np.random.randn(20)
factor = pd.cut(arr, 4)
factor
```

```
Out[18]: [(-0.245, 0.809], (0.809, 1.863], (-1.303, -0.245], (-0.245, 0.809], (-0.245,
0.809], ..., (-0.245, 0.809], (-0.245, 0.809], (1.863, 2.917], (-0.245, 0.80
9], (-0.245, 0.809]]
Length: 20
Categories (4, interval[float64, right]): [(-1.303, -0.245] < (-0.245, 0.809]
< (0.809, 1.863] < (1.863, 2.917]]
```

```
In [19]: factor = pd.cut(arr, [-5, -1, 0, 1, 5])
factor
```

```
Out[19]: [(0, 1], (1, 5], (-1, 0], (-1, 0], (0, 1], ..., (0, 1], (0, 1], (1, 5], (-1,
0], (-1, 0]]
Length: 20
Categories (4, interval[int64, right]): [(-5, -1] < (-1, 0] < (0, 1] < (1,
5]]
```

```
In [20]: arr = np.random.randn(30)
factor = pd.qcut(arr, [0, 0.25, 0.5, 0.75, 1])
factor
```

```
Out[20]: [(-0.204, 0.428], (-0.75, -0.204], (-3.0669999999999997, -0.75], (-0.75, -0.2
04], (-0.75, -0.204], ..., (-3.0669999999999997, -0.75], (-0.204, 0.428], (-
3.0669999999999997, -0.75], (-0.204, 0.428], (-0.75, -0.204]]
Length: 30
Categories (4, interval[float64, right]): [(-3.0669999999999997, -0.75] < (-
0.75, -0.204] < (-0.204, 0.428] < (0.428, 2.156]]
```

```
In [21]: arr = np.random.randn(20)
factor = pd.cut(arr, [-np.inf, 0, np.inf])
factor
```

```
Out[21]: [(-inf, 0.0], (-inf, 0.0], (0.0, inf], (0.0, inf], (0.0, inf], ..., (-inf, 0.
0], (0.0, inf], (0.0, inf], (-inf, 0.0], (-inf, 0.0]]
Length: 20
Categories (2, interval[float64, right]): [(-inf, 0.0] < (0.0, inf]]
```

```
In [23]: def extract_city_name(df):
df["city_name"] = df["city_and_code"].str.split(",").str.get(0)
return df
def add_country_name(df, country_name=None):
col = "city_name"
df["city_and_country"] = df[col] + country_name
return df
df_p = pd.DataFrame({"city_and_code": ["Chicago, IL"]})

add_country_name(extract_city_name(df_p), country_name="US")
```

```
Out[23]:
```

	city_and_code	city_name	city_and_country
0	Chicago, IL	Chicago	ChicagoUS

```
In [24]: df_p.pipe(extract_city_name).pipe(add_country_name, country_name="US")
```

```
Out[24]:
```

	city_and_code	city_name	city_and_country
0	Chicago, IL	Chicago	ChicagoUS

```
In [25]: import statsmodels.formula.api as sm
bb = pd.read_csv("baseball.csv", index_col="id")
(
bb.query("h > 0")
.assign(ln_h=lambda df: np.log(df.h))
.pipe((sm.ols, "data"), "hr ~ ln_h + year + g + C(lg)")
.fit()
.summary()
)
```

Out[25]: OLS Regression Results

<b>Dep. Variable:</b>	hr	<b>R-squared:</b>	0.685
<b>Model:</b>	OLS	<b>Adj. R-squared:</b>	0.665
<b>Method:</b>	Least Squares	<b>F-statistic:</b>	34.28
<b>Date:</b>	Thu, 22 Sep 2022	<b>Prob (F-statistic):</b>	3.48e-15
<b>Time:</b>	18:53:34	<b>Log-Likelihood:</b>	-205.92
<b>No. Observations:</b>	68	<b>AIC:</b>	421.8
<b>Df Residuals:</b>	63	<b>BIC:</b>	432.9
<b>Df Model:</b>	4		
<b>Covariance Type:</b>	nonrobust		

	coef	std err	t	P> t	[0.025	0.975]
<b>Intercept</b>	-8484.7720	4664.146	-1.819	0.074	-1.78e+04	835.780
<b>C(lg)[T.NL]</b>	-2.2736	1.325	-1.716	0.091	-4.922	0.375
<b>ln_h</b>	-1.3542	0.875	-1.547	0.127	-3.103	0.395
<b>year</b>	4.2277	2.324	1.819	0.074	-0.417	8.872
<b>g</b>	0.1841	0.029	6.258	0.000	0.125	0.243

<b>Omnibus:</b>	10.875	<b>Durbin-Watson:</b>	1.999
<b>Prob(Omnibus):</b>	0.004	<b>Jarque-Bera (JB):</b>	17.298
<b>Skew:</b>	0.537	<b>Prob(JB):</b>	0.000175
<b>Kurtosis:</b>	5.225	<b>Cond. No.</b>	1.49e+07

Notes:

[1] Standard Errors assume that the covariance matrix of the errors is correctly specified.

[2] The condition number is large, 1.49e+07. This might indicate that there are strong multicollinearity or other numerical problems.

```
In [27]: df5.apply(np.mean)
```

```
Out[27]: A    2.96
         B    2.06
         dtype: float64
```



```
In [28]: df5.apply(np.mean, axis=1)
```

```
Out[28]: 0      3.0
1      4.5
2      6.0
3      1.0
4      3.0
5      6.5
6     -2.5
7     -4.5
8      5.0
9      8.5
10     2.0
11     0.0
12     3.0
13     2.0
14    -1.5
15     5.5
16     6.5
17    -3.5
18     2.5
19     0.5
20     1.0
21     6.5
22    -1.5
23     3.0
24    -3.5
25     7.5
26     5.0
27    -2.5
28     2.0
29     3.0
30     8.5
31     4.5
32     0.0
33     9.0
34     6.5
35     8.0
36    -2.5
37     0.0
38     1.5
39     0.5
40    -4.0
41     0.5
42     7.5
43    -0.5
44     0.0
45     7.0
46     4.0
47     5.0
48     1.0
49     1.0
dtype: float64
```

```
In [29]: df5.apply(lambda x: x.max() - x.min())
```

```
Out[29]: A      6  
         B     23  
         dtype: int64
```

```
In [30]: df5.apply(np.cumsum)
```

Out[30]:

	<b>A</b>	<b>B</b>
<b>0</b>	0	6
<b>1</b>	2	13
<b>2</b>	2	25
<b>3</b>	7	22
<b>4</b>	7	28
<b>5</b>	12	36
<b>6</b>	15	28
<b>7</b>	15	19
<b>8</b>	17	27
<b>9</b>	21	40
<b>10</b>	22	43
<b>11</b>	22	43
<b>12</b>	25	46
<b>13</b>	31	44
<b>14</b>	37	35
<b>15</b>	39	44
<b>16</b>	41	55
<b>17</b>	44	45
<b>18</b>	50	44
<b>19</b>	51	44
<b>20</b>	51	46
<b>21</b>	56	54
<b>22</b>	61	46
<b>23</b>	62	51
<b>24</b>	64	42
<b>25</b>	70	51
<b>26</b>	73	58
<b>27</b>	78	48
<b>28</b>	83	47
<b>29</b>	87	49
<b>30</b>	93	60
<b>31</b>	93	69
<b>32</b>	97	65
<b>33</b>	103	77
<b>34</b>	104	89
<b>35</b>	110	99

	<b>A</b>	<b>B</b>
<b>36</b>	111	93
<b>37</b>	114	90
<b>38</b>	119	88
<b>39</b>	123	85
<b>40</b>	124	76
<b>41</b>	128	73
<b>42</b>	132	84
<b>43</b>	138	77
<b>44</b>	143	72
<b>45</b>	144	85
<b>46</b>	146	91
<b>47</b>	146	101
<b>48</b>	146	103
<b>49</b>	148	103

```
In [32]: df5.apply(np.exp)
```

Out[32]:

	<b>A</b>	<b>B</b>
<b>0</b>	1.000000	403.428793
<b>1</b>	7.389056	1096.633158
<b>2</b>	1.000000	162754.791419
<b>3</b>	148.413159	0.049787
<b>4</b>	1.000000	403.428793
<b>5</b>	148.413159	2980.957987
<b>6</b>	20.085537	0.000335
<b>7</b>	1.000000	0.000123
<b>8</b>	7.389056	2980.957987
<b>9</b>	54.598150	442413.392009
<b>10</b>	2.718282	20.085537
<b>11</b>	1.000000	1.000000
<b>12</b>	20.085537	20.085537
<b>13</b>	403.428793	0.135335
<b>14</b>	403.428793	0.000123
<b>15</b>	7.389056	8103.083928
<b>16</b>	7.389056	59874.141715
<b>17</b>	20.085537	0.000045
<b>18</b>	403.428793	0.367879
<b>19</b>	2.718282	1.000000
<b>20</b>	1.000000	7.389056
<b>21</b>	148.413159	2980.957987
<b>22</b>	148.413159	0.000335
<b>23</b>	2.718282	148.413159
<b>24</b>	7.389056	0.000123
<b>25</b>	403.428793	8103.083928
<b>26</b>	20.085537	1096.633158
<b>27</b>	148.413159	0.000045
<b>28</b>	148.413159	0.367879
<b>29</b>	54.598150	7.389056
<b>30</b>	403.428793	59874.141715
<b>31</b>	1.000000	8103.083928
<b>32</b>	54.598150	0.018316
<b>33</b>	403.428793	162754.791419
<b>34</b>	2.718282	162754.791419
<b>35</b>	403.428793	22026.465795

	A	B
36	2.718282	0.002479
37	20.085537	0.049787
38	148.413159	0.135335
39	54.598150	0.049787
40	2.718282	0.000123
41	54.598150	0.049787
42	54.598150	59874.141715
43	403.428793	0.000912
44	148.413159	0.006738
45	2.718282	442413.392009
46	7.389056	403.428793
47	1.000000	22026.465795
48	1.000000	7.389056
49	7.389056	1.000000

```
In [33]: df5.apply("mean")
```

```
Out[33]: A    2.96  
         B    2.06  
         dtype: float64
```



```
In [35]: df5.apply("mean", axis=1)
```

```
Out[35]: 0      3.0  
1      4.5  
2      6.0  
3      1.0  
4      3.0  
5      6.5  
6     -2.5  
7     -4.5  
8      5.0  
9      8.5  
10     2.0  
11     0.0  
12     3.0  
13     2.0  
14    -1.5  
15     5.5  
16     6.5  
17    -3.5  
18     2.5  
19     0.5  
20     1.0  
21     6.5  
22    -1.5  
23     3.0  
24    -3.5  
25     7.5  
26     5.0  
27    -2.5  
28     2.0  
29     3.0  
30     8.5  
31     4.5  
32     0.0  
33     9.0  
34     6.5  
35     8.0  
36    -2.5  
37     0.0  
38     1.5  
39     0.5  
40    -4.0  
41     0.5  
42     7.5  
43    -0.5  
44     0.0  
45     7.0  
46     4.0  
47     5.0  
48     1.0  
49     1.0  
dtype: float64
```

```
In [36]: def subtract_and_divide(x, sub, divide=1):  
         return (x - sub) / divide  
  
df5.apply(subtract_and_divide, args=(5,), divide=3)
```

Out[36]:

	A	B
0	-1.666667	0.333333
1	-1.000000	0.666667
2	-1.666667	2.333333
3	0.000000	-2.666667
4	-1.666667	0.333333
5	0.000000	1.000000
6	-0.666667	-4.333333
7	-1.666667	-4.666667
8	-1.000000	1.000000
9	-0.333333	2.666667
10	-1.333333	-0.666667
11	-1.666667	-1.666667
12	-0.666667	-0.666667
13	0.333333	-2.333333
14	0.333333	-4.666667
15	-1.000000	1.333333
16	-1.000000	2.000000
17	-0.666667	-5.000000
18	0.333333	-2.000000
19	-1.333333	-1.666667
20	-1.666667	-1.000000
21	0.000000	1.000000
22	0.000000	-4.333333
23	-1.333333	0.000000
24	-1.000000	-4.666667
25	0.333333	1.333333
26	-0.666667	0.666667
27	0.000000	-5.000000
28	0.000000	-2.000000
29	-0.333333	-1.000000
30	0.333333	2.000000
31	-1.666667	1.333333
32	-0.333333	-3.000000
33	0.333333	2.333333
34	-1.333333	2.333333
35	0.333333	1.666667

	<b>A</b>	<b>B</b>
<b>36</b>	-1.333333	-3.666667
<b>37</b>	-0.666667	-2.666667
<b>38</b>	0.000000	-2.333333
<b>39</b>	-0.333333	-2.666667
<b>40</b>	-1.333333	-4.666667
<b>41</b>	-0.333333	-2.666667
<b>42</b>	-0.333333	2.000000
<b>43</b>	0.333333	-4.000000
<b>44</b>	0.000000	-3.333333
<b>45</b>	-1.333333	2.666667
<b>46</b>	-1.000000	0.333333
<b>47</b>	-1.666667	1.666667
<b>48</b>	-1.666667	-1.000000
<b>49</b>	-1.000000	-1.666667

```
In [37]: tsdf = pd.DataFrame(
np.random.randn(10, 3),
columns=["A", "B", "C"],
index=pd.date_range("1/1/2000", periods=10),
)

tsdf.iloc[3:7] = np.nan
tsdf
```

Out[37]:

	<b>A</b>	<b>B</b>	<b>C</b>
<b>2000-01-01</b>	1.100146	-0.594632	-0.486077
<b>2000-01-02</b>	-1.281338	-0.032859	0.675010
<b>2000-01-03</b>	-1.250284	1.207627	-0.363746
<b>2000-01-04</b>	NaN	NaN	NaN
<b>2000-01-05</b>	NaN	NaN	NaN
<b>2000-01-06</b>	NaN	NaN	NaN
<b>2000-01-07</b>	NaN	NaN	NaN
<b>2000-01-08</b>	1.381345	-1.236094	2.241808
<b>2000-01-09</b>	0.209783	0.166198	-0.248163
<b>2000-01-10</b>	2.156381	0.918886	-2.077679

```
In [38]: tsdf.agg(np.sum)
```

```
Out[38]: A    2.316033  
        B    0.429125  
        C   -0.258846  
        dtype: float64
```

```
In [39]: tsdf.agg("sum")
```

```
Out[39]: A    2.316033  
        B    0.429125  
        C   -0.258846  
        dtype: float64
```

```
In [40]: tsdf.sum()
```

```
Out[40]: A    2.316033  
        B    0.429125  
        C   -0.258846  
        dtype: float64
```

```
In [41]: tsdf["A"].agg("sum")
```

```
Out[41]: 2.3160328735804745
```

```
In [42]: tsdf.agg(["sum", "mean"])
```

```
Out[42]:
```

	A	B	C
sum	2.316033	0.429125	-0.258846
mean	0.386005	0.071521	-0.043141

```
In [43]: tsdf["A"].agg(["sum", "mean"])
```

```
Out[43]: sum      2.316033  
        mean      0.386005  
        Name: A, dtype: float64
```

```
In [44]: tsdf["A"].agg(["sum", lambda x: x.mean()])
```

```
Out[44]: sum      2.316033  
<lambda>      0.386005  
        Name: A, dtype: float64
```

```
In [45]: def mymean(x):  
        return x.mean()  
  
        tsdf["A"].agg(["sum", mymean])
```

```
Out[45]: sum      2.316033  
        mymean     0.386005  
        Name: A, dtype: float64
```

```
In [46]: tsdf.agg({"A": "mean", "B": "sum"})
```

```
Out[46]: A    0.386005  
B    0.429125  
dtype: float64
```

```
In [47]: tsdf.agg({"A": ["mean", "min"], "B": "sum"})
```

```
Out[47]:
```

	A	B
mean	0.386005	NaN
min	-1.281338	NaN
sum	NaN	0.429125

```
In [48]: mdf = pd.DataFrame({  
    "A": [1, 2, 3],  
    "B": [1.0, 2.0, 3.0],  
    "C": ["foo", "bar", "baz"],  
    "D": pd.date_range("20130101", periods=3),  
})
```

```
In [49]: mdf.agg(["min", "sum"])
```

```
Out[49]:
```

	A	B	C	D
min	1	1.0	bar	2013-01-01
sum	6	6.0	foobarbaz	NaT

```
In [50]: # Custom describe
```

```
from functools import partial  
q_25 = partial(pd.Series.quantile, q=0.25)  
q_25.__name__ = "25%"  
q_75 = partial(pd.Series.quantile, q=0.75)  
q_75.__name__ = "75%"  
tsdf.agg(["count", "mean", "std", "min", q_25, "median", q_75, "max"])
```

```
Out[50]:
```

	A	B	C
count	6.000000	6.000000	6.000000
mean	0.386005	0.071521	-0.043141
std	1.422916	0.914575	1.429482
min	-1.281338	-1.236094	-2.077679
25%	-0.885267	-0.454189	-0.455494
median	0.654965	0.066669	-0.305954
75%	1.311045	0.730714	0.444217
max	2.156381	1.207627	2.241808

```
In [52]: tsdf = pd.DataFrame(  
    np.random.randn(10, 3),  
    columns=["A", "B", "C"],  
    index=pd.date_range("1/1/2000", periods=10),  
    )  
  
    tsdf.iloc[3:7] = np.nan  
    tsdf
```

```
Out[52]:
```

	A	B	C
2000-01-01	-0.632673	0.474561	-0.798479
2000-01-02	1.250986	-0.578337	1.065323
2000-01-03	-0.998635	-1.218509	-0.738105
2000-01-04	NaN	NaN	NaN
2000-01-05	NaN	NaN	NaN
2000-01-06	NaN	NaN	NaN
2000-01-07	NaN	NaN	NaN
2000-01-08	-0.683195	1.623150	0.090563
2000-01-09	-0.118824	-0.426729	-1.098490
2000-01-10	-1.150192	0.214560	1.337532

```
In [53]: tsdf.transform(np.abs)
```

```
Out[53]:
```

	A	B	C
2000-01-01	0.632673	0.474561	0.798479
2000-01-02	1.250986	0.578337	1.065323
2000-01-03	0.998635	1.218509	0.738105
2000-01-04	NaN	NaN	NaN
2000-01-05	NaN	NaN	NaN
2000-01-06	NaN	NaN	NaN
2000-01-07	NaN	NaN	NaN
2000-01-08	0.683195	1.623150	0.090563
2000-01-09	0.118824	0.426729	1.098490
2000-01-10	1.150192	0.214560	1.337532

```
In [54]: tsdf.transform("abs")
```

```
Out[54]:
```

	A	B	C
2000-01-01	0.632673	0.474561	0.798479
2000-01-02	1.250986	0.578337	1.065323
2000-01-03	0.998635	1.218509	0.738105
2000-01-04	NaN	NaN	NaN
2000-01-05	NaN	NaN	NaN
2000-01-06	NaN	NaN	NaN
2000-01-07	NaN	NaN	NaN
2000-01-08	0.683195	1.623150	0.090563
2000-01-09	0.118824	0.426729	1.098490
2000-01-10	1.150192	0.214560	1.337532

```
In [55]: tsdf.transform(lambda x: x.abs())
```

```
Out[55]:
```

	A	B	C
2000-01-01	0.632673	0.474561	0.798479
2000-01-02	1.250986	0.578337	1.065323
2000-01-03	0.998635	1.218509	0.738105
2000-01-04	NaN	NaN	NaN
2000-01-05	NaN	NaN	NaN
2000-01-06	NaN	NaN	NaN
2000-01-07	NaN	NaN	NaN
2000-01-08	0.683195	1.623150	0.090563
2000-01-09	0.118824	0.426729	1.098490
2000-01-10	1.150192	0.214560	1.337532



```
In [56]: np.abs(tsdf)
```

```
Out[56]:
```

	A	B	C
2000-01-01	0.632673	0.474561	0.798479
2000-01-02	1.250986	0.578337	1.065323
2000-01-03	0.998635	1.218509	0.738105
2000-01-04	NaN	NaN	NaN
2000-01-05	NaN	NaN	NaN
2000-01-06	NaN	NaN	NaN
2000-01-07	NaN	NaN	NaN
2000-01-08	0.683195	1.623150	0.090563
2000-01-09	0.118824	0.426729	1.098490
2000-01-10	1.150192	0.214560	1.337532

```
In [57]: tsdf["A"].transform(np.abs)
```

```
Out[57]:
```

2000-01-01	0.632673
2000-01-02	1.250986
2000-01-03	0.998635
2000-01-04	NaN
2000-01-05	NaN
2000-01-06	NaN
2000-01-07	NaN
2000-01-08	0.683195
2000-01-09	0.118824
2000-01-10	1.150192

Freq: D, Name: A, dtype: float64

```
In [58]: tsdf.transform([np.abs, lambda x: x + 1])
```

```
Out[58]:
```

	A		B		C	
	absolute	<lambda>	absolute	<lambda>	absolute	<lambda>
2000-01-01	0.632673	0.367327	0.474561	1.474561	0.798479	0.201521
2000-01-02	1.250986	2.250986	0.578337	0.421663	1.065323	2.065323
2000-01-03	0.998635	0.001365	1.218509	-0.218509	0.738105	0.261895
2000-01-04	NaN	NaN	NaN	NaN	NaN	NaN
2000-01-05	NaN	NaN	NaN	NaN	NaN	NaN
2000-01-06	NaN	NaN	NaN	NaN	NaN	NaN
2000-01-07	NaN	NaN	NaN	NaN	NaN	NaN
2000-01-08	0.683195	0.316805	1.623150	2.623150	0.090563	1.090563
2000-01-09	0.118824	0.881176	0.426729	0.573271	1.098490	-0.098490
2000-01-10	1.150192	-0.150192	0.214560	1.214560	1.337532	2.337532

```
In [59]: tsdf["A"].transform([np.abs, lambda x: x + 1])
```

```
Out[59]:
```

	absolute	<lambda>
2000-01-01	0.632673	0.367327
2000-01-02	1.250986	2.250986
2000-01-03	0.998635	0.001365
2000-01-04	NaN	NaN
2000-01-05	NaN	NaN
2000-01-06	NaN	NaN
2000-01-07	NaN	NaN
2000-01-08	0.683195	0.316805
2000-01-09	0.118824	0.881176
2000-01-10	1.150192	-0.150192

```
In [60]: tsdf.transform({"A": np.abs, "B": lambda x: x + 1})
```

```
Out[60]:
```

	A	B
2000-01-01	0.632673	1.474561
2000-01-02	1.250986	0.421663
2000-01-03	0.998635	-0.218509
2000-01-04	NaN	NaN
2000-01-05	NaN	NaN
2000-01-06	NaN	NaN
2000-01-07	NaN	NaN
2000-01-08	0.683195	2.623150
2000-01-09	0.118824	0.573271
2000-01-10	1.150192	1.214560

```
In [68]: df = pd.DataFrame({
"one": pd.Series(np.random.randn(3), index=["a", "b", "c"]),
"two": pd.Series(np.random.randn(4), index=["a", "b", "c", "d"]),
"three": pd.Series(np.random.randn(3), index=["b", "c", "d"]),
})
```

df

```
Out[68]:
```

	one	two	three
a	-0.789990	-0.020558	NaN
b	0.572949	-0.778513	-0.450913
c	-0.367262	1.963174	-0.203882
d	NaN	-0.313509	0.001874

```
In [69]: df["three"] = df["one"] * df["two"]
df["flag"] = df["one"] > 2
df
```

```
Out[69]:
```

	one	two	three	flag
a	-0.789990	-0.020558	0.016241	False
b	0.572949	-0.778513	-0.446048	False
c	-0.367262	1.963174	-0.721000	False
d	NaN	-0.313509	NaN	False

```
In [70]: def f(x):
return len(str(x))
df["one"].map(f)
```

```
Out[70]: a    19
b    18
c    19
d     3
Name: one, dtype: int64
```

```
In [71]: df.applymap(f)
```

```
Out[71]:
```

	one	two	three	flag
a	19	21	19	5
b	18	19	19	5
c	19	18	19	5
d	3	19	3	5

```
In [72]: s = pd.Series(
["six", "seven", "six", "seven", "six"], index=["a", "b", "c", "d", "e"]
)

t = pd.Series({"six": 6.0, "seven": 7.0})
s
```

```
Out[72]: a    six
b    seven
c    six
d    seven
e    six
dtype: object
```

```
In [73]: s.map(t)
```

```
Out[73]: a    6.0  
         b    7.0  
         c    6.0  
         d    7.0  
         e    6.0  
         dtype: float64
```

```
In [74]: s = pd.Series(np.random.randn(5), index=["a", "b", "c", "d", "e"])  
s
```

```
Out[74]: a   -0.727970  
         b    1.102445  
         c    1.113834  
         d   -0.195407  
         e    0.238101  
         dtype: float64
```

```
In [75]: s.reindex(["e", "b", "f", "d"])
```

```
Out[75]: e    0.238101  
         b    1.102445  
         f         NaN  
         d   -0.195407  
         dtype: float64
```

```
In [76]: df.reindex(index=["c", "f", "b"], columns=["three", "two", "one"])
```

```
Out[76]:
```

	three	two	one
c	-0.721000	1.963174	-0.367262
f	NaN	NaN	NaN
b	-0.446048	-0.778513	0.572949

```
In [77]: df.reindex(["c", "f", "b"], axis="index")
```

```
Out[77]:
```

	one	two	three	flag
c	-0.367262	1.963174	-0.721000	False
f	NaN	NaN	NaN	NaN
b	0.572949	-0.778513	-0.446048	False

```
In [78]: rs = s.reindex(df.index)  
rs
```

```
Out[78]: a   -0.727970  
         b    1.102445  
         c    1.113834  
         d   -0.195407  
         dtype: float64
```

```
In [79]: df.reindex(["c", "f", "b"], axis="index")
```

```
Out[79]:
```

	one	two	three	flag
c	-0.367262	1.963174	-0.721000	False
f	NaN	NaN	NaN	NaN
b	0.572949	-0.778513	-0.446048	False

```
In [80]: df.reindex(["three", "two", "one"], axis="columns")
```

```
Out[80]:
```

	three	two	one
a	0.016241	-0.020558	-0.789990
b	-0.446048	-0.778513	0.572949
c	-0.721000	1.963174	-0.367262
d	NaN	-0.313509	NaN

```
In [82]: df.reindex_like(df)
```

```
Out[82]:
```

	one	two	three	flag
a	-0.789990	-0.020558	0.016241	False
b	0.572949	-0.778513	-0.446048	False
c	-0.367262	1.963174	-0.721000	False
d	NaN	-0.313509	NaN	False

```
In [83]: s = pd.Series(np.random.randn(5), index=["a", "b", "c", "d", "e"])  
s1 = s[:4]  
s2 = s[1:]  
s1.align(s2)
```

```
Out[83]: (a    -0.511169  
b    -0.185304  
c     0.725502  
d    -1.852033  
e         NaN  
dtype: float64,  
a         NaN  
b    -0.185304  
c     0.725502  
d    -1.852033  
e    -1.251512  
dtype: float64)
```

```
In [84]: s1.align(s2, join="inner")
```

```
Out[84]: (b   -0.185304
          c    0.725502
          d   -1.852033
          dtype: float64,
          b   -0.185304
          c    0.725502
          d   -1.852033
          dtype: float64)
```

```
In [85]: s1.align(s2, join="left")
```

```
Out[85]: (a   -0.511169
          b   -0.185304
          c    0.725502
          d   -1.852033
          dtype: float64,
          a         NaN
          b   -0.185304
          c    0.725502
          d   -1.852033
          dtype: float64)
```

```
In [88]: df.align(df5, join="inner")
```

```
Out[88]: (Empty DataFrame
          Columns: []
          Index: [],
          Empty DataFrame
          Columns: []
          Index: [])
```

```
In [89]: df.align(df5, join="inner", axis=0)
```

```
Out[89]: (Empty DataFrame
          Columns: [one, two, three, flag]
          Index: [],
          Empty DataFrame
          Columns: [A, B]
          Index: [])
```

```
In [91]: df.align(df5.iloc[0], axis=1)
```

```
Out[91]: (   A   B   flag      one      three      two
a NaN NaN  False -0.789990  0.016241 -0.020558
b NaN NaN  False  0.572949 -0.446048 -0.778513
c NaN NaN  False -0.367262 -0.721000  1.963174
d NaN NaN  False      NaN      NaN -0.313509,
A      0.0
B      6.0
flag   NaN
one    NaN
three  NaN
two    NaN
Name: 0, dtype: float64)
```

```
In [92]: rng = pd.date_range("1/3/2000", periods=8)
ts = pd.Series(np.random.randn(8), index=rng)
ts2 = ts[[0, 3, 6]]
ts
```

```
Out[92]: 2000-01-03    -1.310621
2000-01-04     -0.992201
2000-01-05     -1.394069
2000-01-06      0.820258
2000-01-07     -1.331111
2000-01-08      0.116894
2000-01-09     -0.452949
2000-01-10      1.596265
Freq: D, dtype: float64
```

```
In [93]: ts2.reindex(ts.index)
```

```
Out[93]: 2000-01-03    -1.310621
2000-01-04         NaN
2000-01-05         NaN
2000-01-06      0.820258
2000-01-07         NaN
2000-01-08         NaN
2000-01-09     -0.452949
2000-01-10         NaN
Freq: D, dtype: float64
```

```
In [94]: ts2.reindex(ts.index, method="ffill")
```

```
Out[94]: 2000-01-03    -1.310621
2000-01-04    -1.310621
2000-01-05    -1.310621
2000-01-06      0.820258
2000-01-07      0.820258
2000-01-08      0.820258
2000-01-09     -0.452949
2000-01-10     -0.452949
Freq: D, dtype: float64
```

```
In [95]: ts2.reindex(ts.index, method="bfill")
```

```
Out[95]: 2000-01-03    -1.310621
          2000-01-04     0.820258
          2000-01-05     0.820258
          2000-01-06     0.820258
          2000-01-07    -0.452949
          2000-01-08    -0.452949
          2000-01-09    -0.452949
          2000-01-10         NaN
          Freq: D, dtype: float64
```

```
In [96]: ts2.reindex(ts.index, method="nearest")
```

```
Out[96]: 2000-01-03    -1.310621
          2000-01-04    -1.310621
          2000-01-05     0.820258
          2000-01-06     0.820258
          2000-01-07     0.820258
          2000-01-08    -0.452949
          2000-01-09    -0.452949
          2000-01-10    -0.452949
          Freq: D, dtype: float64
```

```
In [97]: ts2.reindex(ts.index).fillna(method="ffill")
```

```
Out[97]: 2000-01-03    -1.310621
          2000-01-04    -1.310621
          2000-01-05    -1.310621
          2000-01-06     0.820258
          2000-01-07     0.820258
          2000-01-08     0.820258
          2000-01-09    -0.452949
          2000-01-10    -0.452949
          Freq: D, dtype: float64
```

```
In [98]: ts2.reindex(ts.index, method="ffill", limit=1)
```

```
Out[98]: 2000-01-03    -1.310621
          2000-01-04    -1.310621
          2000-01-05         NaN
          2000-01-06     0.820258
          2000-01-07     0.820258
          2000-01-08         NaN
          2000-01-09    -0.452949
          2000-01-10    -0.452949
          Freq: D, dtype: float64
```



```
In [99]: ts2.reindex(ts.index, method="ffill", tolerance="1 day")
```

```
Out[99]: 2000-01-03    -1.310621
2000-01-04    -1.310621
2000-01-05         NaN
2000-01-06     0.820258
2000-01-07     0.820258
2000-01-08         NaN
2000-01-09    -0.452949
2000-01-10    -0.452949
Freq: D, dtype: float64
```

```
In [100]: df.drop(["a", "d"], axis=0)
```

```
Out[100]:
```

	one	two	three	flag
b	0.572949	-0.778513	-0.446048	False
c	-0.367262	1.963174	-0.721000	False

```
In [101]: df.drop(["one"], axis=1)
```

```
Out[101]:
```

	two	three	flag
a	-0.020558	0.016241	False
b	-0.778513	-0.446048	False
c	1.963174	-0.721000	False
d	-0.313509	NaN	False

```
In [102]: df.reindex(df.index.difference(["a", "d"]))
```

```
Out[102]:
```

	one	two	three	flag
b	0.572949	-0.778513	-0.446048	False
c	-0.367262	1.963174	-0.721000	False

```
In [103]: s.rename(str.upper)
```

```
Out[103]: A    -0.511169
B    -0.185304
C     0.725502
D    -1.852033
E    -1.251512
dtype: float64
```

```
In [104]: df.rename(
columns={"one": "foo", "two": "bar"},
index={"a": "apple", "b": "banana", "d": "durian"})
```

```
Out[104]:
```

	foo	bar	three	flag
apple	-0.789990	-0.020558	0.016241	False
banana	0.572949	-0.778513	-0.446048	False
c	-0.367262	1.963174	-0.721000	False
durian	NaN	-0.313509	NaN	False

```
In [105]: df.rename({"one": "foo", "two": "bar"}, axis="columns")
```

```
Out[105]:
```

	foo	bar	three	flag
a	-0.789990	-0.020558	0.016241	False
b	0.572949	-0.778513	-0.446048	False
c	-0.367262	1.963174	-0.721000	False
d	NaN	-0.313509	NaN	False

```
In [106]: df.rename({"a": "apple", "b": "banana", "d": "durian"}, axis="index")
```

```
Out[106]:
```

	one	two	three	flag
apple	-0.789990	-0.020558	0.016241	False
banana	0.572949	-0.778513	-0.446048	False
c	-0.367262	1.963174	-0.721000	False
durian	NaN	-0.313509	NaN	False

```
In [107]: s.rename("scalar-name")
```

```
Out[107]: a    -0.511169
b    -0.185304
c     0.725502
d    -1.852033
e    -1.251512
Name: scalar-name, dtype: float64
```

```
In [108]: df = pd.DataFrame(
{"x": [1, 2, 3, 4, 5, 6], "y": [10, 20, 30, 40, 50, 60]},
index=pd.MultiIndex.from_product(
[["a", "b", "c"], [1, 2]], names=["let", "num"]
))

df
```

```
Out[108]:
```

		x	y
	let	num	
a	1	1	10
	2	2	20
b	1	3	30
	2	4	40
c	1	5	50
	2	6	60

```
In [109]: df.rename_axis(index={"let": "abc"})
```

```
Out[109]:
```

		x	y
	abc	num	
a	1	1	10
	2	2	20
b	1	3	30
	2	4	40
c	1	5	50
	2	6	60

```
In [110]: df.rename_axis(index=str.upper)
```

```
Out[110]:
```

		x	y
	LET	NUM	
a	1	1	10
	2	2	20
b	1	3	30
	2	4	40
c	1	5	50
	2	6	60

```
In [111]: df = pd.DataFrame({"col1": np.random.randn(3), "col2": np.random.randn(3)}, index=[0, 1, 2])
for col in df:
    print(col)
```

```
col1
col2
```

```
In [112]: df = pd.DataFrame({"a": [1, 2, 3], "b": ["a", "b", "c"]})
In [257]: for index, row in df.iterrows():
            row["a"] = 10
df
```

```
Out[112]:
```

	a	b
0	1	a
1	2	b
2	3	c

```
In [113]: for label, ser in df.items():
            print(label)
            print(ser)
```

```
a
0    1
1    2
2    3
Name: a, dtype: int64
b
0    a
1    b
2    c
Name: b, dtype: object
```

```
In [114]: for row_index, row in df.iterrows():
            print(row_index, row, sep="\n")
```

```
0
a    1
b    a
Name: 0, dtype: object
1
a    2
b    b
Name: 1, dtype: object
2
a    3
b    c
Name: 2, dtype: object
```

```
In [115]: df_orig = pd.DataFrame([[1, 1.5]], columns=["int", "float"])
df_orig.dtypes
```

```
Out[115]: int          int64
float        float64
dtype: object
```

```
In [116]: row = next(df_orig.iterrows())[1]
row
```

```
Out[116]: int          1.0
float        1.5
Name: 0, dtype: float64
```

```
In [117]: row["int"].dtype
```

```
Out[117]: dtype('float64')
```

```
In [118]: df_orig["int"].dtype
```

```
Out[118]: dtype('int64')
```

```
In [119]: df2 = pd.DataFrame({"x": [1, 2, 3], "y": [4, 5, 6]})
print(df2)
```

```
   x  y
0  1  4
1  2  5
2  3  6
```

```
In [120]: df2_t = pd.DataFrame({idx: values for idx, values in df2.iterrows()})
print(df2_t)
```

```
   0  1  2
x  1  2  3
y  4  5  6
```

```
In [121]: for row in df.iterrows():
print(row)
```

```
Pandas(Index=0, a=1, b='a')
Pandas(Index=1, a=2, b='b')
Pandas(Index=2, a=3, b='c')
```

```
In [122]: s = pd.Series(pd.date_range("20130101 09:10:12", periods=4))
s
```

```
Out[122]: 0    2013-01-01 09:10:12
1    2013-01-02 09:10:12
2    2013-01-03 09:10:12
3    2013-01-04 09:10:12
dtype: datetime64[ns]
```

```
In [123]: s.dt.hour
```

```
Out[123]: 0    9
          1    9
          2    9
          3    9
          dtype: int64
```

```
In [124]: s.dt.second
```

```
Out[124]: 0    12
          1    12
          2    12
          3    12
          dtype: int64
```

```
In [125]: s.dt.day
```

```
Out[125]: 0    1
          1    2
          2    3
          3    4
          dtype: int64
```

```
In [126]: s[s.dt.day == 2]
```

```
Out[126]: 1    2013-01-02 09:10:12
          dtype: datetime64[ns]
```

```
In [127]: stz = s.dt.tz_localize("US/Eastern")
          stz
```

```
Out[127]: 0    2013-01-01 09:10:12-05:00
          1    2013-01-02 09:10:12-05:00
          2    2013-01-03 09:10:12-05:00
          3    2013-01-04 09:10:12-05:00
          dtype: datetime64[ns, US/Eastern]
```

```
In [128]: s.dt.tz_localize("UTC").dt.tz_convert("US/Eastern")
```

```
Out[128]: 0    2013-01-01 04:10:12-05:00
          1    2013-01-02 04:10:12-05:00
          2    2013-01-03 04:10:12-05:00
          3    2013-01-04 04:10:12-05:00
          dtype: datetime64[ns, US/Eastern]
```

```
In [129]: s = pd.Series(pd.date_range("20130101", periods=4))
s
```

```
Out[129]: 0    2013-01-01
          1    2013-01-02
          2    2013-01-03
          3    2013-01-04
          dtype: datetime64[ns]
```

```
In [130]: s.dt.strftime("%Y/%m/%d")
```

```
Out[130]: 0    2013/01/01
          1    2013/01/02
          2    2013/01/03
          3    2013/01/04
          dtype: object
```

```
In [132]: s = pd.Series(pd.period_range("20130101", periods=4))
s
```

```
Out[132]: 0    2013-01-01
          1    2013-01-02
          2    2013-01-03
          3    2013-01-04
          dtype: period[D]
```

```
In [133]: s.dt.strftime("%Y/%m/%d")
```

```
Out[133]: 0    2013/01/01
          1    2013/01/02
          2    2013/01/03
          3    2013/01/04
          dtype: object
```

```
In [134]: s = pd.Series(pd.period_range("20130101", periods=4, freq="D"))
s
```

```
Out[134]: 0    2013-01-01
          1    2013-01-02
          2    2013-01-03
          3    2013-01-04
          dtype: period[D]
```

```
In [135]: s.dt.year
```

```
Out[135]: 0    2013
          1    2013
          2    2013
          3    2013
          dtype: int64
```

```
In [136]: s.dt.day
```

```
Out[136]: 0    1
          1    2
          2    3
          3    4
          dtype: int64
```

```
In [137]: s = pd.Series(pd.timedelta_range("1 day 00:00:05", periods=4, freq="s"))
          s
```

```
Out[137]: 0    1 days 00:00:05
          1    1 days 00:00:06
          2    1 days 00:00:07
          3    1 days 00:00:08
          dtype: timedelta64[ns]
```

```
In [138]: s.dt.days
```

```
Out[138]: 0    1
          1    1
          2    1
          3    1
          dtype: int64
```

```
In [139]: s.dt.seconds
```

```
Out[139]: 0    5
          1    6
          2    7
          3    8
          dtype: int64
```

```
In [140]: s.dt.components
```

```
Out[140]:
```

	days	hours	minutes	seconds	milliseconds	microseconds	nanoseconds
0	1	0	0	5	0	0	0
1	1	0	0	6	0	0	0
2	1	0	0	7	0	0	0
3	1	0	0	8	0	0	0

**Syed Afroz Ali**

```
In [ ]:
```





# Pandas toolkit Part 4

Syed Afroz Ali

```
In [1]: import pandas as pd
import numpy as np
```

```
In [2]: df = pd.DataFrame(
{
"one": pd.Series(np.random.randn(3), index=["a", "b", "c"]),
"two": pd.Series(np.random.randn(4), index=["a", "b", "c", "d"]),
"three": pd.Series(np.random.randn(3), index=["b", "c", "d"]),
}
)
unsorted_df = df.reindex(
index=["a", "d", "c", "b"], columns=["three", "two", "one"]
)
unsorted_df
```

```
Out[2]:
```

	three	two	one
a	NaN	-0.326406	-0.078773
d	1.122434	-0.263896	NaN
c	0.745061	-0.700178	2.138660
b	-2.535724	-0.196084	1.556742

```
In [3]: unsorted_df.sort_index()
```

```
Out[3]:
```

	three	two	one
a	NaN	-0.326406	-0.078773
b	-2.535724	-0.196084	1.556742
c	0.745061	-0.700178	2.138660
d	1.122434	-0.263896	NaN

```
In [4]: unsorted_df.sort_index(ascending=False)
```

```
Out[4]:
```

	three	two	one
d	1.122434	-0.263896	NaN
c	0.745061	-0.700178	2.138660
b	-2.535724	-0.196084	1.556742
a	NaN	-0.326406	-0.078773

```
In [5]: unsorted_df.sort_index(axis=1)
```

```
Out[5]:
```

	one	three	two
a	-0.078773	NaN	-0.326406
d	NaN	1.122434	-0.263896
c	2.138660	0.745061	-0.700178
b	1.556742	-2.535724	-0.196084

```
In [6]: unsorted_df["three"].sort_index()
```

```
Out[6]:
```

a	NaN
b	-2.535724
c	0.745061
d	1.122434

Name: three, dtype: float64

```
In [7]: s1 = pd.DataFrame({"a": ["B", "a", "C"], "b": [1, 2, 3], "c": [2, 3, 4]}).set_index("a", s1)
```

```
Out[7]:
```

	c
a b	
B 1 2	
a 2 3	
C 3 4	

```
In [8]: s1.sort_index(level="a")
```

```
Out[8]:
```

	c
a b	
B 1 2	
C 3 4	
a 2 3	

```
In [9]: s1.sort_index(level="a", key=lambda idx: idx.str.lower())
```

```
Out[9]:
```

	c
a b	
a 2 3	
B 1 2	
C 3 4	

```
In [10]: df1 = pd.DataFrame({"one": [2, 1, 1, 1], "two": [1, 3, 2, 4], "three": [5, 4, 3, 2]})
df1.sort_values(by="two")
```

```
Out[10]:
```

	one	two	three
0	2	1	5
2	1	2	3
1	1	3	4
3	1	4	2

```
In [11]: df1[["one", "two", "three"]].sort_values(by=["one", "two"])
```

```
Out[11]:
```

	one	two	three
2	1	2	3
1	1	3	4
3	1	4	2
0	2	1	5

```
In [13]: s = pd.Series(np.random.randn(5), index=["a", "b", "c", "d", "e"])
s
```

```
Out[13]:
```

a	-0.205803
b	0.766681
c	0.095059
d	1.604067
e	0.372262

dtype: float64

```
In [14]: s[2] = np.nan
s.sort_values()
```

```
Out[14]:
```

a	-0.205803
e	0.372262
b	0.766681
d	1.604067
c	NaN

dtype: float64

```
In [15]: s.sort_values(na_position="first")
```

```
Out[15]:
```

c	NaN
a	-0.205803
e	0.372262
b	0.766681
d	1.604067

dtype: float64

```
In [16]: s1 = pd.Series(["B", "a", "C"])
s1.sort_values()
```

```
Out[16]: 0    B
          2    C
          1    a
          dtype: object
```

```
In [17]: df = pd.DataFrame({"a": ["B", "a", "C"], "b": [1, 2, 3]})
df.sort_values(by="a")
```

```
Out[17]:
```

	a	b
0	B	1
2	C	3
1	a	2

```
In [18]: df.sort_values(by="a", key=lambda col: col.str.lower())
```

```
Out[18]:
```

	a	b
1	a	2
0	B	1
2	C	3

```
In [19]: idx = pd.MultiIndex.from_tuples([("a", 1), ("a", 2), ("a", 2), ("b", 2), ("b",
idx.names = ["first", "second"]
df_multi = pd.DataFrame({"A": np.arange(6, 0, -1)}, index=idx)
df_multi
```

```
Out[19]:
```

	A	
	first	second
	1	6
a	2	5
	2	4
	2	3
b	1	2
	1	1

```
In [21]: df_multi.sort_values(by=["second", "A"])
```

```
Out[21]:
```

	A	
	first	second
	1	1
b	1	2
a	1	6
b	2	3
	2	4
a	2	5

```
In [22]: ser = pd.Series([1, 2, 3])
ser.searchsorted([0, 3])
```

```
Out[22]: array([0, 2], dtype=int64)
```

```
In [23]: ser.searchsorted([0, 4])
```

```
Out[23]: array([0, 3], dtype=int64)
```

```
In [24]: ser.searchsorted([0, 3], sorter=np.argsort(ser))
```

```
Out[24]: array([0, 2], dtype=int64)
```

```
In [25]: s = pd.Series(np.random.permutation(10))
s
```

```
Out[25]: 0    4
1    7
2    1
3    2
4    0
5    8
6    5
7    6
8    9
9    3
dtype: int32
```

```
In [26]: df = pd.DataFrame({
    "a": [-2, -1, 1, 10, 8, 11, -1],
    "b": list("abdceff"),
    "c": [1.0, 2.0, 4.0, 3.2, np.nan, 3.0, 4.0],
    })

df.nlargest(3, "a")
```

```
Out[26]:
```

	a	b	c
5	11	f	3.0
3	10	c	3.2
4	8	e	NaN

```
In [27]: df1.columns = pd.MultiIndex.from_tuples([("a", "one"), ("a", "two"), ("b", "three")])
df1.sort_values(by=("a", "two"))
```

```
Out[27]:
```

	a		b
	one	two	three
0	2	1	5
2	1	2	3
1	1	3	4
3	1	4	2

```
In [28]: dft = pd.DataFrame({
    "A": np.random.rand(3),
    "B": 1,
    "C": "foo",
    "D": pd.Timestamp("20010102"),
    "E": pd.Series([1.0] * 3).astype("float32"),
    "F": False,
    "G": pd.Series([1] * 3, dtype="int8"),
    })

dft
```

```
Out[28]:
```

	A	B	C	D	E	F	G
0	0.577873	1	foo	2001-01-02	1.0	False	1
1	0.149990	1	foo	2001-01-02	1.0	False	1
2	0.244930	1	foo	2001-01-02	1.0	False	1

```
In [29]: df1 = pd.DataFrame(np.random.randn(8, 1), columns=["A"], dtype="float32")
df1
```

```
Out[29]:
```

	A
0	0.466913
1	1.734496
2	0.416978
3	0.158830
4	0.626867
5	-1.188689
6	-2.190499
7	-0.572933

```
In [30]: df2 = pd.DataFrame({
"A": pd.Series(np.random.randn(8), dtype="float16"),
"B": pd.Series(np.random.randn(8)),
"C": pd.Series(np.array(np.random.randn(8), dtype="uint8"))},
df2
```

```
Out[30]:
```

	A	B	C
0	0.487549	0.544818	0
1	1.299805	0.228472	0
2	0.007591	0.703416	0
3	0.010628	0.621133	0
4	1.896484	-1.264181	0
5	1.053711	-0.364295	255
6	0.562988	-0.390742	0
7	0.713379	0.547247	0

```
In [31]: pd.DataFrame([1, 2], columns=["a"]).dtypes
```

```
Out[31]: a    int64
dtype: object
```

```
In [32]: pd.DataFrame({"a": [1, 2]}).dtypes
```

```
Out[32]: a    int64
dtype: object
```

```
In [33]: pd.DataFrame({"a": 1}, index=list(range(2))).dtypes
```

```
Out[33]: a    int64
dtype: object
```



```
In [34]: df3 = df1.reindex_like(df2).fillna(value=0.0) + df2
df3
```

```
Out[34]:
```

	A	B	C
0	0.954462	0.544818	0.0
1	3.034301	0.228472	0.0
2	0.424570	0.703416	0.0
3	0.169458	0.621133	0.0
4	2.523352	-1.264181	0.0
5	-0.134978	-0.364295	255.0
6	-1.627511	-0.390742	0.0
7	0.140446	0.547247	0.0

```
In [35]: df3.to_numpy().dtype
```

```
Out[35]: dtype('float64')
```

```
In [36]: df3.astype("float32").dtypes
```

```
Out[36]: A    float32
B    float32
C    float32
dtype: object
```

```
In [37]: dft = pd.DataFrame({"a": [1, 2, 3], "b": [4, 5, 6], "c": [7, 8, 9]})
dft[["a", "b"]] = dft[["a", "b"]].astype(np.uint8)
dft
```

```
Out[37]:
```

	a	b	c
0	1	4	7
1	2	5	8
2	3	6	9

```
In [38]: dft1 = pd.DataFrame({"a": [1, 0, 1], "b": [4, 5, 6], "c": [7, 8, 9]})
dft1 = dft1.astype({"a": np.bool_, "c": np.float64})
dft1
```

```
Out[38]:
```

	a	b	c
0	True	4	7.0
1	False	5	8.0
2	True	6	9.0

```
In [39]: dft = pd.DataFrame({"a": [1, 2, 3], "b": [4, 5, 6], "c": [7, 8, 9]})
dft.loc[:, ["a", "b"]].astype(np.uint8).dtypes
```

```
Out[39]: a    uint8
         b    uint8
         dtype: object
```

```
In [40]: dft.loc[:, ["a", "b"]] = dft.loc[:, ["a", "b"]].astype(np.uint8)
dft.dtypes
```

```
Out[40]: a    int64
         b    int64
         c    int64
         dtype: object
```

```
In [41]: import datetime
df = pd.DataFrame(
    [
    [1, 2],
    ["a", "b"],
    [datetime.datetime(2016, 3, 2), datetime.datetime(2016, 3, 2)],
    ]
)
df = df.T
df
```

```
Out[41]:
```

	0	1	2
0	1	a	2016-03-02
1	2	b	2016-03-02

```
In [42]: df.infer_objects().dtypes
```

```
Out[42]: 0          int64
         1          object
         2  datetime64[ns]
         dtype: object
```

```
In [ ]: m = ["1.1", 2, 3]
pd.to_numeric(m)
```

```
In [ ]:
```

```
In [ ]:
```

```
In [ ]:
```

```
In [43]: import datetime
m = ["2016-07-09", datetime.datetime(2016, 3, 2)]
pd.to_datetime(m)
```

```
Out[43]: DatetimeIndex(['2016-07-09', '2016-03-02'], dtype='datetime64[ns]', freq=None)
```

```
In [44]: m = ["5us", pd.Timedelta("1day")]
pd.to_timedelta(m)
```

```
Out[44]: TimedeltaIndex(['0 days 00:00:00.000005', '1 days 00:00:00'], dtype='timedelta64[ns]', freq=None)
```

```
In [45]: import datetime
m = ["apple", datetime.datetime(2016, 3, 2)]
```

```
In [46]: pd.to_datetime(m, errors="coerce")
```

```
Out[46]: DatetimeIndex(['NaT', '2016-03-02'], dtype='datetime64[ns]', freq=None)
```

```
In [47]: m = ["apple", 2, 3]
pd.to_numeric(m, errors="coerce")
```

```
Out[47]: array([nan, 2., 3.])
```

```
In [48]: m = ["apple", pd.Timedelta("1day")]
pd.to_timedelta(m, errors="coerce")
```

```
Out[48]: TimedeltaIndex([NaT, '1 days'], dtype='timedelta64[ns]', freq=None)
```

```
In [49]: import datetime
m = ["apple", datetime.datetime(2016, 3, 2)]
pd.to_datetime(m, errors="ignore")
```

```
Out[49]: Index(['apple', '2016-03-02 00:00:00'], dtype='object')
```

```
In [50]: m = ["apple", 2, 3]
pd.to_numeric(m, errors="ignore")
```

```
Out[50]: array(['apple', 2, 3], dtype=object)
```

```
In [51]: m = ["apple", pd.Timedelta("1day")]
pd.to_timedelta(m, errors="ignore")
```

```
Out[51]: array(['apple', Timedelta('1 days 00:00:00')], dtype=object)
```

```
In [52]: import datetime
df = pd.DataFrame([[ "2016-07-09", datetime.datetime(2016, 3, 2)]] * 2, dtype="O")
df
```

```
Out[52]:
```

	0	1
0	2016-07-09	2016-03-02 00:00:00
1	2016-07-09	2016-03-02 00:00:00

```
In [54]: df.apply(pd.to_datetime)
```

```
Out[54]:
```

	0	1
0	2016-07-09	2016-03-02
1	2016-07-09	2016-03-02

```
In [55]: df = pd.DataFrame([[ "1.1", 2, 3]] * 2, dtype="O")
df
```

```
Out[55]:
```

	0	1	2
0	1.1	2	3
1	1.1	2	3

```
In [56]: df.apply(pd.to_numeric)
```

```
Out[56]:
```

	0	1	2
0	1.1	2	3
1	1.1	2	3

```
In [57]: df = pd.DataFrame([[ "5us", pd.Timedelta("1day")]] * 2, dtype="O")
df
```

```
Out[57]:
```

	0	1
0	5us	1 days 00:00:00
1	5us	1 days 00:00:00

```
In [58]: df.apply(pd.to_timedelta)
```

```
Out[58]:
```

	0	1
0	0 days 00:00:00.000005	1 days
1	0 days 00:00:00.000005	1 days

```
In [59]: dfi = df3.astype("int32")
dfi["E"] = 1
dfi
```

```
Out[59]:
```

	A	B	C	E
0	0	0	0	1
1	3	0	0	1
2	0	0	0	1
3	0	0	0	1
4	2	-1	0	1
5	0	0	255	1
6	-1	0	0	1
7	0	0	0	1

```
In [60]: casted = dfi[dfi > 0]
casted
```

```
Out[60]:
```

	A	B	C	E
0	NaN	NaN	NaN	1
1	3.0	NaN	NaN	1
2	NaN	NaN	NaN	1
3	NaN	NaN	NaN	1
4	2.0	NaN	NaN	1
5	NaN	NaN	255.0	1
6	NaN	NaN	NaN	1
7	NaN	NaN	NaN	1

```
In [61]: df = pd.DataFrame({
"string": list("abc"),
"int64": list(range(1, 4)),
"uint8": np.arange(3, 6).astype("u1"),
"float64": np.arange(4.0, 7.0),
"bool1": [True, False, True],
"bool2": [False, True, False],
"dates": pd.date_range("now", periods=3),
"category": pd.Series(list("ABC")).astype("category"),
})
```

```
In [62]: df["tdeltas"] = df.dates.diff()
df["uint64"] = np.arange(3, 6).astype("u8")
df["other_dates"] = pd.date_range("20130101", periods=3)
df["tz_aware_dates"] = pd.date_range("20130101", periods=3, tz="US/Eastern")
df
```

```
Out[62]:
```

	string	int64	uint8	float64	bool1	bool2	dates	category	tdeltas	uint64	other_dat
0	a	1	3	4.0	True	False	2022-09-22 19:45:48.623494	A	NaT	3	2013-01-
1	b	2	4	5.0	False	True	2022-09-23 19:45:48.623494	B	1 days	4	2013-01-
2	c	3	5	6.0	True	False	2022-09-24 19:45:48.623494	C	1 days	5	2013-01-

```
In [63]: df.select_dtypes(include=[bool])
```

```
Out[63]:
```

	bool1	bool2
0	True	False
1	False	True
2	True	False

```
In [65]: df.select_dtypes(include=["bool"])
```

```
Out[65]:
```

	bool1	bool2
0	True	False
1	False	True
2	True	False

```
In [66]: df.select_dtypes(include=["number", "bool"], exclude=["unsignedinteger"])
```

```
Out[66]:
```

	int64	float64	bool1	bool2	tdeltas
0	1	4.0	True	False	NaT
1	2	5.0	False	True	1 days
2	3	6.0	True	False	1 days

```
In [67]: df.select_dtypes(include=["object"])
```

```
Out[67]:
```

	string
0	a
1	b
2	c

```
In [68]: def subdtypes(dtype):
         subs = dtype.__subclasses__()
         if not subs:
             return dtype
         return [dtype, [subdtypes(dt) for dt in subs]]
```

```
In [69]: subdtypes(np.generic)
```

```
Out[69]: [numpy.generic,
          [[numpy.number,
            [[numpy.integer,
              [[numpy.signedinteger,
                [numpy.int8,
                 numpy.int16,
                 numpy.intc,
                 numpy.int32,
                 numpy.int64,
                 numpy.timedelta64]],
                [numpy.unsignedinteger,
                 [numpy.uint8, numpy.uint16, numpy.uintc, numpy.uint32, numpy.uint64]]]],
              [numpy.inexact,
                [[numpy.floating,
                  [numpy.float16, numpy.float32, numpy.float64, numpy.longdouble]],
                  [numpy.complexfloating,
                   [numpy.complex64, numpy.complex128, numpy.clongdouble]]]]]],
            [numpy.flexible,
              [[numpy.character, [numpy.bytes_, numpy.str_]],
               [numpy.void, [numpy.record]]]],
            numpy.bool_,
            numpy.datetime64,
            numpy.object_]]
```

```
In [70]: import pandas as pd
         from io import StringIO
         data = "col1,col2,col3\na,b,1\na,b,2\nc,d,3"
         pd.read_csv(StringIO(data))
```

```
Out[70]:
```

	col1	col2	col3
0	a	b	1
1	a	b	2
2	c	d	3

```
In [71]: pd.read_csv(StringIO(data), usecols=lambda x: x.upper() in ["COL1", "COL3"])
```

```
Out[71]:
```

	col1	col3
0	a	1
1	a	2
2	c	3

```
In [72]: data = "col1,col2,col3\na,b,1"
df = pd.read_csv(StringIO(data))
```

```
In [73]: df.columns = [f"pre_{col}" for col in df.columns]
df
```

```
Out[73]:
```

	pre_col1	pre_col2	pre_col3
0	a	b	1

```
In [74]: data = "col1,col2,col3\na,b,1\na,b,2\nc,d,3"
pd.read_csv(StringIO(data))
```

```
Out[74]:
```

	col1	col2	col3
0	a	b	1
1	a	b	2
2	c	d	3

```
In [75]: pd.read_csv(StringIO(data), skiprows=lambda x: x % 2 != 0)
```

```
Out[75]:
```

	col1	col2	col3
0	a	b	2

```
In [76]: import numpy as np
data = "a,b,c,d\n1,2,3,4\n5,6,7,8\n9,10,11"
print(data)
```

```
a,b,c,d
1,2,3,4
5,6,7,8
9,10,11
```

```
In [77]: df = pd.read_csv(StringIO(data), dtype=object)
df
```

```
Out[77]:
```

	a	b	c	d
0	1	2	3	4
1	5	6	7	8
2	9	10	11	NaN

```
In [78]: df = pd.read_csv(StringIO(data), dtype={"b": object, "c": np.float64, "d": "Int64"}, dtype_backend="numpy_nullable")
df.dtypes
```

```
Out[78]: a      int64
b      object
c      float64
d      Int64
dtype: object
```



```
In [79]: data = "col_1\n1\n2\n'A'\n4.22"
pd.read_csv(StringIO(data), converters={"col_1": str})
df
```

```
Out[79]:
```

	a	b	c	d
0	1	2	3.0	4
1	5	6	7.0	8
2	9	10	11.0	<NA>

```
In [80]: df = pd.read_csv(StringIO(data), dtype="category")
df.dtypes
```


```
Out[80]: col_1    category
dtype: object
```

```
In [81]: air_quality = pd.read_csv("air_quality_no2.csv", index_col=0, parse_dates=True)
air_quality.head()
```


```
Out[81]:
```

	station_antwerp	station_paris	station_london
datetime			
2019-05-07 02:00:00	NaN	NaN	23.0
2019-05-07 03:00:00	50.5	25.0	19.0
2019-05-07 04:00:00	45.0	27.7	19.0
2019-05-07 05:00:00	NaN	50.4	16.0
2019-05-07 06:00:00	NaN	61.9	NaN


```
In [82]: air_quality.plot();
```



```
In [83]: air_quality["station_paris"].plot();
```




```
In [84]: air_quality.plot.scatter(x="station_london", y="station_paris", alpha=0.5);
```




```
In [85]: [  
method_name  
for method_name in dir(air_quality.plot)  
if not method_name.startswith("_")  
]
```

```
Out[85]: ['area',  
'bar',  
'barh',  
'box',  
'density',  
'hexbin',  
'hist',  
'kde',  
'line',  
'pie',  
'scatter']
```

```
In [86]: air_quality.plot.box();
```




```
In [87]: axs = air_quality.plot.area(figsize=(12, 4), subplots=True);  
axs;
```




```
In [88]: fig, axs = plt.subplots(figsize=(12, 4))  
air_quality.plot.area(ax=axs)  
axs.set_ylabel("NO2 concentration")  
fig.savefig("no2_concentrations.png")
```

<IPython.core.display.Javascript object>



```
In [89]: fig, axs = plt.subplots(figsize=(17, 4))
air_quality.plot.area(ax=axs)
axs.set_ylabel("NO2 concentration");
```

<IPython.core.display.Javascript object>



```
In [90]: air_quality["london_mg_per_cubic"] = air_quality["station_london"] * 1.882
air_quality.head()
```

Out[90]:

	station_antwerp	station_paris	station_london	london_mg_per_cubic
--	-----------------	---------------	----------------	---------------------

datetime	station_antwerp	station_paris	station_london	london_mg_per_cubic
2019-05-07 02:00:00	NaN	NaN	23.0	43.286
2019-05-07 03:00:00	50.5	25.0	19.0	35.758
2019-05-07 04:00:00	45.0	27.7	19.0	35.758
2019-05-07 05:00:00	NaN	50.4	16.0	30.112
2019-05-07 06:00:00	NaN	61.9	NaN	NaN

```
In [91]: air_quality["ratio_paris_antwerp"] = (air_quality["station_paris"] / air_quality["station_antwerp"])
air_quality.head()
```

Out[91]:

	station_antwerp	station_paris	station_london	london_mg_per_cubic	ratio_paris_antwerp
--	-----------------	---------------	----------------	---------------------	---------------------

datetime	station_antwerp	station_paris	station_london	london_mg_per_cubic	ratio_paris_antwerp
2019-05-07 02:00:00	NaN	NaN	23.0	43.286	NaN
2019-05-07 03:00:00	50.5	25.0	19.0	35.758	0.49505
2019-05-07 04:00:00	45.0	27.7	19.0	35.758	0.61555
2019-05-07 05:00:00	NaN	50.4	16.0	30.112	NaN
2019-05-07 06:00:00	NaN	61.9	NaN	NaN	NaN

```
In [92]: air_quality_renamed = air_quality.rename(
columns={
    "station_antwerp": "BETR801",
    "station_paris": "FR04014",
    "station_london": "London Westminster",
}
)

air_quality_renamed.head()
```

```
Out[92]:
```

	BETR801	FR04014	London Westminster	london_mg_per_cubic	ratio_paris_antwerp
<b>datetime</b>					
2019-05-07 02:00:00	NaN	NaN	23.0	43.286	NaN
2019-05-07 03:00:00	50.5	25.0	19.0	35.758	0.495050
2019-05-07 04:00:00	45.0	27.7	19.0	35.758	0.615556
2019-05-07 05:00:00	NaN	50.4	16.0	30.112	NaN
2019-05-07 06:00:00	NaN	61.9	NaN	NaN	NaN

```
In [97]: air_quality_renamed = air_quality_renamed.rename(columns=str.lower)
air_quality_renamed.head()
```

```
Out[97]:
```

	betr801	fr04014	london westminster	london_mg_per_cubic	ratio_paris_antwerp
<b>datetime</b>					
2019-05-07 02:00:00	NaN	NaN	23.0	43.286	NaN
2019-05-07 03:00:00	50.5	25.0	19.0	35.758	0.495050
2019-05-07 04:00:00	45.0	27.7	19.0	35.758	0.615556
2019-05-07 05:00:00	NaN	50.4	16.0	30.112	NaN
2019-05-07 06:00:00	NaN	61.9	NaN	NaN	NaN

```
In [99]: air_quality = pd.read_csv("air_quality_long.csv", index_col="date.utc", parse_dates=[0])
air_quality.head()
```

```
Out[99]:
```

	city	country	location	parameter	value	unit
date.utc						
2019-06-18 06:00:00+00:00	Antwerpen	BE	BETR801	pm25	18.0	µg/m <sup>3</sup>
2019-06-17 08:00:00+00:00	Antwerpen	BE	BETR801	pm25	6.5	µg/m <sup>3</sup>
2019-06-17 07:00:00+00:00	Antwerpen	BE	BETR801	pm25	18.5	µg/m <sup>3</sup>
2019-06-17 06:00:00+00:00	Antwerpen	BE	BETR801	pm25	16.0	µg/m <sup>3</sup>
2019-06-17 05:00:00+00:00	Antwerpen	BE	BETR801	pm25	7.5	µg/m <sup>3</sup>

```
In [100]: no2 = air_quality[air_quality["parameter"] == "no2"]
```

```
In [101]: no2_subset = no2.sort_index().groupby(["location"]).head(2)
no2_subset
```

```
Out[101]:
```


	city	country	location	parameter	value	unit
date.utc						
2019-04-09 01:00:00+00:00	Antwerpen	BE	BETR801	no2	22.5	µg/m <sup>3</sup>
2019-04-09 01:00:00+00:00	Paris	FR	FR04014	no2	24.4	µg/m <sup>3</sup>
2019-04-09 02:00:00+00:00	London	GB	London Westminster	no2	67.0	µg/m <sup>3</sup>
2019-04-09 02:00:00+00:00	Antwerpen	BE	BETR801	no2	53.5	µg/m <sup>3</sup>
2019-04-09 02:00:00+00:00	Paris	FR	FR04014	no2	27.4	µg/m <sup>3</sup>
2019-04-09 03:00:00+00:00	London	GB	London Westminster	no2	67.0	µg/m <sup>3</sup>

```
In [102]: no2_subset.pivot(columns="location", values="value")
```

```
Out[102]:
```

	location	BETR801	FR04014	London Westminster
date.utc				
2019-04-09 01:00:00+00:00		22.5	24.4	NaN
2019-04-09 02:00:00+00:00		53.5	27.4	67.0
2019-04-09 03:00:00+00:00		NaN	NaN	67.0

```
In [103]: no2.pivot(columns="location", values="value").plot();
```



```
In [104]: air_quality.pivot_table(values="value", index="location", columns="parameter",
```

```
Out[104]:
```

	parameter	no2	pm25
location			
BETR801		26.950920	23.169492
FR04014		29.374284	NaN
London Westminster		29.740050	13.443568

```
In [105]: air_quality.pivot_table(  
values="value",  
index="location",  
columns="parameter",  
aggfunc="mean",  
margins=True,  
)
```

```
Out[105]:
```

	parameter	no2	pm25	All
location				
BETR801		26.950920	23.169492	24.982353
FR04014		29.374284	NaN	29.374284
London Westminster		29.740050	13.443568	21.491708
All		29.430316	14.386849	24.222743

```
In [106]: air_quality.groupby(["parameter", "location"]).mean()
```

```
Out[106]:
```

		value
parameter	location	
	BETR801	26.950920
no2	FR04014	29.374284
	London Westminster	29.740050
	BETR801	23.169492
pm25	London Westminster	13.443568

```
In [107]: no2_pivoted = no2.pivot(columns="location", values="value").reset_index()  
no2_pivoted.head()
```

```
Out[107]:
```

	location	date.utc	BETR801	FR04014	London Westminster
0		2019-04-09 01:00:00+00:00	22.5	24.4	NaN
1		2019-04-09 02:00:00+00:00	53.5	27.4	67.0
2		2019-04-09 03:00:00+00:00	54.5	34.2	67.0
3		2019-04-09 04:00:00+00:00	34.5	48.5	41.0
4		2019-04-09 05:00:00+00:00	46.5	59.5	41.0

```
In [108]: no_2 = no2_pivoted.melt(id_vars="date.utc")  
no_2.head()
```

```
Out[108]:
```

	date.utc	location	value
0	2019-04-09 01:00:00+00:00	BETR801	22.5
1	2019-04-09 02:00:00+00:00	BETR801	53.5
2	2019-04-09 03:00:00+00:00	BETR801	54.5
3	2019-04-09 04:00:00+00:00	BETR801	34.5
4	2019-04-09 05:00:00+00:00	BETR801	46.5



```
In [109]: no_2 = no2_pivoted.melt(
id_vars="date.utc",
value_vars=["BETR801", "FR04014", "London Westminster"],
value_name="NO_2",
var_name="id_location",
)

no_2.head()
```

```
Out[109]:
```

	date.utc	id_location	NO_2
0	2019-04-09 01:00:00+00:00	BETR801	22.5
1	2019-04-09 02:00:00+00:00	BETR801	53.5
2	2019-04-09 03:00:00+00:00	BETR801	54.5
3	2019-04-09 04:00:00+00:00	BETR801	34.5
4	2019-04-09 05:00:00+00:00	BETR801	46.5

```
In [110]: air_quality_no2 = pd.read_csv("air_quality_no2_long.csv", parse_dates=True)
air_quality_no2 = air_quality_no2[["date.utc", "location", "parameter", "value"]]
air_quality_no2.head()
```

```
Out[110]:
```

	date.utc	location	parameter	value
0	2019-06-21 00:00:00+00:00	FR04014	no2	20.0
1	2019-06-20 23:00:00+00:00	FR04014	no2	21.8
2	2019-06-20 22:00:00+00:00	FR04014	no2	26.5
3	2019-06-20 21:00:00+00:00	FR04014	no2	24.9
4	2019-06-20 20:00:00+00:00	FR04014	no2	21.4

```
In [111]: air_quality_pm25 = pd.read_csv("air_quality_pm25_long.csv", parse_dates=True)

air_quality_pm25 = air_quality_pm25[["date.utc", "location", "parameter", "value"]]

air_quality_pm25.head()
```

```
Out[111]:
```

	date.utc	location	parameter	value
0	2019-06-18 06:00:00+00:00	BETR801	pm25	18.0
1	2019-06-17 08:00:00+00:00	BETR801	pm25	6.5
2	2019-06-17 07:00:00+00:00	BETR801	pm25	18.5
3	2019-06-17 06:00:00+00:00	BETR801	pm25	16.0
4	2019-06-17 05:00:00+00:00	BETR801	pm25	7.5

In [112]:

```
air_quality = pd.concat([air_quality_pm25, air_quality_no2], axis=0)
air_quality.head()
```

Out[112]:

	date.utc	location	parameter	value
0	2019-06-18 06:00:00+00:00	BETR801	pm25	18.0
1	2019-06-17 08:00:00+00:00	BETR801	pm25	6.5
2	2019-06-17 07:00:00+00:00	BETR801	pm25	18.5
3	2019-06-17 06:00:00+00:00	BETR801	pm25	16.0
4	2019-06-17 05:00:00+00:00	BETR801	pm25	7.5

In [113]:

```
print('Shape of the `air_quality_pm25` table: ', air_quality_pm25.shape)
print('Shape of the `air_quality_no2` table: ', air_quality_no2.shape)
print('Shape of the resulting `air_quality` table: ', air_quality.shape)
```

```
Shape of the `air_quality_pm25` table: (1110, 4)
Shape of the `air_quality_no2` table: (2068, 4)
Shape of the resulting `air_quality` table: (3178, 4)
```

In [114]:

```
air_quality = air_quality.sort_values("date.utc")
air_quality.head()
```

Out[114]:

	date.utc	location	parameter	value
2067	2019-05-07 01:00:00+00:00	London Westminster	no2	23.0
1003	2019-05-07 01:00:00+00:00	FR04014	no2	25.0
100	2019-05-07 01:00:00+00:00	BETR801	pm25	12.5
1098	2019-05-07 01:00:00+00:00	BETR801	no2	50.5
1109	2019-05-07 01:00:00+00:00	London Westminster	pm25	8.0

In [115]:

```
air_quality_ = pd.concat([air_quality_pm25, air_quality_no2], keys=["PM25", "NO2"])
air_quality_.head()
```

Out[115]:

	date.utc	location	parameter	value
0	2019-06-18 06:00:00+00:00	BETR801	pm25	18.0
1	2019-06-17 08:00:00+00:00	BETR801	pm25	6.5
PM25 2	2019-06-17 07:00:00+00:00	BETR801	pm25	18.5
3	2019-06-17 06:00:00+00:00	BETR801	pm25	16.0
4	2019-06-17 05:00:00+00:00	BETR801	pm25	7.5

```
In [116]: stations_coord = pd.read_csv("air_quality_stations.csv")
stations_coord.head()
```

```
Out[116]:
```

	location	coordinates.latitude	coordinates.longitude
0	BELAL01	51.23619	4.38522
1	BELHB23	51.17030	4.34100
2	BELLD01	51.10998	5.00486
3	BELLD02	51.12038	5.02155
4	BELR833	51.32766	4.36226

```
In [117]: air_quality = pd.merge(air_quality, stations_coord, how="left", on="location")
air_quality.head()
```

```
Out[117]:
```

	date.utc	location	parameter	value	coordinates.latitude	coordinates.longitude
0	2019-05-07 01:00:00+00:00	London Westminster	no2	23.0	51.49467	-0.13193
1	2019-05-07 01:00:00+00:00	FR04014	no2	25.0	48.83724	2.39390
2	2019-05-07 01:00:00+00:00	FR04014	no2	25.0	48.83722	2.39390
3	2019-05-07 01:00:00+00:00	BETR801	pm25	12.5	51.20966	4.43182
4	2019-05-07 01:00:00+00:00	BETR801	no2	50.5	51.20966	4.43182

```
In [118]: air_quality_parameters = pd.read_csv("air_quality_parameters.csv")
air_quality_parameters.head()
```

```
Out[118]:
```

	id	description	name
0	bc	Black Carbon	BC
1	co	Carbon Monoxide	CO
2	no2	Nitrogen Dioxide	NO2
3	o3	Ozone	O3
4	pm10	Particulate matter less than 10 micrometers in...	PM10

```
In [119]: air_quality = pd.merge(air_quality, air_quality_parameters,how='left', left_on=air_quality.head())
```

```
Out[119]:
```

	date.utc	location	parameter	value	coordinates.latitude	coordinates.longitude	id
0	2019-05-07 01:00:00+00:00	London Westminster	no2	23.0	51.49467	-0.13193	no2
1	2019-05-07 01:00:00+00:00	FR04014	no2	25.0	48.83724	2.39390	no2
2	2019-05-07 01:00:00+00:00	FR04014	no2	25.0	48.83722	2.39390	no2
3	2019-05-07 01:00:00+00:00	BETR801	pm25	12.5	51.20966	4.43182	pm25
4	2019-05-07 01:00:00+00:00	BETR801	no2	50.5	51.20966	4.43182	no2

```
In [120]: air_quality = pd.read_csv("air_quality_no2_long.csv")  
air_quality = air_quality.rename(columns={"date.utc": "datetime"})  
air_quality.head()
```

```
Out[120]:
```

	city	country	datetime	location	parameter	value	unit
0	Paris	FR	2019-06-21 00:00:00+00:00	FR04014	no2	20.0	µg/m³
1	Paris	FR	2019-06-20 23:00:00+00:00	FR04014	no2	21.8	µg/m³
2	Paris	FR	2019-06-20 22:00:00+00:00	FR04014	no2	26.5	µg/m³
3	Paris	FR	2019-06-20 21:00:00+00:00	FR04014	no2	24.9	µg/m³
4	Paris	FR	2019-06-20 20:00:00+00:00	FR04014	no2	21.4	µg/m³

```
In [121]: air_quality.city.unique()
```

```
Out[121]: array(['Paris', 'Antwerpen', 'London'], dtype=object)
```

```
In [122]: air_quality["datetime"] = pd.to_datetime(air_quality["datetime"])  
air_quality["datetime"]
```

```
Out[122]: 0      2019-06-21 00:00:00+00:00  
1      2019-06-20 23:00:00+00:00  
2      2019-06-20 22:00:00+00:00  
3      2019-06-20 21:00:00+00:00  
4      2019-06-20 20:00:00+00:00  
...  
2063   2019-05-07 06:00:00+00:00  
2064   2019-05-07 04:00:00+00:00  
2065   2019-05-07 03:00:00+00:00  
2066   2019-05-07 02:00:00+00:00  
2067   2019-05-07 01:00:00+00:00  
Name: datetime, Length: 2068, dtype: datetime64[ns, UTC]
```

```
In [123]: pd.read_csv("air_quality_no2_long.csv") #parse_dates=["datetime"]
```

```
Out[123]:
```

	city	country	date.utc	location	parameter	value	unit
0	Paris	FR	2019-06-21 00:00:00+00:00	FR04014	no2	20.0	µg/m³
1	Paris	FR	2019-06-20 23:00:00+00:00	FR04014	no2	21.8	µg/m³
2	Paris	FR	2019-06-20 22:00:00+00:00	FR04014	no2	26.5	µg/m³
3	Paris	FR	2019-06-20 21:00:00+00:00	FR04014	no2	24.9	µg/m³
4	Paris	FR	2019-06-20 20:00:00+00:00	FR04014	no2	21.4	µg/m³
...	...	...	...	...	...	...	...
2063	London	GB	2019-05-07 06:00:00+00:00	London Westminster	no2	26.0	µg/m³
2064	London	GB	2019-05-07 04:00:00+00:00	London Westminster	no2	16.0	µg/m³
2065	London	GB	2019-05-07 03:00:00+00:00	London Westminster	no2	19.0	µg/m³
2066	London	GB	2019-05-07 02:00:00+00:00	London Westminster	no2	19.0	µg/m³
2067	London	GB	2019-05-07 01:00:00+00:00	London Westminster	no2	23.0	µg/m³

2068 rows × 7 columns

```
In [124]: air_quality["datetime"].min(), air_quality["datetime"].max()
```

```
Out[124]: (Timestamp('2019-05-07 01:00:00+0000', tz='UTC'),  
Timestamp('2019-06-21 00:00:00+0000', tz='UTC'))
```

```
In [125]: air_quality["datetime"].max() - air_quality["datetime"].min()
```

```
Out[125]: Timedelta('44 days 23:00:00')
```

```
In [126]: air_quality["month"] = air_quality["datetime"].dt.month  
air_quality.head()
```

```
Out[126]:
```

	city	country	datetime	location	parameter	value	unit	month
0	Paris	FR	2019-06-21 00:00:00+00:00	FR04014	no2	20.0	µg/m³	6
1	Paris	FR	2019-06-20 23:00:00+00:00	FR04014	no2	21.8	µg/m³	6
2	Paris	FR	2019-06-20 22:00:00+00:00	FR04014	no2	26.5	µg/m³	6
3	Paris	FR	2019-06-20 21:00:00+00:00	FR04014	no2	24.9	µg/m³	6
4	Paris	FR	2019-06-20 20:00:00+00:00	FR04014	no2	21.4	µg/m³	6

```
In [127]: air_quality.groupby([air_quality["datetime"].dt.weekday, "location"])["value"].
```


```
Out[127]: datetime location
0          BETR801          27.875000
          FR04014          24.856250
          London Westminster 23.969697
1          BETR801          22.214286
          FR04014          30.999359
          London Westminster 24.885714
2          BETR801          21.125000
          FR04014          29.165753
          London Westminster 23.460432
3          BETR801          27.500000
          FR04014          28.600690
          London Westminster 24.780142
4          BETR801          28.400000
          FR04014          31.617986
          London Westminster 26.446809
5          BETR801          33.500000
          FR04014          25.266154
          London Westminster 24.977612
6          BETR801          21.896552
          FR04014          23.274306
          London Westminster 24.859155
Name: value, dtype: float64
```

```
In [128]: fig, axs = plt.subplots(figsize=(12, 4))
air_quality.groupby(air_quality["datetime"].dt.hour)["value"].mean().plot(kind=
plt.xlabel("Hour of the day"); # custom x label using matplotlib
plt.ylabel("$NO_2 (\mu\text{g}/\text{m}^3)$");
```

<IPython.core.display.Javascript object>

<IPython.core.display.Javascript object>

<IPython.core.display.Javascript object>



```
In [129]: no_2 = air_quality.pivot(index="datetime", columns="location", values="value")
no_2.head()
```


```
Out[129]:
```

	location	BETR801	FR04014	London Westminster
	datetime			
	2019-05-07 01:00:00+00:00	50.5	25.0	23.0
	2019-05-07 02:00:00+00:00	45.0	27.7	19.0
	2019-05-07 03:00:00+00:00	NaN	50.4	19.0
	2019-05-07 04:00:00+00:00	NaN	61.9	16.0
	2019-05-07 05:00:00+00:00	NaN	72.4	NaN

```
In [130]: no_2.index.year, no_2.index.weekday
```

```
Out[130]: (Int64Index([2019, 2019, 2019, 2019, 2019, 2019, 2019, 2019, 2019, 2019,
...
2019, 2019, 2019, 2019, 2019, 2019, 2019, 2019, 2019, 2019],
dtype='int64', name='datetime', length=1033),
Int64Index([1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
...
3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 4],
dtype='int64', name='datetime', length=1033))
```

```
In [131]: no_2["2019-05-20":"2019-05-21"].plot();
```



```
In [132]: monthly_max = no_2.resample("M").max()
monthly_max
```


```
Out[132]:
```

	location	BETR801	FR04014	London Westminster
	datetime			
	2019-05-31 00:00:00+00:00	74.5	97.0	97.0
	2019-06-30 00:00:00+00:00	52.5	84.7	52.0

```
In [133]: monthly_max.index.freq
```

```
Out[133]: <MonthEnd>
```

```
In [134]: no_2.resample("D").mean().plot(style="-o", figsize=(10, 5));
```



**Syed Afroz Ali**

```
In [ ]:
```



# Pandas toolkit Part 5

Syed Afroz Ali

```
In [1]: import pandas as pd
import numpy as np
```

```
In [4]: url = ("https://raw.githubusercontent.com/pandas-dev/pandas/main/pandas/tests/io/data/ctypes/tips.csv")
tips = pd.read_csv(url)
tips.head()
```

```
Out[4]:
```

	total_bill	tip	sex	smoker	day	time	size
0	16.99	1.01	Female	No	Sun	Dinner	2
1	10.34	1.66	Male	No	Sun	Dinner	3
2	21.01	3.50	Male	No	Sun	Dinner	3
3	23.68	3.31	Male	No	Sun	Dinner	2
4	24.59	3.61	Female	No	Sun	Dinner	4

```
In [3]: tips[["total_bill", "tip", "smoker", "time"]]
```

```
Out[3]:
```

	total_bill	tip	smoker	time
0	16.99	1.01	No	Dinner
1	10.34	1.66	No	Dinner
2	21.01	3.50	No	Dinner
3	23.68	3.31	No	Dinner
4	24.59	3.61	No	Dinner
...	...	...	...	...
239	29.03	5.92	No	Dinner
240	27.18	2.00	Yes	Dinner
241	22.67	2.00	Yes	Dinner
242	17.82	1.75	No	Dinner
243	18.78	3.00	No	Dinner

244 rows × 4 columns

```
In [4]: tips.assign(tip_rate=tips["tip"] / tips["total_bill"])
```

```
Out[4]:
```

	total_bill	tip	sex	smoker	day	time	size	tip_rate
0	16.99	1.01	Female	No	Sun	Dinner	2	0.059447
1	10.34	1.66	Male	No	Sun	Dinner	3	0.160542
2	21.01	3.50	Male	No	Sun	Dinner	3	0.166587
3	23.68	3.31	Male	No	Sun	Dinner	2	0.139780
4	24.59	3.61	Female	No	Sun	Dinner	4	0.146808
...	...	...	...	...	...	...	...	...
239	29.03	5.92	Male	No	Sat	Dinner	3	0.203927
240	27.18	2.00	Female	Yes	Sat	Dinner	2	0.073584
241	22.67	2.00	Male	Yes	Sat	Dinner	2	0.088222
242	17.82	1.75	Male	No	Sat	Dinner	2	0.098204
243	18.78	3.00	Female	No	Thur	Dinner	2	0.159744

244 rows × 8 columns

```
In [5]: is_dinner = tips["time"] == "Dinner"  
is_dinner
```

```
Out[5]: 0      True  
1      True  
2      True  
3      True  
4      True  
      ...  
239    True  
240    True  
241    True  
242    True  
243    True  
Name: time, Length: 244, dtype: bool
```

```
In [6]: is_dinner.value_counts()
```

```
Out[6]: True      176  
False     68  
Name: time, dtype: int64
```

```
In [7]: tips[is_dinner]
```

```
Out[7]:
```

	total_bill	tip	sex	smoker	day	time	size
0	16.99	1.01	Female	No	Sun	Dinner	2
1	10.34	1.66	Male	No	Sun	Dinner	3
2	21.01	3.50	Male	No	Sun	Dinner	3
3	23.68	3.31	Male	No	Sun	Dinner	2
4	24.59	3.61	Female	No	Sun	Dinner	4
...	...	...	...	...	...	...	...
239	29.03	5.92	Male	No	Sat	Dinner	3
240	27.18	2.00	Female	Yes	Sat	Dinner	2
241	22.67	2.00	Male	Yes	Sat	Dinner	2
242	17.82	1.75	Male	No	Sat	Dinner	2
243	18.78	3.00	Female	No	Thur	Dinner	2

176 rows × 7 columns

```
In [8]: tips[(tips["time"] == "Dinner") & (tips["tip"] > 5.00)]
```

```
Out[8]:
```

	total_bill	tip	sex	smoker	day	time	size
23	39.42	7.58	Male	No	Sat	Dinner	4
44	30.40	5.60	Male	No	Sun	Dinner	4
47	32.40	6.00	Male	No	Sun	Dinner	4
52	34.81	5.20	Female	No	Sun	Dinner	4
59	48.27	6.73	Male	No	Sat	Dinner	4
116	29.93	5.07	Male	No	Sun	Dinner	4
155	29.85	5.14	Female	No	Sun	Dinner	5
170	50.81	10.00	Male	Yes	Sat	Dinner	3
172	7.25	5.15	Male	Yes	Sun	Dinner	2
181	23.33	5.65	Male	Yes	Sun	Dinner	2
183	23.17	6.50	Male	Yes	Sun	Dinner	4
211	25.89	5.16	Male	Yes	Sat	Dinner	4
212	48.33	9.00	Male	No	Sat	Dinner	4
214	28.17	6.50	Female	Yes	Sat	Dinner	3
239	29.03	5.92	Male	No	Sat	Dinner	3

```
In [9]: tips[(tips["size"] >= 5) | (tips["total_bill"] > 45)]
```

```
Out[9]:
```

	total_bill	tip	sex	smoker	day	time	size
59	48.27	6.73	Male	No	Sat	Dinner	4
125	29.80	4.20	Female	No	Thur	Lunch	6
141	34.30	6.70	Male	No	Thur	Lunch	6
142	41.19	5.00	Male	No	Thur	Lunch	5
143	27.05	5.00	Female	No	Thur	Lunch	6
155	29.85	5.14	Female	No	Sun	Dinner	5
156	48.17	5.00	Male	No	Sun	Dinner	6
170	50.81	10.00	Male	Yes	Sat	Dinner	3
182	45.35	3.50	Male	Yes	Sun	Dinner	3
185	20.69	5.00	Male	No	Sun	Dinner	5
187	30.46	2.00	Male	Yes	Sun	Dinner	5
212	48.33	9.00	Male	No	Sat	Dinner	4
216	28.15	3.00	Male	Yes	Sat	Dinner	5

```
In [10]: tips.groupby("sex").size()
```

```
Out[10]: sex
Female    87
Male     157
dtype: int64
```

```
In [11]: tips.groupby("sex").count()
```

```
Out[11]:
```

	total_bill	tip	smoker	day	time	size
<b>sex</b>						
Female	87	87	87	87	87	87
Male	157	157	157	157	157	157

```
In [12]: tips.groupby("sex")["total_bill"].count()
```

```
Out[12]: sex
Female    87
Male     157
Name: total_bill, dtype: int64
```

```
In [13]: tips.groupby("day").agg({"tip": np.mean, "day": np.size})
```

```
Out[13]:
```

	tip	day
<b>day</b>		
<b>Fri</b>	2.734737	19
<b>Sat</b>	2.993103	87
<b>Sun</b>	3.255132	76
<b>Thur</b>	2.771452	62

```
In [14]: tips.groupby(["smoker", "day"]).agg({"tip": [np.size, np.mean]})
```

```
Out[14]:
```

		tip	
		size	mean
smoker	day		
<b>No</b>	<b>Fri</b>	4	2.812500
	<b>Sat</b>	45	3.102889
	<b>Sun</b>	57	3.167895
	<b>Thur</b>	45	2.673778
<b>Yes</b>	<b>Fri</b>	15	2.714000
	<b>Sat</b>	42	2.875476
	<b>Sun</b>	19	3.516842
	<b>Thur</b>	17	3.030000

```
In [15]: tips.nlargest(10 + 5, columns="tip").tail(2)
```

```
Out[15]:
```

	total_bill	tip	sex	smoker	day	time	size
<b>85</b>	34.83	5.17	Female	No	Thur	Lunch	4
<b>211</b>	25.89	5.16	Male	Yes	Sat	Dinner	4

```
In [17]: (
tips.assign(
rn=tips.sort_values(["total_bill"], ascending=False)
.groupby(["day"])
.cumcount()
+ 1
)
.query("rn < 3")
.sort_values(["day", "rn"])
)
```

```
Out[17]:
```

	total_bill	tip	sex	smoker	day	time	size	rn
<b>95</b>	40.17	4.73	Male	Yes	Fri	Dinner	4	1
<b>90</b>	28.97	3.00	Male	Yes	Fri	Dinner	2	2
<b>170</b>	50.81	10.00	Male	Yes	Sat	Dinner	3	1
<b>212</b>	48.33	9.00	Male	No	Sat	Dinner	4	2
<b>156</b>	48.17	5.00	Male	No	Sun	Dinner	6	1
<b>182</b>	45.35	3.50	Male	Yes	Sun	Dinner	3	2
<b>197</b>	43.11	5.00	Female	Yes	Thur	Lunch	4	1
<b>142</b>	41.19	5.00	Male	No	Thur	Lunch	5	2

```
In [18]: (
tips.assign(
rnk=tips.groupby(["day"])["total_bill"].rank(
method="first", ascending=False
)
)
.query("rnk < 3")
.sort_values(["day", "rnk"])
)
```

```
Out[18]:
```

	total_bill	tip	sex	smoker	day	time	size	rnk
<b>95</b>	40.17	4.73	Male	Yes	Fri	Dinner	4	1.0
<b>90</b>	28.97	3.00	Male	Yes	Fri	Dinner	2	2.0
<b>170</b>	50.81	10.00	Male	Yes	Sat	Dinner	3	1.0
<b>212</b>	48.33	9.00	Male	No	Sat	Dinner	4	2.0
<b>156</b>	48.17	5.00	Male	No	Sun	Dinner	6	1.0
<b>182</b>	45.35	3.50	Male	Yes	Sun	Dinner	3	2.0
<b>197</b>	43.11	5.00	Female	Yes	Thur	Lunch	4	1.0
<b>142</b>	41.19	5.00	Male	No	Thur	Lunch	5	2.0

```
In [19]: (
tips[tips["tip"] < 2]
.assign(rnk_min=tips.groupby(["sex"])["tip"].rank(method="min"))
.query("rnk_min < 3")
.sort_values(["sex", "rnk_min"])
)
```

```
Out[19]:
```

	total_bill	tip	sex	smoker	day	time	size	rnk_min
67	3.07	1.00	Female	Yes	Sat	Dinner	1	1.0
92	5.75	1.00	Female	Yes	Fri	Dinner	2	1.0
111	7.25	1.00	Female	No	Sat	Dinner	1	1.0
236	12.60	1.00	Male	Yes	Sat	Dinner	2	1.0
237	32.83	1.17	Male	Yes	Sat	Dinner	2	2.0

```
In [20]: tips.loc[tips["tip"] < 2, "tip"] *= 2
```

```
In [21]: tips = tips.loc[tips["tip"] <= 9]
```

```
In [23]: tips = pd.read_csv("tips.csv", sep="\t", header=None)
# alternatively, read_table is an alias to read_csv with tab delimiter
tips = pd.read_table("tips.csv", header=None)
```

```
In [24]: tips.to_excel("./tips.xlsx")
```

```
In [25]: tips_df = pd.read_excel("./tips.xlsx", index_col=0)
```

```
In [26]: tips_df.head(5)
```

```
Out[26]:
```

	0
0	total_bill,tip,sex,smoker,day,time,size
1	16.99,1.01,Female,No,Sun,Dinner,2
2	10.34,1.66,Male,No,Sun,Dinner,3
3	21.01,3.5,Male,No,Sun,Dinner,3
4	23.68,3.31,Male,No,Sun,Dinner,2

```
In [27]: tips = pd.read_csv("tips.csv", sep="\t", header=None)
# alternatively, read_table is an alias to read_csv with tab delimiter
tips = pd.read_table("tips.csv", header=None)
tips.head()
```

```
Out[27]:
```

	0
0	total_bill,tip,sex,smoker,day,time,size
1	16.99,1.01,Female,No,Sun,Dinner,2
2	10.34,1.66,Male,No,Sun,Dinner,3
3	21.01,3.5,Male,No,Sun,Dinner,3
4	23.68,3.31,Male,No,Sun,Dinner,2

```
In [28]: url = ("https://raw.githubusercontent.com/pandas-dev/pandas/main/pandas/tests/io/data/cs

tips = pd.read_csv(url)
tips.head()
```

```
Out[28]:
```

	total_bill	tip	sex	smoker	day	time	size
0	16.99	1.01	Female	No	Sun	Dinner	2
1	10.34	1.66	Male	No	Sun	Dinner	3
2	21.01	3.50	Male	No	Sun	Dinner	3
3	23.68	3.31	Male	No	Sun	Dinner	2
4	24.59	3.61	Female	No	Sun	Dinner	4

```
In [29]: tips["total_bill"] = tips["total_bill"] - 2
tips["new_bill"] = tips["total_bill"] / 2
tips.head()
```

```
Out[29]:
```

	total_bill	tip	sex	smoker	day	time	size	new_bill
0	14.99	1.01	Female	No	Sun	Dinner	2	7.495
1	8.34	1.66	Male	No	Sun	Dinner	3	4.170
2	19.01	3.50	Male	No	Sun	Dinner	3	9.505
3	21.68	3.31	Male	No	Sun	Dinner	2	10.840
4	22.59	3.61	Female	No	Sun	Dinner	4	11.295

```
In [30]: tips = tips.drop("new_bill", axis=1)
```



```
In [31]: tips[tips["total_bill"] > 10]
```

```
Out[31]:
```

	total_bill	tip	sex	smoker	day	time	size
0	14.99	1.01	Female	No	Sun	Dinner	2
2	19.01	3.50	Male	No	Sun	Dinner	3
3	21.68	3.31	Male	No	Sun	Dinner	2
4	22.59	3.61	Female	No	Sun	Dinner	4
5	23.29	4.71	Male	No	Sun	Dinner	4
...	...	...	...	...	...	...	...
239	27.03	5.92	Male	No	Sat	Dinner	3
240	25.18	2.00	Female	Yes	Sat	Dinner	2
241	20.67	2.00	Male	Yes	Sat	Dinner	2
242	15.82	1.75	Male	No	Sat	Dinner	2
243	16.78	3.00	Female	No	Thur	Dinner	2

204 rows × 7 columns

```
In [32]: tips["bucket"] = np.where(tips["total_bill"] < 10, "low", "high")
tips
```

```
Out[32]:
```

	total_bill	tip	sex	smoker	day	time	size	bucket
0	14.99	1.01	Female	No	Sun	Dinner	2	high
1	8.34	1.66	Male	No	Sun	Dinner	3	low
2	19.01	3.50	Male	No	Sun	Dinner	3	high
3	21.68	3.31	Male	No	Sun	Dinner	2	high
4	22.59	3.61	Female	No	Sun	Dinner	4	high
...	...	...	...	...	...	...	...	...
239	27.03	5.92	Male	No	Sat	Dinner	3	high
240	25.18	2.00	Female	Yes	Sat	Dinner	2	high
241	20.67	2.00	Male	Yes	Sat	Dinner	2	high
242	15.82	1.75	Male	No	Sat	Dinner	2	high
243	16.78	3.00	Female	No	Thur	Dinner	2	high

244 rows × 8 columns

```
In [33]: tips["date1"] = pd.Timestamp("2013-01-15")
tips["date2"] = pd.Timestamp("2015-02-15")
tips["date1_year"] = tips["date1"].dt.year
tips["date2_month"] = tips["date2"].dt.month
tips["date1_next"] = tips["date1"] + pd.offsets.MonthBegin()
tips["months_between"] = tips["date2"].dt.to_period("M") - tips["date1"].dt.to_

tips[["date1", "date2", "date1_year", "date2_month", "date1_next", "months_betv
```

```
Out[33]:
```

	date1	date2	date1_year	date2_month	date1_next	months_between
0	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>
1	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>
2	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>
3	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>
4	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>
...	...	...	...	...	...	...
239	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>
240	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>
241	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>
242	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>
243	2013-01-15	2015-02-15	2013	2	2013-02-01	<25 * MonthEnds>

244 rows × 6 columns

```
In [34]: tips[["sex", "total_bill", "tip"]]
```

```
Out[34]:
```

	sex	total_bill	tip
0	Female	14.99	1.01
1	Male	8.34	1.66
2	Male	19.01	3.50
3	Male	21.68	3.31
4	Female	22.59	3.61
...	...	...	...
239	Male	27.03	5.92
240	Female	25.18	2.00
241	Male	20.67	2.00
242	Male	15.82	1.75
243	Female	16.78	3.00

244 rows × 3 columns

```
In [35]: tips.drop("sex", axis=1)
```

```
Out[35]:
```

	total_bill	tip	smoker	day	time	size	bucket	date1	date2	date1_year	date2_month
0	14.99	1.01	No	Sun	Dinner	2	high	2013-01-15	2015-02-15	2013	2
1	8.34	1.66	No	Sun	Dinner	3	low	2013-01-15	2015-02-15	2013	2
2	19.01	3.50	No	Sun	Dinner	3	high	2013-01-15	2015-02-15	2013	2
3	21.68	3.31	No	Sun	Dinner	2	high	2013-01-15	2015-02-15	2013	2
4	22.59	3.61	No	Sun	Dinner	4	high	2013-01-15	2015-02-15	2013	2
...	...	...	...	...	...	...	...	...	...	...	...
239	27.03	5.92	No	Sat	Dinner	3	high	2013-01-15	2015-02-15	2013	2
240	25.18	2.00	Yes	Sat	Dinner	2	high	2013-01-15	2015-02-15	2013	2
241	20.67	2.00	Yes	Sat	Dinner	2	high	2013-01-15	2015-02-15	2013	2
242	15.82	1.75	No	Sat	Dinner	2	high	2013-01-15	2015-02-15	2013	2
243	16.78	3.00	No	Thur	Dinner	2	high	2013-01-15	2015-02-15	2013	2

244 rows × 13 columns



```
In [40]: tips.rename(columns={"total_bill": "total_bill_2"})
```

```
Out[40]:
```

	total_bill_2	tip	sex	smoker	day	time	size	bucket	date1	date2	date1_year	date2_year
67	1.07	1.00	Female	Yes	Sat	Dinner	1	low	2013-01-15	2015-02-15	2013	2015
92	3.75	1.00	Female	Yes	Fri	Dinner	2	low	2013-01-15	2015-02-15	2013	2015
111	5.25	1.00	Female	No	Sat	Dinner	1	low	2013-01-15	2015-02-15	2013	2015
145	6.35	1.50	Female	No	Thur	Lunch	2	low	2013-01-15	2015-02-15	2013	2015
135	6.51	1.25	Female	No	Thur	Lunch	2	low	2013-01-15	2015-02-15	2013	2015
...	...	...	...	...	...	...	...	...	...	...	...	...
182	43.35	3.50	Male	Yes	Sun	Dinner	3	high	2013-01-15	2015-02-15	2013	2015
156	46.17	5.00	Male	No	Sun	Dinner	6	high	2013-01-15	2015-02-15	2013	2015
59	46.27	6.73	Male	No	Sat	Dinner	4	high	2013-01-15	2015-02-15	2013	2015
212	46.33	9.00	Male	No	Sat	Dinner	4	high	2013-01-15	2015-02-15	2013	2015
170	48.81	10.00	Male	Yes	Sat	Dinner	3	high	2013-01-15	2015-02-15	2013	2015

244 rows × 14 columns



```
In [38]: tips = tips.sort_values(["sex", "total_bill"])
tips.head(2)
```

```
Out[38]:
```

	total_bill	tip	sex	smoker	day	time	size	bucket	date1	date2	date1_year	date2_year
67	1.07	1.0	Female	Yes	Sat	Dinner	1	low	2013-01-15	2015-02-15	2013	2015
92	3.75	1.0	Female	Yes	Fri	Dinner	2	low	2013-01-15	2015-02-15	2013	2015



```
In [41]: tips["time"].str.len()
```

```
Out[41]: 67      6
          92      6
          111     6
          145     5
          135     5
          ..
          182     6
          156     6
          59      6
          212     6
          170     6
          Name: time, Length: 244, dtype: int64
```

```
In [42]: tips["time"].str.rstrip().str.len()
```

```
Out[42]: 67      6
          92      6
          111     6
          145     5
          135     5
          ..
          182     6
          156     6
          59      6
          212     6
          170     6
          Name: time, Length: 244, dtype: int64
```

```
In [43]: tips["sex"].str.find("ale")
```

```
Out[43]: 67      3
          92      3
          111     3
          145     3
          135     3
          ..
          182     1
          156     1
          59      1
          212     1
          170     1
          Name: sex, Length: 244, dtype: int64
```

```
In [44]: tips["sex"].str[0:1]
```

```
Out[44]: 67    F
          92    F
          111   F
          145   F
          135   F
          ..
          182   M
          156   M
          59    M
          212   M
          170   M
          Name: sex, Length: 244, dtype: object
```

```
In [45]: pd.pivot_table(tips, values="tip", index=["size"], columns=["sex"], aggfunc=np.
```

```
Out[45]:
```

	sex	Female	Male
size			
1		1.276667	1.920000
2		2.528448	2.614184
3		3.250000	3.476667
4		4.021111	4.172143
5		5.140000	3.750000
6		4.600000	5.850000

```
In [54]: tips.iloc[1:2,0:3]
```

```
Out[54]:
```

	total_bill	tip	sex
92	3.75	1.0	Female

```
In [56]: tips == "3.75"
```

```
Out[56]:
```

	total_bill	tip	sex	smoker	day	time	size	bucket	date1	date2	date1_year	date2
67	False	False	False	False	False	False	False	False	False	False	False	False
92	False	False	False	False	False	False	False	False	False	False	False	False
111	False	False	False	False	False	False	False	False	False	False	False	False
145	False	False	False	False	False	False	False	False	False	False	False	False
135	False	False	False	False	False	False	False	False	False	False	False	False
...	...	...	...	...	...	...	...	...	...	...	...	...
182	False	False	False	False	False	False	False	False	False	False	False	False
156	False	False	False	False	False	False	False	False	False	False	False	False
59	False	False	False	False	False	False	False	False	False	False	False	False
212	False	False	False	False	False	False	False	False	False	False	False	False
170	False	False	False	False	False	False	False	False	False	False	False	False

244 rows × 14 columns



```
In [57]: tips["day"].str.contains("S")
```

```
Out[57]:
```

67	True
92	False
111	True
145	False
135	False
...	...
182	True
156	True
59	True
212	True
170	True

Name: day, Length: 244, dtype: bool

```
In [58]: tips.replace("Thu", "Thursday")
```

```
Out[58]:
```

	total_bill	tip	sex	smoker	day	time	size	bucket	date1	date2	date1_year	date2_year
67	1.07	1.00	Female	Yes	Sat	Dinner	1	low	2013-01-15	2015-02-15	2013	2015
92	3.75	1.00	Female	Yes	Fri	Dinner	2	low	2013-01-15	2015-02-15	2013	2015
111	5.25	1.00	Female	No	Sat	Dinner	1	low	2013-01-15	2015-02-15	2013	2015
145	6.35	1.50	Female	No	Thur	Lunch	2	low	2013-01-15	2015-02-15	2013	2015
135	6.51	1.25	Female	No	Thur	Lunch	2	low	2013-01-15	2015-02-15	2013	2015
...	...	...	...	...	...	...	...	...	...	...	...	...
182	43.35	3.50	Male	Yes	Sun	Dinner	3	high	2013-01-15	2015-02-15	2013	2015
156	46.17	5.00	Male	No	Sun	Dinner	6	high	2013-01-15	2015-02-15	2013	2015
59	46.27	6.73	Male	No	Sat	Dinner	4	high	2013-01-15	2015-02-15	2013	2015
212	46.33	9.00	Male	No	Sat	Dinner	4	high	2013-01-15	2015-02-15	2013	2015
170	48.81	10.00	Male	Yes	Sat	Dinner	3	high	2013-01-15	2015-02-15	2013	2015

244 rows × 14 columns



```
In [59]: tips_summed = tips.groupby(["sex", "smoker"])[["total_bill", "tip"]].sum()
tips_summed
```

```
Out[59]:
```

	sex	smoker	total_bill	tip
Female		No	869.68	149.77
		Yes	527.27	96.74
Male		No	1725.75	302.00
		Yes	1217.07	183.07



```
In [61]: gb = tips.groupby("smoker")["total_bill"]
tips["adj_total_bill"] = tips["total_bill"] - gb.transform("mean")
tips.head(2)
```

```
Out[61]:
```

	total_bill	tip	sex	smoker	day	time	size	bucket	date1	date2	date1_year	date2_m
67	1.07	1.0	Female	Yes	Sat	Dinner	1	low	2013-01-15	2015-02-15	2013	
92	3.75	1.0	Female	Yes	Fri	Dinner	2	low	2013-01-15	2015-02-15	2013	

```
In [62]: tips.groupby(["sex", "smoker"]).first()
```

```
Out[62]:
```

	total_bill	tip	day	time	size	bucket	date1	date2	date1_year	date2_mon	
<b>sex</b>											
<b>smoker</b>											
<b>Female</b>	<b>No</b>	5.25	1.00	Sat	Dinner	1	low	2013-01-15	2015-02-15	2013	
	<b>Yes</b>	1.07	1.00	Sat	Dinner	1	low	2013-01-15	2015-02-15	2013	
<b>Male</b>	<b>No</b>	5.51	2.00	Thur	Lunch	2	low	2013-01-15	2015-02-15	2013	
	<b>Yes</b>	5.25	5.15	Sun	Dinner	2	low	2013-01-15	2015-02-15	2013	

```
In [64]: url = ("https://raw.githubusercontent.com/pandas-dev/pandas/main/pandas/tests/io/data/cs
tips = pd.read_csv(url)
tips.head(2)
```

```
Out[64]:
```

	total_bill	tip	sex	smoker	day	time	size
0	16.99	1.01	Female	No	Sun	Dinner	2
1	10.34	1.66	Male	No	Sun	Dinner	3

In [65]:

```
tips[tips["total_bill"] > 10]
```

Out[65]:

	<b>total_bill</b>	<b>tip</b>	<b>sex</b>	<b>smoker</b>	<b>day</b>	<b>time</b>	<b>size</b>
<b>0</b>	16.99	1.01	Female	No	Sun	Dinner	2
<b>1</b>	10.34	1.66	Male	No	Sun	Dinner	3
<b>2</b>	21.01	3.50	Male	No	Sun	Dinner	3
<b>3</b>	23.68	3.31	Male	No	Sun	Dinner	2
<b>4</b>	24.59	3.61	Female	No	Sun	Dinner	4
...	...	...	...	...	...	...	...
<b>239</b>	29.03	5.92	Male	No	Sat	Dinner	3
<b>240</b>	27.18	2.00	Female	Yes	Sat	Dinner	2
<b>241</b>	22.67	2.00	Male	Yes	Sat	Dinner	2
<b>242</b>	17.82	1.75	Male	No	Sat	Dinner	2
<b>243</b>	18.78	3.00	Female	No	Thur	Dinner	2

227 rows × 7 columns

In [66]:

```
tips[["sex", "total_bill", "tip"]]
```

Out[66]:

	<b>sex</b>	<b>total_bill</b>	<b>tip</b>
<b>0</b>	Female	16.99	1.01
<b>1</b>	Male	10.34	1.66
<b>2</b>	Male	21.01	3.50
<b>3</b>	Male	23.68	3.31
<b>4</b>	Female	24.59	3.61
...	...	...	...
<b>239</b>	Male	29.03	5.92
<b>240</b>	Female	27.18	2.00
<b>241</b>	Male	22.67	2.00
<b>242</b>	Male	17.82	1.75
<b>243</b>	Female	18.78	3.00

244 rows × 3 columns

```
In [67]: tips = tips.sort_values(["sex", "total_bill"])
tips
```

```
Out[67]:
```

	total_bill	tip	sex	smoker	day	time	size
67	3.07	1.00	Female	Yes	Sat	Dinner	1
92	5.75	1.00	Female	Yes	Fri	Dinner	2
111	7.25	1.00	Female	No	Sat	Dinner	1
145	8.35	1.50	Female	No	Thur	Lunch	2
135	8.51	1.25	Female	No	Thur	Lunch	2
...	...	...	...	...	...	...	...
182	45.35	3.50	Male	Yes	Sun	Dinner	3
156	48.17	5.00	Male	No	Sun	Dinner	6
59	48.27	6.73	Male	No	Sat	Dinner	4
212	48.33	9.00	Male	No	Sat	Dinner	4
170	50.81	10.00	Male	Yes	Sat	Dinner	3

244 rows × 7 columns

```
In [5]: print(tips.iloc[-20:, :12].to_string())
```

	total_bill	tip	sex	smoker	day	time	size
224	13.42	1.58	Male	Yes	Fri	Lunch	2
225	16.27	2.50	Female	Yes	Fri	Lunch	2
226	10.09	2.00	Female	Yes	Fri	Lunch	2
227	20.45	3.00	Male	No	Sat	Dinner	4
228	13.28	2.72	Male	No	Sat	Dinner	2
229	22.12	2.88	Female	Yes	Sat	Dinner	2
230	24.01	2.00	Male	Yes	Sat	Dinner	4
231	15.69	3.00	Male	Yes	Sat	Dinner	3
232	11.61	3.39	Male	No	Sat	Dinner	2
233	10.77	1.47	Male	No	Sat	Dinner	2
234	15.53	3.00	Male	Yes	Sat	Dinner	2
235	10.07	1.25	Male	No	Sat	Dinner	2
236	12.60	1.00	Male	Yes	Sat	Dinner	2
237	32.83	1.17	Male	Yes	Sat	Dinner	2
238	35.83	4.67	Female	No	Sat	Dinner	3
239	29.03	5.92	Male	No	Sat	Dinner	3
240	27.18	2.00	Female	Yes	Sat	Dinner	2
241	22.67	2.00	Male	Yes	Sat	Dinner	2
242	17.82	1.75	Male	No	Sat	Dinner	2
243	18.78	3.00	Female	No	Thur	Dinner	2

**Syed Afroz Ali**

```
In [ ]:
```

